

# Hose Reel Wall Mounting Bracket Kit

3A1221B ENG

**Used for Wall Mounting Installation LD Enclosed Hose Reels.** 

Part No: 24G866




### **Important Safety Instructions**


Read all warnings and instructions in this manual and your LD Series Enclosed Hose Reel instruction manual. Save all instructions.


A			

To reduce the risk of injury, be sure the mounting surface is strong enough to support the reels, weight of the lubricants and stress caused by hard pulls on the service hoses.

Ref	Description	Qty
1	BRACKET, swiveling bracket	1
2	CAP, mounting tube	2
3	TUBE, mounting	1
4	CLIP, button clip	1









3A1221B 3

# **Overhead Mounting**



To reduce the risk of injury, be sure the mounting surface is strong enough to support the reels, weight of the lubricants and stress caused by hard pulls on the service hoses.

 See Technical Data, page 6 for weights of hose reel assemblies.




4 3A1221B

6 mm (1/4/ in.) minimum

0

ti13510




3A1221B 5

# **Technical Data**

## **Hose Reel Weight**

Model	Weight: kg (lb)	
HEL13#	9.0 kg (19.8 lb)	
HEL15#	9.5 kg (21 lb)	
HEL23#	10.4 kg (23 lb)	
HEL25#	11.0 kg (24.25 lb)	
HEL33#	10.5 kg (23.1 lb)	
HEL34#	11.4 kg (25.1 lb)	
HEM23#	11.4 kg (25.1 lb)	
HEM33#	14.0 kg (30.8 lb)	
HEH13#	13.2 kg (29.1 lb)	

# **Mounting Pattern and Dimensions**



All written and visual data contained in this document reflects the latest product information available at the time of publication.

Graco reserves the right to make changes at any time without notice.

Original instructions. This manual contains English. MM 3A1221

Graco Headquarters: Minneapolis International Offices: Belgium, China, Japan, Korea