

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 4200

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions : Restricted to professional users.  
on use

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS Material Compliance Management

National contact :

### 1.4 Emergency telephone number

Emergency telephone num- : +49 8142 3051 517  
ber Warszawa: +48 22 619 66 54

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat- H412: Harmful to aquatic life with long lasting ef-  
egory 3 fects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting ef-  
fects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil  
Mineral oil.  
Molybdenum disulfide

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
disodium sebacate	17265-14-4 241-300-3  01-2120762063-61-XXXX	Eye Irrit.2; H319		>= 1 - < 10
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4  01-2119555270-46-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 1 - < 2,5
Substances with a workplace exposure limit :				
residual oils (petroleum), hydrotreated	64742-57-0 265-160-8	Not classified	Note L	>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version 1.4      Revision Date: 22.10.2022      Date of last issue: 17.12.2019      Print Date: 24.10.2022  
Date of first issue: 01.07.2016

	649-470-00-4 01-2119489287-22-XXXX			
molybdenum disulphide	1317-33-5 215-263-9	Not classified		$\geq 1 - < 10$
Graphite	7782-42-5 231-955-3	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If symptoms persist, call a physician.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
Get medical attention if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Avoid breathing dust.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational Exposure Limits

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version 1.4      Revision Date: 22.10.2022      Date of last issue: 17.12.2019  
Date of first issue: 01.07.2016

Print Date:  
24.10.2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
residual oils (petroleum), hydrotreated	64742-57-0	NDS (inhalable fraction)	5 mg/m <sup>3</sup>	PL OEL (2021-02-19)
molybdenum disulphide	1317-33-5	NDS	4 mg/m <sup>3</sup> (Molybdenum)	PL OEL (2018-07-07)
		NDSch	10 mg/m <sup>3</sup> (Molybdenum)	PL OEL (2018-07-07)
Graphite	7782-42-5	NDS (inhalable fraction)	4 mg/m <sup>3</sup>	PL OEL (2018-07-07)
		NDS (respirable fraction)	1 mg/m <sup>3</sup>	PL OEL (2018-07-07)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
residual oils (petroleum), hydrotreated	Workers	Inhalation	Long-term systemic effects	2,7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	5,6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	1 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35,26 mg/m <sup>3</sup>
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg
Graphite	Workers	Inhalation	Long-term local effects	1,2 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
disodium sebacate	Fresh water	0,018 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg
	Marine sediment	0,055 mg/kg
	Soil	0,099 mg/kg
	2,6-di-tert-butyl-p-cresol	Fresh water
Marine water		0,02 µg/l
Intermittent use/release		1,99 µg/l
Microbiological Activity in Sewage Treatment Systems		0,17 mg/l
Fresh water sediment		0,0996 mg/kg
Marine sediment		0,00996 mg/kg
Soil		0,04769 mg/kg
Oral		8,33 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 8.2 Exposure controls

#### Engineering measures

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

#### Personal protective equipment

Eye protection : Safety glasses with side-shields

#### Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : black

Odour : hydrocarbon-like

Odour Threshold : No data available

Drop point : ca. 250 °C (1.013 hPa)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,93 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,93 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

##### **disodium sebacate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Method: OECD Test Guideline 401  
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### **2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **residual oils (petroleum), hydrotreated:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **molybdenum disulphide:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 16.000 mg/kg

### **Graphite:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

### **Skin corrosion/irritation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

##### **disodium sebacate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### residual oils (petroleum), hydrotreated:

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

### molybdenum disulphide:

Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### disodium sebacate:

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 437  
Result : Irritating to eyes.  
GLP : yes

##### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

##### residual oils (petroleum), hydrotreated:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

##### molybdenum disulphide:

Assessment : No eye irritation  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

##### **disodium sebacate:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

##### **2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### **residual oils (petroleum), hydrotreated:**

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

Assessment : Does not cause respiratory sensitisation.  
Result : Does not cause respiratory sensitisation.

##### **molybdenum disulphide:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **disodium sebacate:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

##### **2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **molybdenum disulphide:**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Remarks : No data available

#### **Components:**

##### **residual oils (petroleum), hydrotreated:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **molybdenum disulphide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### **Components:**

##### **disodium sebacate:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

##### **2,6-di-tert-butyl-p-cresol:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### STOT - single exposure

#### Components:

##### **molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### **molybdenum disulphide:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### **disodium sebacate:**

No aspiration toxicity classification

##### **2,6-di-tert-butyl-p-cresol:**

No aspiration toxicity classification

##### **residual oils (petroleum), hydrotreated:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

#### Components:

##### **molybdenum disulphide:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **disodium sebacate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38,7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: ISO 10253  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 2,6-di-tert-butyl-p-cresol:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

### residual oils (petroleum), hydrotreated:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

### molybdenum disulphide:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h

## 12.2 Persistence and degradability

### Product:

- Biodegradability : Remarks: No data available
- Physico-chemical removabil- : Remarks: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

ity

### Components:

#### **disodium sebacate:**

Biodegradability : Result: Biodegradable  
Biodegradation: 89 %  
Exposure time: 28 d

#### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

#### **residual oils (petroleum), hydrotreated:**

Biodegradability : Result: Not rapidly biodegradable

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

#### **disodium sebacate:**

Partition coefficient: n-octanol/water : log Pow: -4,9 (20 °C)  
pH: 7,8

#### **2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-octanol/water : log Pow: 5,1

#### **Graphite:**

Partition coefficient: n-octanol/water : Remarks: No data available

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **2,6-di-tert-butyl-p-cresol:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

The following Waste Codes are only suggestions:

Waste Code : unused product  
13 02 06\*, synthetic engine, gear and lubricating oils

uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated  
by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 14.5 Environmental hazards

**ADN** : Not regulated as a dangerous good  
**ADR** : Not regulated as a dangerous good  
**RID** : Not regulated as a dangerous good  
**IMDG** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

Volatile organic compounds (VOC) content: < 0,01 %

### Other regulations:

Act of 25 February 2011 on chemical substances and their mixtures (i.e. Journal of Laws of 2019, No. 0, item 1225)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union L 353 from 31.12.2008) with further adaptation to technical progress (ATP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended).

Commission Regulation (EU) 2020/878

Ordinance of the Minister of Health of 10 August 2012 concerning the criteria and procedure of classification of chemical substances and their mixtures (consolidated text Dz. U. of 2015., pos. 208).

Ordinance of the Minister of Economy, Labour and Social Policy of 21st December 2005 concerning the basic requirements for personal protective equipment (Dz. U. Nr. 259, item 2173).

Ordinance of the Minister of Labour and Social Policy of 12 June 2018 concerning the highest allowable concentrations and levels of the agents harmful for health in the workplace (Dz.U 2018 pos 1286, with later amendments).

Ordinance of the Minister of Health of 2nd February 2011 concerning tests and measurement of agents harmful for health in the workplace (Dz. U. Nr. 33, item 166 wraz z późn. zm.).

Ordinance of the Minister of Health of 30th December 2004 on the health and safety of workers related to chemical agents at work (Dz. U. from 2005, Nr. 11, item 86, as amended).

Act of 14 December 2012. on Waste (Journal of Laws of 2013. pos. 21, as amended).

Act of 13 June 2013. On packaging and packaging waste Journal. U. of 2013. Item. 888, as amended).

Ordinance of the Minister of Climate of 2nd January 2020 on Waste Catalog (Dz. U. 2020 item 10).

Ordinance of the Minister of Environment on the requirements for carrying out the process of thermal treatment of waste and how to deal with waste produced in the process. (Dz. U. of 2016., Pos. 108)

Act of 19 August 2011 on transport of dangerous goods (Dz. U. Nr. 227, item 1367, as amended).

Government Statement of 18 February 2019 on enforcing of changes Annexes A and B of Agreement concerning international transport of dangerous goods by road (ADR) (Dz. U. 2019, item 769).

Ordinance of the Minister of Health of 20th April 2012 concerning labeling of containers of dangerous substances and dangerous mixtures and some mixtures ((consolidated text) Dz. U. z 2015 nr. 0 poz. 450).

Ordinance of the Minister of Health of 11th June 2012 concerning categories of dangerous substances and dangerous mixtures for which containers must be fitted with child-resistant fastenings and a tactile warning of danger (Dz. U. from 2012, item 688 as amended).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H319 : Causes serious eye irritation.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

PL OEL : Poland. Occupational exposure limits for airborne toxic substances

PL OEL / NDS : Maximal Admissible Concentration

PL OEL / NDSch : Maximal Admissible Temporary Concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - PL  
(Commission Regulation (EU) 2020/878)



## OKS 4200

Version	Revision Date:	Date of last issue: 17.12.2019	Print Date:
1.4	22.10.2022	Date of first issue: 01.07.2016	24.10.2022

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3                      H412

#### Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.