

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

Issued to: ASCO, L.P.
160 Park Ave
Florham Park NJ, 07932 US

**This is to certify that
representative samples of**

VALVES, ELECTRICALLY OPERATED
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 429, Standard for Electrically Operated Valves

UL 428B, Standard For Electrically Operated Valves For
Diesel Fuel, Biodiesel Fuel, Diesel/Biodiesel Blends With
Nominal Biodiesel Concentrations Up To 20 Percent (B20),
Kerosene, And Fuel Oil

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Product Designation(s).

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
	8262701.	None, DF, HT, J, JB, JKF, L, M, R, T	None
	826277, -78.	None, DF, HT, J, JB, JKF, L, M, R, T	None
Safety Valves	8262A212, -A230, -B208, -B212, -B226, -B230, -B232, -C11, -C16, -C21, -C23, -C232, -D21, -D23.	None, DP, HB, J, JB, JKP, L, M, R, T Prefixes HT and JFK apply to DC constructions only	None, W, V
	8262C232B.	None, DP, HB, J, JB, JKP, L, M, R, T	None
	8262B202, -B210, -B220, -C1, -C2, -C6, -C7, -C12, -C13, -C14, -C15, -C19, -C20, -C22, -C36, -C38, -C80, -C86, -C90, -C202, -C208, -C210, -C220, -C226, -D19, -D20, -D22, -D232.	None, DF, HT, J, JB, JKF, L, M, R, W, V, T	None,



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
*Safety Valves	8262G1, -G2, -G6, -G7, -G12, -G13, -G14, -G15, -G19, -G20, -G22, -G036, -G38, -G80, -G86, -G90, -G202, -G208, -G210, -G220, -G226, -G232.	None, GP, HT, JB, JKF, JPKF, L	None, V, W
	SCX8262G208VM18906.	None	None
	X8262G13V18826.	None	None
	X8262G20815334.	None	None
	8262G77, -G78, 8262G210B.	None, GP, HT, JKF, JPKF, L	None
	8262G232B.	None, GP, HB, JKP, JPKP, L	None
	8262H001, -H006, -H007, -H011, -H012, -H014, -H015, -H019, -H036, -H038, -H080, -H086, -H090, -H111, -H113, -H186.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP)	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

		or (JB with or without HB or HT).	
	8262H002, -H013, -H016, -H020, -H021, -H022, -H023	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	8262H077, -H078.	(None or GP with or without L, with or without HT) or (J or JP, with any of the following: KF, KH) or (JB with or without HT).	None or A, with or without SF, with or without MB.
	8262R077, -R078.	None or L	None or A, with or without SF, with or without MB.
	8262H110B, -H112B, -H114B, -H184B, -H185B, -H187B, -H188B, -H189B, -H202B, -H208B, -H210B, -H212B, -	(None or GP with or without L, with or without HB or HT) or (J or JP, with any of the following: KB, KF, KH, KP)	With or without SF, with or without MB.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	H220B, -H226B, -H230B, -H232B (LIQUID PROPANE).	or (JB with or without HB or HT).	
	8262H108P, -H109P, -H110P, -H112P, - H114P, -H182P, -H183P, -H184P, - H185P, -H187P, -H188P, -H189P, - H202P, -H208P, -H210P, -H212P, - H220P, -H226P, -H230P, -H232P (DRY AIR).	(None or GP with or without L, with or without HB or HT) or (J or JP, with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	With or without V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB. (A or N is before P)
	8262R109P, -R183P, -R185P, -R202P, - R208P, -R212P, -R220P, -R226P, - R230P, -R232P (DRY AIR).	None or L	With or without V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB. (A or N is before P)



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	8262H105, -H112, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or A or V or NV or AN, with or without SF, with or with or without VM or VH or NVM or NVH with or without MB.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232		None or A or V or NV or AN, with or without SF, with or with or without VM or VH or NVM or NVH, with or without LF, with or without MB
	8262H001, -H002, -H006, -H011, -H012, -H017, -H021, -H023, -H088, -H127, -H208, -H226.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	V1V, with or without SF, with or without MB.
	8262R105, -R109, -R174, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R178, -R277.	None, L	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262P001, -002, -014, -077, -078, -202, -208, -210B, -212, -216, -232	NONE, L	None, V, MB, MO, MS
--	-----------------------------------------------------------------------	---------	---------------------

\$ - LF only applies to 8262(H or R)105, (H or R)109, (H or R)208, (H or R)232 versions and all applicable prefixes and suffixes.

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
	8262277V.	None, DP, HB, J, JB, L, M, R, T	None
	8262G277V.	None, GP, HB, JKP, JPKP, L	None
*Safety Valves	8262G11, -G16, -G21, -G23 -G212, -G230.	None, GP, HB, JB, JKP, JPKP, L	None, V, W
	8263B200, -C2, -C54.	None, DF, HT, J, JB, JKF, L, M, R, TV	None, W, V
	8263G2, -G200, -G330, -G331.	None, GP, HT, JB, JKF, JPKP, L	None, W, V

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

	8263A210.	None, DP, HB, J, JB, JKP, L, M, R, T	None, W, V
	8263B206, -B232, -C3.	Prefixes HT and JKF apply to DC constructions only	
	8263B206B.	None, DP, HB, J, JB, JKP, L, M, R, T	None
	8263G3, -G206, -G210, -G232 -G332, -G332.	None, GP, HB, JB, JKP, JPKP, L Prefixes HT and JKF apply to DC constructions only	None, W, V
	8263H002, -H003, -H054, -H119, -H192, -H194, -H196, -H330.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.
	8263H116, -H117		None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.
	8263H118, -H200.		None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB.
	8263H003, -H004, -H206, -H332.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	V1V, with or without SF, with or without MB.
	8263P002, -200, -206, -210	NONE, L	None, V, MB, MO
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	None, L	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB.
	HV-218-532-1, -2, -3 -4, -5, -6, -7, -8, -9 -10.	None	None
	HV-258-298-1.	None	None
	HV-264-690-1, -2.	None	None

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

HV-230-144-1.	None	None
X8262C1313829.	None	None
X8262G9023018. a	None	None
X8263C54V15368.	None	None
HV428859-001, -002.	None	None

"a" May be used in mobile equipment

\$ - LF only applies to 8263R200, versions and all applicable prefixes and suffixes.

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262703, -705.	None, DF, HT, J, JB, JKF, L, M, R, T	None
	8262A214, -B214, -D200.	None, DF, HT, J, JKF, L, M, R, T	None, MO
	8262B200, -C200.	None, DP, HB, J, JB, JKP, L, M, R, T	None, MO

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262B250, -B252, -B254, -B256.	DP, HB, J, JB, JKP, L, M, R, T	None, MB, MO
	8262C1, -C2, -C6, -C12, -C14, -C15.	None, DF, HT, J, JB, JKF, L, M, R, T	M, MO, W, V

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262G1, -G2, -G6, -G12, -G14, -G15.	None, GP, HT, JB, JKF, JPKF, L	M, MO, W, V
	X8262G2M015455.	None	None
	X8262G123004, -G223004, -G1423004, -G1923004, -G2023004, -G2223004, -G20023004, -G20223004, -G20823004, -G21223004.	None	None
	8262C32, -C33, C34.	None, DF, HT, J, JB, JKF, L, M, R, T	None, MB



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8262C35, -C92, -C94, -D31, -D91, -D93.	None, DF, HT, J, JB, JFK, L, M, R, T	None
8262G11, -G16, -G21, -G23.	GP, HB, JB, JKP, JPKP, L	M, MO, W, V
8262G31, -G35, -G91, -G92, -G93, -G94.	None, GP, HT, JB, JFK, JPKF, L	None
X8262G03626007.	None	None
8262G200, -G214.	None, GP, HT, JB, JFK, JPKF, L	None, MO
X8262G1315464.	None	None
FBX8262G093V25157.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
*General Purpose Valves	8262H001, -H006, -H007, -H011, -H012, -H014, -H015, -H019, -H036, -H038, -H080, -H086, -H090, -H111, -H113, -H186.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB.
	8262H002, -H013, -H016, -H020, -H021, -H022, -H023.		T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB.
	8262H079, -H096, -H106, -H173, -H180.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	With or without SF, with or without MB.
	8262H112, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB, with MS.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232		None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB, with MS.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262H089, -H099, -H107, -H175, -H176, -H181, -H200, -H214.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	With or without SF, with or without MB.
--	------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262H112, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB, with or without MS.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232		T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB, with or without MS.
	8262P031, -091, -093, -200, -260, -261, -262, -263, -264, -265	NONE, L	None, V, MB, MO, MS
	8262R105, -R109, -R174, -R178, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R277.	None, L	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF (\$), with or without MB, with or without MS.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8262R105, -R109, -R174, -R178, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R277.	None, L	None or V or A or VN or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB with MS.
8262R107, -R181, -R099, -R175.	None, L	With or without SF, with or without MB.

§ - LF only applies to 8262R105, R109, R208, R232 versions and all applicable prefixes and suffixes.

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262A212MO, -A230MO, -B208MO, -B212MO, -B226MO, -B230MO, -C21MO, -C23MO, -C232MO, -D21MO, -D23MO.	None, DP, HB, J, JB, JKP, L, M, R, T Prefixes HT and JKF apply to DC constructions only	None, W, V
	GPX8262G230E18784.	None	None
	JX8262B21215334.	None	None
	(Empty)	(Empty)	(Empty)


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	JKPX8262G230E17664.	None	None
	8262B202MO, -B210MO, -B220MO, -C7MO, -C13MO, -C19MO, -C20MO, -C22MO, -C36MO, -C38MO, -C80MO, -C86MO, -C90MO, -C202MO, -C208MO, -C210MO, -C220MO, -C226MO, -D19MO, -D20MO, -D22MO, -D232MO.	None, DF, HT, J, JB, JKF, L, M, R, T	None, W, V

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8263B206MO, -B232MO.	None, DP, HB, J, JB, L, M, R, T, Prefixes HT and JKF apply to DC constructions only	None, V, W
	X8263G21023004.	None	None
	8262C79, -C95.	None, DP, HB, J, JB, JKP, L, M, R, T	None, M, MO



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

826277Q, 8262B208Q, 8262C32Q, 8262C91Q, 8262C232Q.	None, J, JB, L, M,R,T	None, MB, MO
X8262B208Q15418.	None	None
8262G32Q, G77Q, G91Q, G208Q, G232Q.	None, GP, JB, L	None, MB, MO or MS
X8262G226E07197.	None	None
X8262G226V07197.	None	None
X8262G2215464.	None	None
HTX8262D23221375.	None	None
HTX8263G2E05688.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes	
*General Purpose Valves	8263H002, -H003, -H054, -H119, -H192, -H194, -H196, -H330.	(None or GP with or without L, with or without HB or HT)	T or E or J or W or N or NT with or without SF, with or without VM or VH, with or without MB.	
	8263H116, -H117.	or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	T or E or J or W or N or NT with or without SF, with or without VM or VH, with or without LF, with or without MB.	
	8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or GP with or without L, with or without HB or HT)	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB with MS.	
	8263H118, -H200.	or (J or JP with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB, with MS.	
	8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or GP with or without L, with or without HB or HT)	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB, with or without MS.	
	8263H118, -H200.	or (J or JP with or without any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB, with or without MS.	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	None, L	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB with MS.
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	None, L	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF (\$), with or without MB, with or without MS.
General Purpose Valves	8263H053, -H059 (STEAM AND HOT WATER).	(None or GP with or without L) or (J or JP, with KH) or JB.	With or without MB.
	8263H300, -H301, -H303, -H304, -H305, -H306, -H308, -H318, -H319, -H320, -H321 (STEAM AND HOT WATER).	(None or GP with or without L) or (J or JP, with any of the following: KB, KH) or JB.	None or E with or without MB.
	8262H174NH, -H178NH, -H183NH, -H185NH, -H187NH, -H188NH, -H230NH, and 8263H191NH, -H193NH, -H332NH, -H333NH (AMMONIA).	(None or GP with or without L, with or without HB) or (J or JP, with any of the following: KB, KP) or (JB with or without HB).	With or without MB, with or without MS.
	8262H105LT, -H110LT,	(None or GP with or without L, with or without HB or HT) or (J or JP with any of the following: KB, KF, KH, KP)	With or without MB

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	<p>-H114LT, -H208LT, -H210LT, -H212LT, -H232LT</p> <p>8263H115LT, -H124LT,</p> <p>-H125LT, -H206LT, -H210LT, -H232LT, -H240LT</p> <p>(Cryogenic)</p>	<p>or (JB with or without HB or HT).</p>	
--	------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------	--

§ - LF only applies to 8263R200, versions and all applicable prefixes and suffixes.

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
<p>General Purpose Valves</p>	<p>8262R174NH, -R178NH, -R183NH, -R185NH, -R220NH, -R226NH, -R230NH; 8263R191NH, -R193NH, -R332NH, -R333NH (AMMONIA).</p>	<p>None or L</p>	<p>With or without MB, with or without MS.</p>
	<p>8262H077Q, -H108Q, -H177Q, -H179Q, -H182Q, -H184Q, -H189Q, -H202Q, -H208Q, -H210Q, -H220Q, -H226Q, -H232Q; and 8263H124Q, -H125Q, -H190Q, -H195Q, -H197Q, -H200Q, -H232Q, -H331Q (LONG LIFE).</p>	<p>(None or GP with or without L) or (J or JP, with any of the following: KF, KH) or (JB).</p>	<p>With or without V or E or J, with or without N or SF, with or without VM or VH, with or without MB. (N, E or J is before Q)</p>

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262H108P, -H109P, -H110P, -H112P, - H114P, -H182P, -H183P, -H184P, - H185P, -H187P, -H188P, -H189P, - H202P, -H208P, -H210P, -H212P, - H220P, -H226P, -H230P, -H232P (DRY AIR).	(None or GP with or without L, with or without HB or HT) or (J or JP, with any of the following: KB, KF, KH, KP) or (JB with or without HB or HT).	With N, with or without SF, with or without MB. (N is before P)
	8262R109P, -R183P, -R185P, -R202P, - R208P, -R212P, -R220P, -R226P, - R230P, -R232P (DRY AIR).	None or L	With N, with or without SF, with or without MB. (N is before P)

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
	832057, -61, -93, -95, -A5, -A7, -A9, -A11, -A41, -A43, -A89, -A91, -A97, - A99, -A140, -A144, -A148, -B1, -B3, -B130, -B134, -B13412010, -B138.	None, DP, J, JB, JKP, L, M, R, T	None, MB, MO, MS, V
*General Purpose Valves	8320G1, -G3, -G41, -G43, -G57, - G89, -G130, -G140.	None, GP, HB, JB, JKP, JPKP or L for AC construction, or None, GP, HT, JB, JKF, JKH, JPKF, JPKH or L for DC construction.	None, MB, MO, MS, SF



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

X8320G13015464.	None	None
X8320G23521323.	None	None
832059, -63, -65, -67, -79, -A19, -A21, -A23, -A25, -A33, -A35, -A37, -A39, -A45, -A47, -A49, -A51, -A53, -A55, -A85, -A87, -A101, -A103, -A105, -A107, -A142, -A146, -B13, -B15, -B17, -B27, -B29, -B31, -B83, -B132, -B136.	None, DF, HT, J, JB, JKF, L, M, R, T	None, MB, MO, MS, V
8320G13, -G15, -G17, -G27, -G29, -G31, -G45, -G47, -G49, -G51, -G53, -G55, -G83, -G87, -G132, -G136, -G142, -G146.	None, GP, HT, JB, JKF, JKH, JPKF, JPKH, L	None, MB, MO, MS, SF, V
X8320G1315350.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
	FBX8320G17JH15439.	None	None
	HTX8320B17E09600.	None	None
	8320A170, -A180, -A182, -A190, -A192, -A200, -A201, -B174, -B176.	None, DP, J, JB, JKP, L, M, R, T, Prefixes HT and JKF apply to DC constructions only	None, MB, MO, MS, V
*General Purpose Valves	8320G174, -G176, -G180, -G182, -G190, -G192, -G200, -201, -G213, -G214, -G215, -G218, -G222, -G223, -G224, -G227, -G231, -G232.	None, GP, HB, JB, JKP, JPKP or L for AC construction, or None, GP, HT, JB, JKF, JKH, JPKF, JPKH or L for DC construction	None, MB, MO, MS, SF, V
	GPX8320G19213889.	None	None
	8320A172, -A178, -A184, -A186, -A188, -A194, -A196, -A198 -A202, -A203 -A204, -A205.	None, DF, HT, J, JB, JKF, L, M, R, T	None, MB, MO, MS, V



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8320A178Q15418.	None	None
8320G172, -G178, -G184 -G186, -G188, -G194, -G196, -G198, -G202, -G203, -G204, -G205, G216, G217, G219, G220, G225, G226, G228, G229.	None, GP, HT, JB, JKF, JKH, JPKF, JPKH, L	None, MB, MO, MS, SF, V
GPX8320G19415308.	None	None
X8320G184P15464.	None	None
8320G212, G221, -G230.	None, GP, HB, JB, JKP, JPKP, L	None, MO, MS, MB, SF

GENERAL USE

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8320A172Q, -A182Q, -A186Q, -A192Q, -A196Q, -B13Q, -B27Q, -B174Q.	None, J, JB, L, M, R, T	None, MB, MO, MS,



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8320G1Q, G13Q, G27Q, G172Q, G174Q, G182Q, G186Q, G192Q, G196Q.	None, G, P, L	None, MB, MO or MS
8327G1, -G2, -G11, -G12, -G21, -G22, -G31, -G32, -G33, -G35, -G41, -G42, -G51, -G52.	None, GP, HT, JFK, JPKF, L	None
HV-170-390, -390-1, HV-212-872-1, HV-216-062-1, -2, -3, -4, HV-220-673-1, HV-222-309-1, HV-224-084-1, HV-228-084-1, HV-236-309-1, -2, HV-260-444-1, HV-260-652-1, HV-264-012-1, through -6.	None	None
HV-270-698-1, -2.	None	None
HV-274-077-1, -2, -3, -4.	None	None
HV-276-222-1, -2.	None	None
HV-279-373-1.	None	None
HV-297083-001, -002.	None	None
HV-299790-001, -002.	None	None

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

X262501213001F0, -001F6	None	None
-------------------------	------	------

This Procedure contains references to catalog numbers which are no longer Listed or Recognized. References to these valves in the remainder of this description should be ignored.

GENERAL USE

	“Base Series Number” (Digits 1 to 8)	“Prefix Code” (Digits 9 to 10)	“Suffix Code” (Digits 11 to 13)	“Voltage Code” (Digits 14 to 15)
<i>General Purpose Valves</i>	8320K180, -K182, -K184, -K186, -K188, -K202, -K203, -K215, -K216, -K217, -K224, -K225, -K226, -K231,	CO, 8K, 90	K00, K01, K02, KS0, KS1, KS2, V00, V01, V02, VS0, VS1, VS2, G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, C00, C01, C02, CS0, CS1, CS2, L00, L01, L02, LS0,	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, K9, KC, KD, HY, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, J7, H3, H1, J4, H9, KS, HJ, HD, J2


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC




Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

			LS1, LS2, W00, W01, W02, WS0, WS1, WS2	
8320K190, -K192, -K194, -K196, -K198, -K204, -K205, -K218, -K219, -K220, -K227, -K228, -K229, -K232.	CO, 8K, 90		K00, K01, K02, KS0, KS1, KS2, V00, V01, V02, VS0, VS1, VS2, G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, C00, C01, C02, CS0, CS1, CS2, L00, L01, L02, LS0, LS1, LS2, W00, W01, W02, WS0, WS1, WS2	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, KD, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, H3, H1, H9, KS, HJ, HD, J2



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

GENERAL USE

	"Base Series Number" (Digits 1 to 8)	"Prefix Code" (Digits 9 to 10)	"Suffix Code" (Digits 11 to 13)	"Voltage Code" (Digits 14 to 15)
General Purpose Valves	8320K172, -K174, - K176, -K178, -K200, - K201, -K212, -K213, -K214, -K221, -K222, -K223, -K230	CO, 8K, 90	K00, K01, K02, KS0, KS1, KS2, V00, V01, V02, VS0, VS1, VS2, G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, C00, C01, C02, CS0, CS1, CS2,	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, KD, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, H3, H1, H9, KS, HJ, HD, J2
	8320K001, -K013, - K027, -K172, -K174, - K182, -K186, -K192, -K196	CO, 8K, 90	GQ0, GQ1, GQ2, GR0, GR1, GR2, NQ0, NQ1, NQ2, NR0, NR1, NR2	FQ, DY, C1, C2, C3, D4



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

GENERAL USE

	Cat. No.	Prefixes	Suffixes
	8320P001, -003, -013, -015, -017, -027, -029, -031, -130, -132, -136, -170, -172, -174, -176, -178, -180, -182, -184, -186, -188, -190, -192, -194, -196, -198	NONE, L,	None, V, MB, MO, MS
General Purpose Valves	8320R136,-146, -170, -172, -174, -176, -178, -180, -182, -184, -186, -188, -190, -192, -194, -196, -198	NONE, L,	NONE, V, SF, MB, MO, MS



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

**COMPONENT (Not for General Use)*

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	PKA8262C2V, 402882-1.	None	None
	8262701.	C, GS, JKH, JSF, P, PKF, PKH, PSF, U, UKF, UKH, USF	None

COMPONENT (Not For General Use)

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	826277, -78.	C, GS, JKH, JS, JSF P, PKF, PKH, PS, PSF, U, UKF, UKH, US, USF	None
	8262G77, -G78, 8262G210B.	JKH, JSF, JST, JPKH, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF,	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

		OPST, OPSC, OPSU, SC, SU	
	SCX8262G210B21314.	None	None
	8262A212, -A230, -B208, -B212, - B226, -B230, -B232, -C11, -C16, - C21, -C23, -C232, -D21, -D23.	C, GS, JKB, P, PKP, PSP, U, UKP, USP, JSP, Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH, and USF apply to only DC constructions	None, V, W
	8262C232B.	C, GS, JKB, JSP, U, UKP, USP	None
	8262B202, -B210, -B220, -C1, -C2, - C6, -C7, -C12, -C13, -C14, -C15, - C19, -C20, -C22, -C36, -C38, -C80, - C86, -C90, -C202, -C208, -C210, - C220, -C226, -C19, -D20, -D22, - D232.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF, JSF	None, V, W
	UX8262C2V18960.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT (Not For General Use)

Type	Cat. No.	Prefixes	Suffixes
*Safety Valves	8262G1, -G2, -G6, -G7, -G12, -G13, -G14, -G15, -G19, -G20, -G22, -G036, -G38, -G80, -G86, -G90, -G202, -G208, -G210, -G210B, -G220, -G226, -G232.	JKH, JSF, JST, JPKH, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, V, W
	8262H001, -H006, -H007, -H011, -H012, -H014, -H015, -H016, -H019, -H036, -H038, -H080, -H086, -H090, -H111, -H113, -H186.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.
	8262H002, -H013, -H016, -H020, -H021, -H022, -H023.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB.
	8262-H112, -H114, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB.
		(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any	V1V, with or without SF, with or without MB.

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262H001, -H002, -H006, -H011, -H012, -H017, -H021, -H023, -H088, -H127, -H208, -H226.	of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	
--	----------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------	--

COMPONENT (Not For General Use)

Type	Cat. No.	Prefixes	Suffixes
	SCX8262G7E18946.	JKH, JSF, JST, JPKH, JPSP, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, W
	SCX8262G20215400.	None	None
Safety Valves	8262277V.	C, GS, JKB, P, PKP, PSP, U, UKP, USP	None
	8262G277V.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSF, OPSS, OPSD, OPSV, SD, SV	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	8262R077, -R078	SU	None or A, with or without SF, with or without MB.
	8262R109P, -R183P, -R185P, -R202P, -R208P, -R212P, -R220P, -R226P, -R230P, -R232P (DRY AIR).	SU	With or without V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB. (A or N is before P)
	8262R105, -R109, -R174, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R178, -R277.	SU	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB.
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	SU	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB.

\$ - LF only applies to 8262R105, -R109, -R208, -R232, 8263R200, versions and all applicable prefixes and suffixes.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

Type	Cat. No.	Prefixes	Suffixes	
Safety Valves	8262G11, -G16, -G21, -G23, -G212, -G230.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV	None, V, W	
	8263B200, -C2, -C54.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF	None, W, V	
	8263G2, -G200, -G330, -G331.	JKH, JSF, JST, JPKH, JPSP, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, W, V	
	8263A210.	C, GS, JKB, U, UKP, USP, JSP	None, W, V	
	8263B206, -B232, -C3.	C, GS, JKB, P, PKP, PSP, U, UKP, USP, JSP; Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH and USF apply to DC constructions only	None, W, V	

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8263G3, -G206, -G210, -G232, -G332, -G333.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV; Prefixes JKH, JSF, JST, JPKH, JPSP, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU apply to DC constructions only	None, W, V

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
	MX8263A210V13409.	None	None
	X8263B206V25005.	None	None
*Safety Valves	8263H002, -H003, -H054, -H119, -H192, -H194, -H196, -H330.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS or ST).	None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.
	8263H116, -H117.		None or V or NV, with or without SF, with or without VM or VH or NVM or NVH, with or


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

			<i>without LF, with or without MB.</i>
8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST)		<i>None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.</i>
8263H118, -H200			<i>None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF, with or without MB.</i>
HV-226-284-1.	None		None
HV-262-638-1, -2, -3.	None		None
HV-274-387-1.	None		None
HV-274-388-1.	None		None
HV-274-407-1.	None		None

*



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
Safety Valves	HV-280-856-1.	None	None
	HV428596-001.	None	None
	402882-1.	None	None
	8262H077, -H078 (FUEL GAS).	(None or OP, with SC or SU or VT or ZT) or (OF or OP with any of the following: KF, KH) or (J or JP, with any of the following: SF, ST).	None or A with or without SF, with or without MB.
	8262H110B, -H112B, -H114B, -H184B, -H185B, -H187B, -H188B, -H189B, -H202B, -H208B, -H210B, -H212B, -H220B, -H226B, -H230B, -H232B (LIQUID PROPANE).	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	With or without SF, with or without MB.

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262H108P, -H109P, -H110P, -H112P, -H114P, -H182P, -H183P, -H184P, -H185P, -H187P, -H188P, -H189P, -H202P, -H208P, -H210P, -H212P, -H220P, -H226P, -H230P, -H232P (DRY AIR).	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	With or without V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB.(A or N is before P)
	8263H003, -H004, -H206, -H332.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	V1V, with or without SF, with or without MB.

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
*General Purpose Valves	8262703, -705.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF, JSF	None
	8262A214, -B214, -D200.	C, GS, JHK, JSF, P, PKF, PKH, PSF, U, UKF, UKH, USF	None, MO


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	8262G214.	JKH, JSF, JPT, JFK, FPST, JPST, OFKF, OFKH, OFSF, OFST, OFRF, CPKH, OPSF, OPSU, OPSU, SC, PU	None
	8262H001, -H006, -H007, -H011, -H012, -H014, -H015, -H019, -H036, -H038, -H080, -H086, -H090, -H111, -H113, -H186.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS or ST).	T or E or J or W or N or NT with or without SF, with or without VM or VH, with or without MB.
	8262H002, -H013, -H016, -H020, -H021, -H022, -H023	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS or ST).	T or E or J or W or N or NT with or without SF, with or without VM or VH, with or without LF, with or without MB.
	8262H079, -H096, -H106, -H173, -H180.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS or ST).	With or without SF, with or without MB.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262H112, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB, with or without MS.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232		T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB, with or without MS.
	8262H089, -H099, -H107, -H175, -H176, -H181, -H200, -H214.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	With or without SF, with or without MB.
	8262H112, -H174, -H177, -H178, -H179, -H182, -H183, -H184, -H185, -H187, -H188, -H189, -H202, -H210, -H212, -H220, -H226, -H230, -H277.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, or ST) or (J or JP, with any of the following: SF, SP, SS, ST).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB, with MS.
	8262H105, -H108, -H109, -H110, -H114, -H208, -H232		None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LB, with or without MB, with MS.
	X262506693001F0, X262506693001F6	None	None
X262430446001F4 X262430447001F4	None	None	
8262H105LT, -H110LT, -H114LT, -H208LT, -H210LT, -H212LT, -H232LT 8263H115LT, -H124LT, -H125LT, -H206LT, -H210LT, -H232LT, -H240LT	(None or OP, with SC, SD, SV, SU, VT or ZT) -OR- (OF or OP, with any of the following: KB, KF, KH, KP, SF, SP, SS, or ST)	with or without MB	

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

(Cryogenic)	-OR- (For JP, with any of the following: SF, SP, SS, or ST).	
X262544356001F0, -001F6	None	None

Type	Cat. No.	Prefixes	Suffixes
General Purpose	8262B200, -C200.	C, GS, JKB, UKP, US, USP, JSP	None, MO
	8262B250, -B252, -B254, -B256.	C, GS, JKB, U, UKP, USP, JSP	None, MB, MO
	8262C1-M, -C2-M, -C6-M, -C12-M, -C14-M, -C15-M.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKM, USF, JSF	None, MO, W, V
	USFX8262C14J17656.	None	None
	UX8262C14J17656.	None	None
	USFX8262C2J17656.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8262G1-M, -G2-M, -G6-M, -G12-M, -G14-M, -G15-M, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU.	JKH, JSF, JST, JPKH, JPSF, JPST, OFKF, OFKH, OFSF, OFST,	None, MO, W, V
OFSTX8262G14J17656.	None	None
OFSTX8262G14J18876.	None	None
OFSTX8262G2E15492.	None	None
OFSTX8262G14J15449.	None	None
8262G11M, -G16M, -G21M, -G23M.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV	None, MO, W, V
USFX8262C13E17664.	None	None
OFSTX826G13E17664.	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General Purpose	8262C11-M, -C16-M.	C, GS, JKB, P, PKP, PSP, U, UKP, USP, JSP	None, MO, W, V
	USPX8262C11J17656.	None	None
	8262C32, -C33, -C34, -C103.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF, JSF	None, MB
	8262C35, -C91, -C94, -D31, -D91, -D93.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF, JSF	None, MB
	USFX8262D31E18732.	None	None
	USFX8262D91J13692.	None	None
	8262G200, -G214.	JKH, JSF, JST, JPKH, JPST, OFKF, OFKH, OFSE, OFST, OPKF, OPKH, OPSF,	None, MO



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

		OPST, OPSC, OPSU, SC, SU	
--	--	-----------------------------	--

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262G31, -G35, -G91, -G92, -G93, -G94.	JKH, JSF, JST, JPKH, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, V
	8262G3Q, G77Q, G91Q, G208Q, G232Q.	JSF, JPSF, OFSF, OPSF	None, MB, MO or MS
	0FSFX8262G91J13692.	None	None
	8262A212MO, -A230MO, -B208MO, -B212MO, -B226MO, -B230MO, -B232MO, -C21MO, -C23MO, -C232MO, -D21MO, -D23MO.	C, GS, JKB, P, PKP, PSP, U, UKP, USP, JSP; Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH, USF apply to DC constructions only	None, W, V
	0FSPX8262G21215334.	None	None

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC


Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8262B202MO, -B210MO, -B220MO, -C1MO, -C2MO, -C7MO, -C13MO, -C19MO, -C20MO, -C22MO, -C36MO, -C38MO, -C80MO, -C86MO, -C90MO, -C202MO, -C208MO, -G210MO, -C220MO, -C226MO, -CD19MO, -D20MO, -D22MO, -D232MO.	C, GS, JKH, P, PKF, PKH, PSF, U, UKF, UKH, USF, JSF	None, W, V
8262G7MO, -G13MO, -G19MO, -G20MO, -G22MO, -G36MO, -G38MO, -G80MO, -G86MO, -G90MO, -G202MO, -G208MO, -G210MO, -G220MO, -G226MO, -G232MO.	JKH, JSF, JST, JPKH, JPSP, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, V, W
8262G212MO, -G230MO.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV	None, V, W



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General purpose Valves	USPX8262C208J18759.	None	None
	OFSFX8262D20J15271.	None	None
	OFSFX8262G20J15271.	None	None
	OFSFX8262G22E18845.	None	None
	USFX8262C90J17656.	None	None
	OFSFX8262G90J17656.	None	None
	X8262G226V07197.	None	None
	USPX8262C202J18735.	None	None
OFSFX8262G715493.	None	None	

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

JMSX8262D2215167.	None	None
JSFX8262G2217595.	None	None
OFSFX8262G2217595.	None	None
OFSTX8262G013V23080.	None	None
OFSFX8262G264V23080.	None	None
SUX8262G220E25334.	None	None
8262C79, -C95.	C, GS, JKB, P, PKP, PSP, U, UKP, USP, JSP	None, M, MO
OFSFX8262G90E15492.	None	None
8263A210MO.	C, GS, JKB, JSP, U, UKP, USP	None, V, W
8263B206MO, -B232MO.	C, GS, JKB, U, UKP, USP, JSP; Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH, USF, apply to DC constructions only	None, V, W



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
*General Purpose Valves	8263H002, -H003, -H054, -H119, -H192, -H194, -H196, -H330.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB.
	8263H116, -H117		T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB.
	8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS, ST) or (J or JP, with any of the following: SF, SP, SS, ST).	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without MB, with or without MS.
	8263H118, -H200		T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF, with or without MB, with or without MS.
	8263H115, -H124, -H125, -H190, -H191, -H193, -H195, -H197, -H206, -H210, -H232, -H331, -H332, -H333.	(None or OP, with SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP, SF, SP, SS or ST) or (J or JP, with any of the following: SF, SP, SS, ST).	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without MB, with MS.
	8263H118, -H200		None or V or A or NV or AN, with or without SF, with or without VM or VH



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

or NVM or NVH, with or without LF, with or without MB, with MS.

Component (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
*General Purpose Valves	826277Q, 8262B208Q, 8262C32Q, 8262C91Q, 8262C232Q.	C, GS, P, U	None, MO, MB
	832057, -61, -93, -95, -A5, -A7, -A9, -A11, -A41, -A43, -A89, -A91, -A97, -A99, -A140, -A144, -A48, -B1, -B3, -B130, -B134, -B13412010, -B138.	C, GS, P, PKP, PSP, U, UKP, USP, JSP; Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH, USF apply to DC constructions only	None, MB, MO, MS, V
	8320G1, -G3, -G41, -G43, -G57, -G89, -G130, -G140.	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV for AC construction, or prefix JSF, JST, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU SC, SU for DC construction	None, MB, MO, MS, SF or V



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8320G216, -G217, -G219, -G220, -G225, -G226, -G228, -G229.	JSF, JST, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, MB, MO, MS, SF, V	
832059, -63, -65, -67, -79, -A19, -A21, -A23, -A25, -A33, -A35, -A37, -A39, -A45, -A47, -A49, -A51, -A53, -A55, -A85, -A87, -A101, -A103, -A105, -A107, -A142, -A146, -B13, -B15, -B17, -B27, -B29, -B31, -B83, -B132, -B136.	C, GS, P, PKF, PKH, PSF, U, UKF UKH, USF, JKH, JSF	None, MB, MO, MS, V	
USPX8320B17JH15439.	None	None	
SPX8320B17JH18844.	None	None	
PX8320B1506827.	None	None	

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
	8320G13, -G15, -G17, -G27, -G29, -G31, -G45, -G47, -G49, -G51, -G53,	JSF, JST, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF,	None, MB, MO, MS, SF, V



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	-G55, -G83, -G87, -G132, -G136, -G142, -G146.	OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	
	OFSPX8320G17J415439.	None	None
	8320A170, -A180, -A182, -A190, -A192, -A200, -A201, -B174, -B176.	C, GS, JSP, U, UKP, USP; Prefixes JKH, JSF, PKF, PKH, PSF, UKF, UKH, USF apply to DC construction only	None, MB, MO, MS, V
*General Purpose Valves	8320G174, -G176, -G180, -G182, -G190, -G192, -G200, -G201, -G213, -G214, -G215, -G218, -G222, -G223, -G224, -G227, G231, G232 .	JKB, JSP, JSS, JPKB, JPSP, JPSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV for AC construction, or prefix JSF, JST, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU SC, SU for DC construction	None, MB, MO, MS, SF, V
	8320A172, -A178, -A184, -A186, -A188, -A194, -A196, -A198, -A202, -A203, -A204, -A205.	C, GS, P, PKF, PKH, PSF, U, UKF, UKH, USF, JKH, JSF, SC	None, MB, MO, MS, V
	8320G172, -G178, -G184, -G186, -G188, -G194, -G196, -G198, -G202, -G203, -G204, -G205.	JSF, JST, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, MB, MO, MS, SF, V
	OFSPX8320G203E18904.	None	None

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

	SCX8320G20318906.	None
		None

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
	8320G212, -G221, -G230.	JKB, JPKB, JPSP, JPSS, JSP, JSS, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV	None, MB, MO, MS, SF
*General Purpose	8320G701, -G702, -G711, -G712.	None, GP, HT, JB, JKF, JKH, JPKF, JPKH, JPSP, JPST, JSF, JST, L, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, MO, MS, SF
Valves	8320G703, -G713	None, GP, HB, JB, JKB, JKP, JPKB, JPKP, JPSP, JPSS, JSP, JSS, L, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV; for AC construction, or prefix None, GP, HT, JB, JKF, JKH, JPKF, JPKH, JPSP, JPST, JSF, JST, L, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU SC, SU for DC construction	None, MO, MS, SF


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

	8320G704, -G714	None, GP, HB, JB, JKB, JKP, JPKB, JPKP, JPSP, JPSS, JSP, JSS, L, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV; for DC construction, or prefix None, GP, HT, JB, JKF, JKH, JPKF, JPKH, JPSF, JPST, JSF, JST, L, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU SC, SU for AC construction	None, MO, MS, SF
--	-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------

COMPONENT (Not for General Use)

	8320G705, -G715	None, GP, HB, JB, JKP, JKB, JPKB, JPKP, JPSP, JPSS, JSP, JSS, L, OFKB, OFKP, OFSP, OFSS, OPKB, OPKP, OPSP, OPSS, OPSD, OPSV, SD, SV	None, MO, MS, SF
	8320G706, -G707, -G708, -G716, -G717, -G718.	None, GP, HT, JB, JKF, JKH, JPKF, JPKH, JPSF, JPST, JSF, JST, L, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None, SF
	8320A172Q, -A182Q, -A186Q, -A192Q, -A196Q, -B13Q, -B27Q, -B174Q.	C, GS, JS, P, PS, U, US	None, MB, MO, MS,
	8320G1Q, G13Q, G27Q, G172Q, G174Q, G182Q, G186Q, G192Q, G196Q.	JSF, JPSF, OFSF, OPSF	None, MB, MO or MS

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

8320R136,-146, -170, -172, -174, -176, -178, -180, -182, -184, -186, -188, -190, -192, -194, -196, -198	SU	NONE, V, SF, MB, MO, MS
8320R704, -714	NONE, L, SU	NONE, MB, MO, MS, SF, V

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
<i>General Purpose Valves</i>	8327G1, -G2, -G11 -G12, -G21, -G22, -G31, -G32, -G41, -G42, -G51, -G52.	JKH, JSF, JST, JPKH, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None
	X8327G1.	OFSF	V
	8327G3, -G5, -G13, -G15, -G33, -G35 -G43, -G45, -G53, -G55.	GP, HT, JKF, JPKF, L, JKH, JSF, JST, JPKH, JPSF, JPST, OFKF, OFKH, OFSF, OFST, OPKF, OPKH, OPSF, OPST, OPSC, OPSU, SC, SU	None
	HV-176-300, HV-180-440, HV-180-441, HV-186-660-1, 3.	None	None
	HV-198-681-1, -2, HV-200-132, HV-200-583, -2, -3, -4, -5.		
	HV-216-794-1.		


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

HV-218-070-1, HV-218-557-1, -2, -3, HV-202-325, HV-222-080-1.		
HV-222-860-1, HV-228-091-1.		
HV-228-852-1, HV-230-442-1, -2, HV-232-559-1, HV-232-011-1, -2, -3.		
HV-234-494-1, HV-238-380-1, HV-236-000-1.		
HV-236-001-1		
HV-238-691-1, HV-238-790-1, -2, -3.	None	None
HV-256-870-1.		
HV-258-121-1, -2.		
HV-258-549-1, -2.		

See Section General for identification of prefixes and suffixes and any acceptable combinations.

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
	HV-258-675-1 through -9,	None	None



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

General Purpose Valves	HV-258-885-1.		
	HV-260-652-1.		
	HV-260-996-1 through -6.		
	HV-262-040-1, -2.		
	HV-262-283-1.		
	HV-262-298-1.		
	HV-264-241-1, -2.		
	HV-266-067-1, -2, -3.		
	HV-266-795-1, -2, -3, -4.		
	HV-266-796-1, -2, -3, -4.		
	HV-274-243-1, -5.		
	HV-279-226-1.		
	HV-X222-309-1-13408.		
HV-279512-1, -2.			
MUSFX8262C2E13986.			
MUSFX8262C90E13986.			
X8262D22LT10737.	None	None	
JMSX8262C715167.			
JMSX8262D2215167.			
JMX8320A8913407.			
SCXG327A00118505.	None	None	

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

SCXG327A00218505.	None	None
HV430982-1 (or -001)	None	None
8263H053, -H059 (STEAM AND HOT WATER).	(None or OP, with SU) or (OF or OP with any of the following: KH, ST) or (J or JP, with ST).	None, with or without MB.
8263H300, -H301, -H303, -H304, -H305, -H306, -H308, -H318, -H319, -H320, -H321 (STEAM AND HOT WATER).	(None or OP, with SV or SU) or (OF or OP with any of the following: KB, KH, SP, SS, ST) or (J or JP, with any of the following: SS, ST).	None or E, with or without MB.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262H174NH, -H178NH, -H183NH, -H185NH, -H187NH, -H188NH, -H230NH; 8263H191NH, -H193NH, -H332NH, -H333NH (AMMONIA).	(None or OP, with SD or SV or VT or ZT) or (OF or OP with any of the following: KB, KP, SP, SS) or (J or JP, with any of the following: SP, SS).	With or without MB, with or without MS.
	8262H077Q, -H108Q, -H177Q, -H179Q, -H182Q, -H184Q, -H189Q, -H202Q, -H208Q, -H210Q, -H220Q, -H226Q, -H232Q; 8263H124Q, -H125Q, -H190Q, -H195Q, -H197Q, -H200Q, -H232Q, -H331Q (LONG LIFE).	(None or OP, with SC or SU or VT or ZT) or (OF or OP with any of the following: KF, KH, SF, ST) or (J or JP, with any of the following: SF, ST).	With or without V or E or J, with or without N or SF, with or without VM or VH, with or without MB. (E or J or N is before Q)
	8262H108P, -H109P, -H110P, -H112P, -H114P, -H182P, -H183P, -H184P, -H185P, -H187P, -H188P, -H189P, -H202P, -H208P, -H210P, -H212P, -H220P, -H226P, -H230P, -H232P (DRY AIR).	(SC or SD or SV or SU or VT or ZT) or (OF or OP with any of the following: KB, KF, KH, KP) or (J or JP, with any of the following: SF, SP, SS, ST).	With N, with or without SF, with or without MB. (N is before P).
	HV432356001, -002, -003, -101, -102, -103 (STEAM, WATER).	None	None

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

COMPONENT VALVES 8320K

	"Base Series Number" (Digits 1 to 8)	"Prefix Code" (Digits 9 to 10)	"Suffix Code" (Digits 11 to 13)	"Voltage Code" (Digits 14 to 15)
Component Valves	8320K180, -K182, - K184, -K186, -K188, - K202, -K203, -K215, -K216, -K217, -K224, -K225, -K226, -K231,	S0, 0D, OK, 8D	K00, K01, K02, KS0, KS1, KS2, V00, V01, V02, VS0, VS1, VS2, G00, G01, G02, GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, 4S2, C00, C01, C02, CS0, CS1, CS2, L00, L01, L02, LS0, LS1, LS2, W00, W01, W02, WS0, WS1, WS2	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, K9, KC, KD, HY, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, J7, H3, H1, J4, H9, KS, HJ, HD, J2
	8320K190, -K192, -194, -K196, -K198, -K204, -K205, -K218, -K219,	S0, 0D, OK, 8D	K00, K01, K02, KS0, KS1, KS2, V00, V01, V02,	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4,



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
 Report Reference MP618-19690325
 Date 2022-June-20

	-K220, -K227, -K228, -K229, -K232		VS0, VS1, VS2, G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, 4S2, C00, C01, C02, CS0, CS1, CS2, L00, L01, L02, LS0, LS1, LS2, W00, W01, W02, WS0, WS1, WS2	DG, FK, K5, HL, K8, J0, H0, KD, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, H3, H1, H9, KS, HJ, HD, J2
	8320K172, -K174, - K176, -K178, -K200, - K201, -K212, -K213, -K214, -K221, -K222, -K223, -K230	S0, 0D, OK, 8D	K00, K01, K02, KS0, KS1, KS2, V00, V01, V02, VS0, VS1, VS2, G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2, 400, 401, 402, 4S1, 4S2, 4S2, C00, C01, C02,	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, KD, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, H3, H1, H9, KS, HJ, HD, J2

B. Mahlenz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

			CS0, CS1, CS2,
--	--	--	----------------

COMPONENT VALVES 8320K

	“Base Series Number” (Digits 1 to 8)	“Prefix Code” (Digits 9 to 10)	“Suffix Code” (Digits 11 to 13)	“Voltage Code” (Digits 14 to 15)
	8320K001, -K013, - K027, -K172, -K174, - K182, -K186, -K192, -K196	S0, 0D, OK, 8D	GQ0, GQ1, GQ2, GR0, GR1, GR2, NQ0, NQ1, NQ2, NR0, NR1, NR2	FQ, DY, C1, C2, C3, D4
Component Valves	8320K703, -K704, - K705, -K713, -K714, - K715	S0, 0D, OK, 8D	G00, G01, G02 GS0, GS1, GS2, N00, N01, N02, NS0, NS1, NS2,	D5, FL, D8, E0, F0, D9, DC, DD, FY, D3, DF, C4, DG, FK, K5, HL, K8, J0, H0, KD, K3, H8, L4, KG, H6, HK, E7, F3, F1, E4, F9, DS, FJ, FD, E2, H3, H1, H9, KS, HJ, HD, J2

COMPONENT VALVES (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
------	----------	----------	----------


 Bruce Mahrenholz, Director North American Certification Program
 UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

General Purpose Valves	8262R105, -R109, -R174, -R178, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R277.	SU	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF(\$), with or without MB, with or without MS.
	8262R105, -R109, -R174, -R178, -R183, -R185, -R202, -R208, -R212, -R220, -R226, -R230, -R232, -R277.	SU	None or V or A or VN or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB with MS.
	8262R099, -R107, -R175, -R181.	SU	With or without SF, with or without MB.
	8262R109P, -R183P, -R185P, -R202P, -R208P, -R212P, -R220P, -R226P, -R230P, -R232P (DRY AIR).	SU	With N, with or without SF, with or without MB. (N is before P)

\$ - LF only applies to 8262R105, -R109, -R208, -R232 versions and all applicable prefixes and suffixes.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number MP618
Report Reference MP618-19690325
Date 2022-June-20

COMPONENT VALVES (Not for General Use)

Type	Cat. No.	Prefixes	Suffixes
General Purpose Valves	8262R174NH, -R178NH, -R183NH, -R185NH, -R220NH, -R226NH, -R230NH; 8263R191NH, -R193NH, -R332NH, -R333NH (AMMONIA).	SU	With or without MB, with or without MS.
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	SU	None or V or A or NV or AN, with or without SF, with or without VM or VH or NVM or NVH, with or without LF (\$), with or without MB with MS.
	8263R115, -R124, -R191, -R193, -R200, -R210, -R332, -R333.	SU	T or E or J or W or N or NT, with or without SF, with or without VM or VH, with or without LF (\$), with or without MB, with or without MS.

\$ - LF only applies to 8263R200 versions and all applicable prefixes and suffixes.

All Cat. Nos. under "Product Covered" that contain revision letters A-D and G can be replaced by revision letter P.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

