Plug-in




# Compact 5-Port Solenoid Valve



Size reduction has been made possible thanks to a flow increase.

This allows for space saving, weight reduction, and a large flow rate

\*1 The cylinder speed is 300 mm/s. Can drive  $\varnothing \mathbf{40}^{*1}$  bore cylinders Can drive  $\varnothing \mathbf{50}^{*1}$  bore cylinders Can drive  $\emptyset 80^{*1}$  bore cylinders JSY3000 **JSY1000 JSY5000** 15 mm 6.4 mm 10 mm A, B port size: ø6, ø8 A, B port size: Ø2, Ø4, Ø6 A, B port size: ø10, ø12 ø6 One-touch fitting ø8 One-touch fitting ø12 One-touch fitting Bore size [mm] © 200 0100 430 100 Cylinder speed [mm/s] Cylinder speed [mm/s]









JSY1000/3000/5000 Series









## **Power consumption**

With powersaving circuit JSY3000/5000 \*1 JSY1000 
0.1 W 0.2 V 
\*1 Made to Order



JSY3000/5000 \*2


O.4 W

\*2 The JSY1000 series is only available as the power-saving type.

# Connector type manifold Plug-in Plug-in Enlarged view of the connectors Connector type manifold 32 outputs


# A 4-position dual 3-port valve is available.

• Features two 3-port valves built into one body



- The 3-port valves on the A and B sides can be operated independently.
- When used as a 3-port valve, only half the number of stations are required.
- Can also be used as a 4-position, 5-port valve
- Combination examples

Serie	es	A side	B side
JSY□A	40□	N.C. valve	N.C. valve
JSY□E	30□	N.O. valve	N.O. valve
JSY□0	<b>20</b> □	N.C. valve	N.O. valve



#### The EX600-W series is compatible with wireless systems. **D.63**

#### Noise resistance

- Uses the 2.4 GHz ISM frequency band
- Frequency hopping: Every 5 ms

#### Communication cables not required

- Reduced wiring work, space, and cost
- Minimized disconnection risk

#### ■ High-speed connection

• From the remote power supply ON to start of communication:

Min. 250 ms

#### Number of I/O points

Max. 1280 inputs/1280 outputs (Max. 128 inputs/128 outputs per module)

#### Communication response

 Wireless communication signal Response time: 5 ms


#### Compatible protocols






#### Application Examples


#### For tool changing



#### For spot welding



#### For rotary tables



## The EX260 series supports safety communication (PROFIsafe).

■ This is a Fieldbus unit which supports safety standard ISO 13849-compliant safety circuit constructions.



PROFIsafe is established as an international standard (IEC 61784-3-3). It is a communication protocol that transmits safety-related data by PROFINET communication and can be used up until safety standards ISO 13849-1 PL e and IEC 61508/IEC 62061 SIL 3.

#### Using the safety communication protocol

Refer to the EX260 Web Catalog for details on units that support the safety communication protocol.

When using a manifold valve within an ISO 13849-compliant safety system, the device needs to be considered from both the pneumatic circuit and the electric side.


Devices (including valves) need to be selected based on whether their functions are in line with the safety level of the equipment as a whole.


The use of valves that have been validated as being compliant with ISO 13849-2 may be required. For details on valves that have been validated, please contact SMC.

In addition, refer to "Safety Instructions" for precautions on model selection.









#### **Series Variations**

	Sonic					Port size							
	C [dm³/(s·	bar)] 5/3 ]	Type of	Type of actuation			4(A), 2		(B) port			1(P), 3/5(E)	
	4(A), 2(B) port					ø2	ø4	ø6	ø8	ø10	ø12	12 port	
JSY1000	ø4	0.87	2-position single (A)4 2(B) (EA)5 1 3(EB) (P)	3-position pressure center  (A)4 2(B)  (EA)5 1 3(EB)  (P)		•	•					ø8	
	ø6	0.91	2-position double (A)4 2(B) (EA)513(EB) (P)	4-position dual 3-port valve N.C. valve x 2 pcs.  4(A) 2(B) 2(B) 5(EA) 1(P) 3(EB)	24			•				Ø <b>0</b>	
JSY3000	ø8	2.77	3-position closed center  (A)4 2(B)  (EA)5 13(EB)  (P)	N.O. valve x 2 pcs.  4(A) 2(B)  5(EA) 1(P) 3(EB)	VDC			•	•			ø10	
JSY5000	ø12	6.59	3-position exhaust center  (A)4 2(B)  (EA)5 1 3(EB)	N.C. valve, N.O. valve x 1 pc. of each 4(A) 2(B) 5(EA) 1(P) 3(EB)						•	•	ø12	

Standard ○ Option ▲ Made to Order


#### **Manifold Options**


p. **132** 

p. **132** 

#### ■Individual SUP spacer


When the same manifold is to be used for different pressures, an individual SUP spacer can be used to act as a supply port for different pressures.






■Individual EXH spacer

When valve exhaust affects other stations due to the circuit configuration, this spacer can be used for individual valve exhaust.







Circuit diagram (Mounting example of a 2-position single valve)

#### Blanking plate

Used when valve additions are expected or for maintenance





#### Silencer (One-touch fitting connection type)

This silencer can be mounted to the 3/5 (E: EXH) port of the manifold in one step.





p. **132** 



	Wii	ring			Mar	nifold opt	ions				Va	alve optio	ns
Pitch	Common s	pecifications	ate	Individual SUP spacer	X	XH disk	7 si	ouch type)	cer	-w. uc	- s	T. (1)	Ðι
width	o e	on on	ld br	Jal S	vidual E spacer	/EX	el fol ng di	One-t lection	siler	m/Lc ssure icatik	Different pressures	Reverse pressure	l fittii
[mm]	Positive common	Negative common	Blanking plate	lividu sp	Individual EXH spacer	SUP/EXH blocking disl	Label for blocking disk	Silencer (One-touch fitting connection type)	Built-in silencer	Vacuum/Low- pressure specification	Diffe	Rev	Mixed fitting sizes
	П В	Ző	置	Inc	lnc	Iq	Iq	Sile	Bu	S			2
6.5													
9													
				0		0	0	0	•	<b>A</b>		<b>A</b>	
			p. 132	p. 132	p. 132	p. 133	p. 133	p. 133		External	Individual	External	

\*1 Refer to "Manifold Specifications" on pages 17 and 18 for details on IP67.

pilot

SUP

pilot

#### **Manifold Options**

#### ■SUP/EXH blocking disk

(For the connector type manifold, Type 10)

#### [SUP blocking disk]

11.5


16

Inserting an SUP blocking disk in the pressure supply passage of a manifold valve can allow for the use of 2 different pressures (high and low) in 1 manifold.

#### [EXH blocking disk]

Inserting an EXH blocking disk in the exhaust passage of a manifold valve can separate the exhaust from the valve so it does not affect the other valves. It can also be used in positive pressure and vacuum pressure mixed manifolds. (2 pieces are required to block both the EA and EB sides of the EXH.)

#### p. **133**



These labels can be used to indicate and confirm where on the manifold the SUP/EXH blocking disk assemblies were inserted. (3 labels of each)






ocking disk <u>/1</u>||1\

3/5





EXH



# ■This tool can be used to remove tubes from

ports A and B.










p. **133** 

#### Vacuum Unit ZK2 Combination Manifold 1119

JSY3000 valves and ZK2 ejectors can be connected to the same manifold.

This allows for a compact body and reduced wiring/wiring labor.



#### **Specifications**

Max. number of outputs: 32 (Valve + Ejector)

Valve stations: 2 to 24 stations (Max. number of outputs: 30,

Depends on whether single or double)

Ejector stations: 1 to 8 stations (Max. number of outputs: 16)

#### Centralized wiring and piping directions

Wiring and piping for valves and ejectors can be arranged in the same direction. (Wiring method: Terminal block box and lead wire or EX250 and EX260)



# CONTENTS

Optimum Actuation Size Chart of Air Cylinder ·····	· р.	9
Valve Specifications	<b>p.</b> 1	13
Response Time	<b>p.</b> 1	14
Valve Weight	<b>p.</b> 1	14
Valve Construction	<b>p.</b> 1	15
Valve Replacement Parts: Pilot Valve	<b>p.</b> 1	16

Plug-in Connector Connecting Base	
Manifold Specifications p	). 17
Manifold Weightp	o. 17
Manifold Flow Rate Characteristics p	). 17
ZK2 Combination Manifold Weight	າ. 18
Connector Wiring Layout p	າ. 19



D-sub Connector, Flat Ribbon Cable [IP20/40/67]		
How to Order	p.	21
Dimensions		
D-sub Connector (IP40/Connector Entry Direction Adjustable): <b>F</b> ······		
D-sub Connector (IP67): <b>FW</b>		
D-sub Connector (IP20/Compact Type): FC	p.	29
Flat Ribbon Cable		
(IP40/Connector Entry Direction Adjustable): P/PG/PH ······	•	
Flat Ribbon Cable (IP20/Compact Type): PC/PGC/PHC ·········	-	
Electrical Wiring Specifications: D-sub Connector Cable	-	
Electrical Wiring Specifications: Flat Ribbon Cable Connector	-	
Spring Type Terminal Block Box, Terminal Block B		
How to Order	p.	43
Dimensions		
Spring Type Terminal Block Box: TC		
Terminal Block Box: T		
Connection/Electrical Wiring Specifications	p.	53
Lead Wire		
How to Order		
Dimensions ·	-	
Electrical Wiring Specifications	p.	61
EX600 Integrated Type (For Input/Output)		
Serial Transmission System		
How to Order		
Dimensions	p.	65
EX245 Integrated Type (For Input/Output)		
Serial Transmission System		
How to Order		
Dimensions	p.	75
EX250 Integrated Type (For Input/Output)		
Serial Transmission System		
How to Order	p.	77
Dimensions	р.	79
EX260 Integrated Type (For Output)		
Serial Transmission System		
How to Order	p.	83
Dimensions		
EX120 Integrated Type (For Output)	-	
Serial Transmission System		
How to Order	p.	91

Dimensions ·····


Type 10/Side Ported: Common Dimensions	
(External Pilot, Built-in Silencer/Mixed Size, Straight Port Type	e) ····· p. 97
Manifold Exploded View [By Wiring]	····· p. 101
D-sub Connector/Flat Ribbon Cable	•
(IP40/Connector Entry Direction Adjustable)	····· p. 102
D-sub Connector (IP67)	
D-sub Connector/Flat Ribbon Cable (IP20/Compact Type)	····· p. 104
Spring Type Terminal Block Box	
Terminal Block Box	····· p. 106
Lead Wire	
EX600	
EX245	
EX250	
EX260	
EX120	····· p. 114
Manifold Exploded View [Common Parts]	····· p. 115
Type 10: How to Increase Connector Type Manifolds	····· p. 115
For the JJ5SY1-10, JJ5SY3-10, JJ5SY5-10/	•
Manifold Parts Nos.	····· p. 116
Vacuum Unit ZK2 Combination Manifold	
How to Order	····· p. 119
Dimensions	······ p. 123
ZK2 Combination Manifold Exploded View	n 126
For the JJ5SY3-10-M (ZZK2□A)	
Manifold Parts Nos.	-
ZK2□A Vacuum Ejector Manifold Exploded Vi	
How to Increase Manifold Stations	
now to increase Mailliou Stations	p. 120
One-touch Fittings, Plug, Clip, Port Plate,	
Tube Releasing Tool	
Manifold Options	····· p. 131
Made to Order	p. 135
Specific Product Precautions	
Model Index	
Safety Instructions	•



p. 93

# **Optimum Actuation Size Chart of Air Cylinder**

# For JSY1000, A, B port: Ø4



<sup>\*</sup> Operating piston speed is different depending on the applicable cylinder. Refer to the cylinder catalog for details.



<sup>\*</sup> Values at extension of a directly coupled cylinder when meter-out speed controllers are used with the needle full open.


<sup>\*</sup> The average speed of the cylinder is obtained by dividing the stroke by the total stroke time.

<sup>\*</sup> Formula for load ratio: Load ratio = ((Load mass x 9.8)/Theoretical output) x 100%

<sup>\*</sup> Cylinder for horizontal use are based on the coefficient of rolling friction 0.1.



**Optimum Actuation Size Chart of Air Cylinder** 



- \* Values at extension of a directly coupled cylinder when meter-out speed controllers are used with the needle full open.
- \* The average speed of the cylinder is obtained by dividing the stroke by the total stroke time.
- \* Formula for load ratio: Load ratio = ((Load mass x 9.8)/Theoretical output) x 100%
- \* Cylinder for horizontal use are based on the coefficient of rolling friction 0.1.
- \* Operating piston speed is different depending on the applicable cylinder. Refer to the cylinder catalog for details.



e Chart

e Valve

Plug-in Connector Connecting Base

inal D-sub ck Flat Ribbon

Lead Wire Block

EX245 EX600

EX260 EX250

nensions EX120

Manifold Co Exploded Dim View

t, ZK2 Ma lent Combination Exp ols Manifold V


nifold Fittii tions Replac Parts.

er Op

ct Orc

Specific Product Precautions

# Optimum Actuation Size Chart of Air Cylinder For JSY3000, A, B port: Ø8



<sup>\*</sup> Values at extension of a directly coupled cylinder when meter-out speed controllers are used with the needle full open.

<sup>\*</sup> The average speed of the cylinder is obtained by dividing the stroke by the total stroke time.

<sup>\*</sup> Formula for load ratio: Load ratio = ((Load mass x 9.8)/Theoretical output) x 100%

<sup>\*</sup> Cylinder for horizontal use are based on the coefficient of rolling friction 0.1.

<sup>\*</sup> Operating piston speed is different depending on the applicable cylinder. Refer to the cylinder catalog for details.

# Chart

Valve

Plug-in Connector Connecting Base

Lead Wire Block Flat Ribbon

EX245 EX600

EX260 EX250

Dommon EX120 mensions

Manifold in Exploded View

ZK2 ant Combination Is Manifold


Id Fittings,
Is Replacement

Manifold Options

Made to Order

Specific Product Precautions





- \* Values at extension of a directly coupled cylinder when meter-out speed controllers are used with the needle full open.
- \* The average speed of the cylinder is obtained by dividing the stroke by the total stroke time.
- \* Formula for load ratio: Load ratio = ((Load mass x 9.8)/Theoretical output) x 100%
- \* Cylinder for horizontal use are based on the coefficient of rolling friction 0.1.
- \* Operating piston speed is different depending on the applicable cylinder. Refer to the cylinder catalog for details.



# JSY1000/3000/5000 Series Valve Specifications

#### **Valve Specifications**

Valve type			Rubber seal		
Fluid			Air		
	2-position sing	gle	0.15 to 0.7		
Internal pilot operating	2-position dou	ble	0.1 to 0.7		
pressure range [MPa]	3-position		0.2 to 0.7		
liviraj	4-position dua	l 3-port valve	0.15 to 0.7		
External pilot	Operating pres		-100 kPa to 0.7		
(Made to Order)	Pilot	2-position single			
operating pressure range	pressure	2-position double	0.25 to 0.7		
[MPa]	range	3-position			
Ambient and fluid tempera	tures [°C]		-10 to 50 (No freezing)		
		2-position single/double	_		
	JSY1000/3000	4-position dual 3-port valve	5		
Max. operating frequency		3-position	3		
[Hz]		2-position single/double	5		
	JSY5000	4-position dual 3-port valve	3		
		3-position	3		
			Non-locking push type		
Manual override			Push-turn locking slotted type		
			Push-turn locking lever type*1		
Pilot exhaust type	Internal pilot		Individual exhaust		
Pilot exhaust type	External pilot	(Made to Order)	mulviduai exitausi		
Lubrication			Not required		
Mounting orientation*2			Unrestricted		
Impact/Vibration resistance	e*2 [m/s²]		150/30		
Enclosure			JSY1000: IP40 JSY3000/5000: IP67 (Based on IEC 60529)		
Coil rated voltage [DC]			24 V		
Allowable voltage fluctuation [V]			±10% of the rated voltage		
	Standard	JSY3000/5000	0.4		
Power consumption [W]	\\/:4b	JSY1000	0.2*3 [Inrush 0.5, Holding 0.2]		
rower consumption [w]	With power- saving circuit	JSY3000/5000 (Made to Order)	0.1*4 [Inrush 0.4, Holding 0.1]		
Surge voltage suppressor			Diode (Varistor for non-polar type)		
Indicator light			LED		

<sup>\*1</sup> Not available for the JSY1000 series



<sup>\*2</sup> Impact resistance: No malfunction occurred when tested in the axial direction and at a right angle to the main valve and armature in both an energized and a de-energized state, once in each condition. (Value in the initial state)

Vibration resistance: No malfunction occurred in a one-sweep test between 45 and 2000 Hz in the axial direction and at a right angle to the main valve and armature in both an energized and a de-energized state, once in each condition. (Value in the initial state)

Refer to page 139 for details on securing the DIN rail mounting type manifold.

<sup>\*3</sup> The JSY1000 series is only available as the power-saving type. Standard type (without power-saving circuit) cannot be selected.

<sup>\*4</sup> For details, refer to page 137.

# Valve Specifications JSY1000/3000/5000 Series

#### **Response Time**

			Response time [ms]*1			
Series	Model	Type of actuation	With light/surge voltage suppressor			
	"		Z type	U type		
	JSY1100	2-position single	15			
JSY1000	JSY1200	2-position double	7			
3511000	JSY13/4/500	3-position	16	_		
	JSY1A/B/C00	4-position dual 3-port valve	19			
	JSY3100	2-position single	27	18		
JSY3000	JSY3200	2-position double	13	12		
J513000	JSY33/4/500	3-position	27	24		
	JSY3A/B/C00	4-position dual 3-port valve	23	23		
	JSY5100	2-position single	35	25		
JSY5000	JSY5200	2-position double	19	17		
JS 15000	JSY53/4/500	3-position	41	37		
	JSY5A/B/C00	4-position dual 3-port valve	37	37		

<sup>\*1</sup> Based on dynamic performance test, JIS B 8419-2010 (Coil temperature: 20°C, at rated voltage)

#### **Valve Weight**

#### **JSY1000 Series**

Type of actuation		Weight [g]	
2 position	Single	24	
2-position	Double	27	
3-position	Closed center		
	Exhaust center	30	
	Pressure center		
4-position	Dual 3-port valve	27	
	2-position 3-position	2-position Single Double Closed center 3-position Exhaust center Pressure center	

#### **JSY5000 Series**

	Valve model	Т	Type of actuation		
		2-position	Single	91	
		2-position	Double	100	
	IOVE = 00	3-position	Closed center		
	JSY5□00		Exhaust center	110	
			Pressure center		
		4-position	Dual 3-port valve	96	

#### **JSY3000 Series**

Valve model	Т	Weight [g]			
	2-position	Single	54		
	2-position	Double	63		
JSY3□00	3-position	Closed center			
J513_00		Exhaust center	67		
		Pressure center			
	4-position	Dual 3-port valve	63		





Chart

# JSY1000/3000/5000 Series **Valve Construction**


#### **Rubber Seal**


#### 2-position single







#### 2-position double







#### 3-position closed center/exhaust center/pressure center











#### 4-position dual 3-port valve






	5	(EA)	1(F)	3(⊏□)	
N.	C. valve, N.	O. valv	/e x 1 p	c. of ea	ch
	4(	A)		2(B)	
			75		3
	5	i(EA)	1(P)	3(EB)	

**Component Parts** 

0011								
No.	Description	Material						
1	Body	Aluminum die-casted						
2	Spool valve	Aluminum/HNBR (4-position solenoid valve: Resin/HNBR						
3	Piston	Resin						
4	Pilot valve assembly	_						


# JSY3000/5000 Series Valve Replacement Parts: Pilot Valve

How to Order Pilot Valves (With a gasket and two mounting screws)\*\*



#### **⚠** Caution

- The coil specification and voltage (including light/ surge voltage suppressor) cannot be changed by changing the pilot valve assembly.
- When selecting the standard coil type, it is not possible to change to the power-saving circuit type.
- 3. Replacement pilot valve for the JSY3000/5000



- Loosen B tight flat head screw to remove the pilot cover in the direction indicated by the arrow ①.
- Remove the pilot valve mounting screws.
- Remove the pilot valve in the direction indicated by the arrow 2.
- \* Assemble by following the removal procedure in reverse.
- \*1 Ensure the gasket is mounted, and take care not to bend the socket.
- \*2 Be noted for mounting that there are two types of lengths for the pilot valve mounting screws.
- \*3 The pilot valve of the JSY1000 cannot be removed. This is irreplaceable.

# JSY1000/3000/5000 Series Type 10 Plug-in Connector Connecting Base

#### **Manifold Specifications**

				-sub connect	or	Flat ribbon cable						
	Model		F type	FW type*1	FC type*2	P type	PG type	PH type	PC type*2	PGC type*2	PHC type*2	
Manifo	ld type					Plug-in co	nector conne	ecting base				
SUP/E	XH port type				Co	mmon SUP/E	XH (Commor	n for the 3/5 p	ort)			
Valve s	stations			2 to 24	stations		2 to 18 stations	2 to 8 stations	2 to 24 stations	2 to 18 stations	2 to 8 stations	
Annlia	abla cannastar		D-sub connector conforming to	Dedicated connector	D-sub connector conforming to				able connecto 3503 (Refer to	-		
Applica	Applicable connector		MIL-C-24308 (Refer to page 39.)	(Refer to page 39.)	MIL-C-24308 (Refer to page 39.)	Socket: 26 pins MIL type	Socket: 20 pins MIL type	Socket: 10 pins MIL type	Socket: 26 pins MIL type	Socket: 20 pins MIL type	Socket: 10 pins MIL type	
Interna	ıl wiring		Positive common, Negative common									
	4(D) 0(E(E)	JSY1000		ø8 One-touch fitting								
	1(P), 3/5(E) port	JSY3000		ø10 One-touch fitting								
Port		JSY5000		ø12 One-touch fitting								
size	4(A) 0(D)	JSY1000			ø2 One-touch fitting, ø4 One-touch fitting, ø6 One-touch fitting							
	4(A), 2(B) port	JSY3000		ø6 One-touch fitting, ø8 One-touch fitting								
	port	JSY5000			Ø	10 One-touch	fitting, ø12 C	ne-touch fitti	ng			
				_	IP20					IP20		
Enclos (Based	ure on IEC 60529)	JSY3000	IP40	IP67	11 20		IP40			IF20		
		JSY5000		11 07	_			_				

<sup>\*1</sup> The FW type is not available for the JSY1000. Protection class for the JSY1000 is IP20 or IP40.

#### **Manifold Weight**

											Unit: g	
							② Wiring					
M	odel	Per station	D	D-sub connector			Flat ribbon cable					
IVI	lodei	Per station	F type	FW type*2	FC type*3	P type	PG type	PH type	PC type*3	PGC type*3	PHC type*3	
JSY1000	for ø4	21.3	308	_	233	306	304	298	233	231	225	
3511000	for ø6	26.9	319	_	244	317	315	309	244	242	236	
JSY3000	) for ø8	42.7	332	330	287	330	328	322	257	255	249	
JSY5000	) for ø12	104	509	507	_	507	505	499	_	_	_	

#### Formula for manifold weight\*1

 $W = 1 \times n1 + 2$  (n1: stations)

JSY3000 series, D-sub connector, F type, 5 stations: (42.7 x 5) + 332 = 545.5 (g)

#### **Manifold Flow Rate Characteristics**

	Port size		Valve flow rate characteristics					
Model	1, 3/5	4, 2	$1 \rightarrow 4/2 \; (P \rightarrow$	A/B)	$4/2 \rightarrow 3/5 \text{ (A/B} \rightarrow \text{E)}$			
	(P, E)	(A, B)	C [dm <sup>3</sup> /(s·bar)]	b	C [dm <sup>3</sup> /(s·bar)]	b		
JJ5SY1-10	C8	C4	0.63	0.46	0.87	0.47		
(Side ported)		C6	0.96	0.30	0.91	0.48		
JJ5SY3-10 (Side ported)	C10	C8	2.23	0.30	2.77	0.27		
JJ5SY5-10 (Side ported)	C12	C12	6.40	0.22	6.59	0.22		


<sup>\*</sup> Calculation of effective area S and sonic conductance C:  $S = 5.0 \times C$ 

<sup>\*</sup> Values measured in accordance with ISO 6358:1989, JIS B 8390:2000



<sup>\*2</sup> The FC, PC, PGC, and PHC types are not available for the JSY5000.

Specific Product Precautions



Unit: g

② Wiring									
Terminal	block box	Lead wire			Serial wiring				
T type	TC type	L type (0.6 m)	L type (1.5 m)	L type (3 m)	S6□ type (EX600)*4	SA□ type (EX245)*4	S□ type (EX250)*4	S□ type (EX260)	S3□ type (EX120)
680	471	404	514	698	829	_	520	448	367
689	480	413	523	707	838	_	529	457	367
709	500	433	543	727	858	935	549	477	391
914	705	638	748	932	1063	1100	754	682	568

- \*1 Weight: "W" is the value for the internal pilot specification, the max. fitting size, and the manifold only. The valve weight is not included. To obtain the weight with valves attached, add the valve weight given on page 14 for the appropriate number of stations.
- \*2 The FW type is not available for the JSY1000.
- \*3 The FC, PC, PGC, and PHC types are not available for the JSY5000.
- \*4 The serial unit weight is included, but the I/O unit weight is not included. Add the weight of the I/O unit for calculation.

#### **ZK2 Combination Manifold Weight**

#### Single Unit

Single unit model	Weight [g]
ZK2 (1 station for manifold, Without pressure sensor/switch)	99

#### **Pressure Sensor/Pressure Switch for Vacuum**

Pressure sensor/Pressure switch for vacuum model	Weight [g]
ZK2-PS□-A (Excludes the cable portion weight)	5
ZK2-ZS□-A (Excludes the lead wire with connector weight)	14

#### Formula for ZK2 combination manifold weight

 $Wz = 1 \times n_1 + 2 + 3 \times n_2 \times n$ 


JSY3000 P, E port entry	3
D side	158
U side	275
B side	292


The weight "Wz" is the value for the internal pilot specification, the max. fitting size, and the manifold only. To obtain the weight with valves and ejectors mounted, add the valve weight and the weight of the ejector, pressure sensor, and pressure switch for vacuum above, respectively, for the appropriate number of stations

#### **Connector Wiring Layout**

For both serial and parallel wiring, additional valves are sequentially assigned pins on the connector. This makes it completely unnecessary to disassemble the connector unit.

■ Single solenoid valve is installed to all double wiring. (in the case of all double wiring)





\* These diagrams are for the purpose of explanation, and differ from the actual connector wiring.



Made to Order

Specific Product Precautions

# Plug-in Connector Connecting Base

D-sub Connector Flat Ribbon Cable

Type 10 Side Ported


# JSY1000/3000/5000 Series


( E UK ROHS



**Internal Pilot** 

#### How to Order Manifolds






#### Series

1	JSY1000
3	JSY3000
5	JSY5000

<b>②</b> Typ	ре
10	Side ported

#### 4 Connector entry direction



The connector entry direction for connector types "FW," "FC," and "P□C" cannot be rotated. If it is necessary to change, order connector block assembly and SUP/ EXH block assembly (pages 103 and 104) separately.

#### 6 P. E port entry

	- p
U	U side (2 to 10 stations)
D	D side (2 to 10 stations)
В	Both sides (2 to 24 stations)

#### SUP/EXH block assembly

Nil	Internal pilot
s	Internal pilot,
3	Built-in silencer

- The 3/5(E) port is plugged for the built-in silencer type.
- The external pilot specification should be ordered as Made to Order. For details, refer to page

#### 8 A, B port size (Metric/One-touch fitting)

<u> </u>						
Symbol	A, B port		JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	2
C4		ø4	•	_	_	
C6	ᆂ	ø6	•	•	_	
C8	Straight	ø8	_	•	_	
C10	S.	ø10	_	_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	October
P, E port size (One-touch fittings)		ø8	ø10	ø12		

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

#### Mounting and Option


<u> </u>	
Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

#### **DIN Rail Option**

Nil	DIN rail mounting (With DIN rail)		
	DIN rail mounting (Without DIN rail)		
3	For 3 stations	Specify a length longer	
	:	than that of the standard	
24	For 24 stations	rail.	

- \* Enter the number of stations inside  $\square$  when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown on the left.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.

#### Connector type



- \*1 FW is not available for the JSY1000.
- \*2 Compact type is not available for the JSY5000.

#### **5** Valve stations

#### F/FW/FC: D-sub connector (25 pins)

Symbol	Stations	Note	
02	2 stations		
:	:	Double wiring*1	
12	12 stations	-	
02	2 stations	Specified layout*2	
:	:	(Up to 24	
24	24 stations	solenoids available)	

PG/PGC: Flat ribbon cable (20 pins)			
Symbol	Stations	Note	
02	2 stations		
:	:	Double wiring*1	
09	9 stations	-	
02	2 stations	Specified layout*2	
	:	(Up to 18	
18	18 stations	solenoids available)	
*1 Double wiring: 2 position single			

P/PC: Flat ribbon cable (26 pins)


<u> </u>	J. I lat	ibboii cable (20 pilis)
Symbol	Stations	Note
02	2 stations	
	:	Double wiring*1
12	12 stations	-
02	2 stations	Specified layout*2
- E	÷	(Up to 24
24	24 stations	solenoids available)

#### PH/PHC: Flat ribbon cable (10 pins)

_			\ \ \ \
	Symbol	Stations	Note
	02	2 stations	
	1	:	Double wiring*1
	04	4 stations	
٦	02	2 stations	Specified layout*2
	1	:	Up to 8
)	08	8 stations	solenoids available)
_			

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- This also includes the number of blanking plates.

#### **How to Order Manifold Assembly**



- JJ5SY3-10F1-05D-C8 ··· 1 set (Type 10 5-station manifold base part no.)
- \* JSY3100-5U ...... 2 sets (2-position single part no.)
- \* JSY3200-5U------ 3 sets (2-position double part no.)
  - The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- For the valve arrangement, the valve closest to the D side is considered the
- Under the manifold part number, state the valves to be mounted in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification

With power-saving circuit


**Internal Pilot** 

#### How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

#### JSY1000 Series

## **JSY3000/5000** Series



Made to Made to Order (Refer to page 135 for details.) Specification With power-saving circuit

(Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

#### Series

	1	JSY1000
	3	JSY3000
	5	JSY5000

## 3 Pilot valve exhaust method

0	Pilot valve individual exhaust

## Rated voltage

Trated voltage		ca voitage
	5	24 VDC

#### 2 Type of actuation

1	2-position	Single
2		Double
3		Closed center
4	3-position	Exhaust center
5	5	Pressure center
Α	4-position dual 3-port	N.C./N.C.
В		N.O./N.O.
С		N.C./N.O.


#### **5** Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification
U			Non-polar
Z	•	•	Positive common
NZ			Negative common

- Only "Z" and "NZ" types are available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

**SMC** 

#### 6 Manual override





- Push-turn locking lever type "E" is not available for the JSY1000.
- When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

#### 

If the JSY3000/5000 series is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

Protective class class II (Mark: ⟨II) Valve

Chart

Plug-in

Terminal Block

Lead Wire

**EX600** 

**EX245 EX250** 

**EX260 EX120** 


Type 10/Side Ported (Applicable to @2 and @4 fittings)


D-sub Connector (IP40/Connector Entry Direction Adjustable)

Dimensions: JSY1000 Series

JJ5SY1-10 $F_2^1$ -Stations  $\stackrel{\text{U}}{p}$ - $\stackrel{\text{C2}}{c4}$ (D)







- \* These figures show the "JJ5SY1-10F2-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

#### L: Dimensions n: Stations

	21 Difficilities														
L n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	96	102.5	109	115.5	122	128.5	135	141.5	148	154.5	161	167.5	174	180.5	187
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	135.5	135.5	148	148	160.5	160.5	173	173	185.5	185.5	198	198	210.5	210.5	223
L4	125	125	137.5	137.5	150	150	162.5	162.5	175	175	187.5	187.5	200	200	212.5
L5	23	19.5	22.5	19.5	22.5	19	22	19	22	18.5	21.5	18.5	21.5	18	21

L	17	18	19	20	21	22	23	24
L1	193.5	200	206.5	213	219.5	226	232.5	239
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	223	235.5	248	248	260.5	260.5	273	273
L4	212.5	225	237.5	237.5	250	250	262.5	262.5
L5	18	21	24	20.5	23.5	20.5	23.5	20




# Pulsin Connector Connecting Base JSY1000/3000/5000 Series


Type 10/Side Ported (Applicable to ø6 fittings)

D-sub Connector (IP40/Connector Entry Direction Adjustable)

Dimensions: **JSY1000** Series

JJ5SY1-10 $F_2^1$ -Stations  $\stackrel{\text{U}}{\text{P}}$ -C6(D)





- \* These figures show the "JJ5SY1-10F2-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

L: Dimensions	n: Stations	3

	2. Difficiono														0
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	101	110	119	128	137	146	155	164	173	182	191	200	209	218	227
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	135.5	148	160.5	160.5	173	185.5	185.5	198	210.5	223	223	235.5	248	248	260.5
L4	125	137.5	150	150	162.5	175	175	187.5	200	212.5	212.5	225	237.5	237.5	250
L5	20.5	22	24	19.5	21	23	18.5	20	22	23.5	19	21	22.5	18	20

	17	18	19	20	21	22	23	24
L1	236	245	254	263	272	281	290	299
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	273	285.5	285.5	298	310.5	310.5	323	335.5
L4	262.5	275	275	287.5	300	300	312.5	325
L5	21.5	23.5	19	20.5	22.5	18	19.5	21.5



Valve Chart

Connector Connecting Base

ild Frittings,
18 Replaceme
18 Parts, Too

ade to N

Specific Product Precautions


#### Type 10/Side Ported


Dimensions: JSY3000 Series

D-sub Connector (IP40/Connector Entry Direction Adjustable)

JJ5SY3-10 $F_2^1$ -Stations  $_{\rm D}^{\rm U}$ - $_{\rm C8}^{\rm C6}$ (D)







- \* These figures show the "JJ5SY3-10F2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

	El Billionolollo														0
L_n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	93.8	105.3	116.8	128.3	139.8	151.3	162.8	174.3	185.8	197.3	208.8	220.3	231.8	243.3	254.8
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	273	285.5
L4	112.5	125	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	262.5	262.5	275
L5	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	18	18.5

L	17	18	19	20	21	22	23	24
L1	266.3	277.8	289.3	300.8	312.3	323.8	335.3	346.8
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	298	310.5	323	335.5	348	360.5	373	385.5
L4	287.5	300	312.5	325	337.5	350	362.5	375
L5	19	19.5	20	20.5	21	21.5	22	22.5



# Connector Connecting Base JSY1000/3000/5000 Series


Type 10/Side Ported


D-sub Connector (IP40/Connector Entry Direction Adjustable)

JJ5SY5-10F $_2^1$ -Stations  $\stackrel{\text{U}}{P}$ - $\stackrel{\text{C10}}{\text{C12}}$ (D)

Dimensions: **JSY5000** Series







\* These figures show the "JJ5SY5-10F2-05D-C12."

Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

I · Dimensions		

L: Dimensions n: Station														: Stations	
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	123	139	155	171	187	203	219	235	251	267	283	299	315	331	347
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	160.5	173	185.5	210.5	223	235.5	260.5	273	285.5	298	323	335.5	348	360.5	385.5
L4	150	162.5	175	200	212.5	225	250	262.5	275	287.5	312.5	325	337.5	350	375
L5	22	20	18.5	23	21	19.5	24	22	20.5	18.5	23	21.5	19.5	18	22.5

L	17	18	19	20	21	22	23	24
L1	363	379	395	411	427	443	459	475
L2	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	398	410.5	435.5	448	460.5	473	498	510.5
L4	387.5	400	425	437.5	450	462.5	487.5	500
L5	20.5	19	23.5	21.5	20	18	22.5	21

Chart Valve

Plug-in

Terminal Block

EX600 Lead Wire

**EX245 EX250** 

**EX260** EX120


Type 10/Side Ported


Dimensions: JSY3000 Series

D-sub Connector (IP67)

JJ5SY3-10FW $_2^1$ -Stations  $_{\rm p}^{\rm U}$ - $_{\rm C8}^{\rm C6}$ (D)







- \* These figures show the "JJ5SY3-10FW2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

	2. Dimensions														0
L_n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	108.6	120.1	131.6	143.1	154.6	166.1	177.6	189.1	200.6	212.1	223.6	235.1	246.6	258.1	269.6
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	148	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	298
L4	137.5	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	262.5	275	287.5	287.5
L5	22	16	16.5	17	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	16.5

L	17	18	19	20	21	22	23	24
L1	281.1	292.6	304.1	315.6	327.1	338.6	350.1	361.6
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	310.5	323	335.5	348	360.5	373	385.5	398
L4	300	312.5	325	337.5	350	362.5	375	387.5
L5	17	17.5	18	18.5	19	19.5	20	20.5



# Connector Connecting Base JSY1000/3000/5000 Series


Type 10/Side Ported


Dimensions: **JSY5000** Series

JJ5SY5-10FW $_2^1$ -Stations  $_{\rm P}^{\rm U}$ - $_{\rm C12}^{\rm C10}$ (D)

D-sub Connector (IP67)







- \* These figures show the "JJ5SY5-10FW2-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

1 .	Dim	nen	eic	ne
			310	,,,,

n. Stations

L. Dilli	CHSIOI	13													i. Stations
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	128	144	160	176	192	208	224	240	256	272	288	304	320	336	352
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	160.5	173	198	210.5	223	248	260.5	273	285.5	310.5	323	335.5	348	373	385.5
L4	150	162.5	187.5	200	212.5	237.5	250	262.5	275	300	312.5	325	337.5	362.5	375
L5	18.5	17	21.5	19.5	18	22.5	20.5	19	17	21.5	20	18	16.5	21	19

L	17	18	19	20	21	22	23	24
L1	368	384	400	416	432	448	464	480
L2	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	398	423	435.5	448	460.5	485.5	498	510.5
L4	387.5	412.5	425	437.5	450	475	487.5	500
L5	17.5	22	20	18.5	16.5	21	19.5	17.5

Chart Valve

Plug-in

Terminal Block

EX600 Lead Wire

**EX245 EX250** 


**EX260** EX120


Dimensions: JSY1000 Series D-sub

Type 10/Side Ported (Applicable to 02 and 04 fittings)
D-sub Connector (IP20/Compact Type)

JJ5SY1-10FC $_2^1$ -Stations  $\stackrel{\text{U}}{p}$ - $\stackrel{\text{C2}}{c4}$ (D)







- \* These figures show the "JJ5SY1-10FC2-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	77.1	83.6	90.1	96.6	103.1	109.6	116.1	122.6	129.1	135.6	142.1	148.6	155.1	161.6	168.1
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	110.5	123	123	135.5	135.5	148	148	160.5	160.5	173	173	185.5	185.5	198	198
L4	100	112.5	112.5	125	125	137.5	137.5	150	150	162.5	162.5	175	175	187.5	187.5
L5	20	23	19.5	22.5	19.5	22.5	19	22	19	22	18.5	21.5	18.5	21.5	18

	17	18	19	20	21	22	23	24
L1	174.6	181.1	187.6	194.1	200.6	207.1	213.6	220.1
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	210.5	210.5	223	235.5	235.5	248	248	260.5
L4	200	200	212.5	225	225	237.5	237.5	250
L5	21	18	21	24	20.5	23.5	20.5	23.5



# Connector Connecting Base JSY1000/3000/5000 Series


Type 10/Side Ported (Applicable to Ø6 fittings)


D-sub Connector (IP20/Compact Type)

Dimensions: **JSY1000** Series

JJ5SY1-10FC $_2^1$ -Stations  $_{\rm P}^{\rm U}$ -C6(D)







S : Single wiring

- \* These figures show the "JJ5SY1-10FC2-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

.: Dimensions n: Stations

L. Dilli	CHSION	13													. Otations
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	82.1	91.1	100.1	109.1	118.1	127.1	136.1	145.1	154.1	163.1	172.1	181.1	190.1	199.1	208.1
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	123	123	135.5	148	148	160.5	173	185.5	185.5	198	210.5	210.5	223	235.5	248
L4	112.5	112.5	125	137.5	137.5	150	162.5	175	175	187.5	200	200	212.5	225	237.5
L5	23.5	19	21	22.5	18	20	21.5	23.5	19	20.5	22.5	18	19.5	21.5	23

	17	18	19	20	21	22	23	24
L1	217.1	226.1	235.1	244.1	253.1	262.1	271.1	280.1
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	248	260.5	273	285.5	285.5	298	310.5	310.5
L4	237.5	250	262.5	275	275	287.5	300	300
L5	18.5	20.5	22	24	19.5	21	23	18.5



Valve Chart

or ing Base Val

Plug-in Connectii

Terminal D-s Block Flat R

EX245 EX600 Lead Wire

EX250 EX245

EX120 EX260

Common Dimensions

Exploded View

zK2 ement Combination Tools Manifold

nifold Fi

Made to Order

Specific Product Precautions


Type 10/Side Ported


D-sub Connector (IP20/Compact Type)

Dimensions: JSY3000 Series

JJ5SY3-10FC $_2^1$ -Stations  $_{\rm p}^{\rm U}$ - $_{\rm C8}^{\rm C6}$ (D)







- \* These figures show the "JJ5SY3-10FC2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

	.00.0.													•	0
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	93.3	104.8	116.3	127.8	139.3	150.8	162.3	173.8	185.3	196.8	208.3	219.8	231.3	242.8	254.3
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	260.5	273	285.5
L4	112.5	125	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	250	262.5	275
L5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	17.5	18	18.5

	17	18	19	20	21	22	23	24
L1	265.8	277.3	288.8	300.3	311.8	323.3	334.8	346.3
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	298	310.5	323	335.5	348	360.5	373	385.5
L4	287.5	300	312.5	325	337.5	350	362.5	375
L5	19	19.5	20	20.5	21	21.5	22	22.5





# Connector Connecting Base JSY1000/3000/5000 Series


Dimensions: JSY1000 Series


JJ5SY1-10 PG 1 - Stations D-C2 (D)

Type 10/Side Ported (Applicable to 02 and 04 fittings) Flat Ribbon Cable (IP40/Connector Entry Direction Adjustable)









- \* These figures show the "JJ5SY1-10P2-05D-C4."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- Only connectors are different for 10PG and 10PH. L1 to L5 dimensions are the same as 10P type.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

#### I · Dimensions

n. Stations

L. Dilli		ıs													. Otalions
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	96	102.5	109	115.5	122	128.5	135	141.5	148	154.5	161	167.5	174	180.5	187
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	135.5	135.5	148	148	160.5	160.5	173	173	185.5	185.5	198	198	210.5	210.5	223
L4	125	125	137.5	137.5	150	150	162.5	162.5	175	175	187.5	187.5	200	200	212.5
L5	23	19.5	22.5	19.5	22.5	19	22	19	22	18.5	21.5	18.5	21.5	18	21

L n	17	18	19	20	21	22	23	24
L1	193.5	200	206.5	213	219.5	226	232.5	239
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	223	235.5	248	248	260.5	260.5	273	273
L4	212.5	225	237.5	237.5	250	250	262.5	262.5
L5	18	21	24	20.5	23.5	20.5	23.5	20



Chart Valve

Terminal Block EX600 Lead Wire

EX245

**EX250 EX260** 

EX120


Common Dimensions


Type 10/Side Ported (Applicable to Ø6 fittings)
Flat Ribbon Cable (IP40/Connector Entry Direction Adjustable)


# Dimensions: JSY1000 Series


JJ5SY1-10 PG 1- Stations D-C6(D)











33

- \* These figures show the "JJ5SY1-10P2-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* Only connectors are different for 10PG and 10PH. L1 to L5 dimensions are the same as 10P type.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

# L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
L1	101	110	119	128	137	146	155	164	173	182	191	200	209	218	227	236	245	254	263	272	281	290	299
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	135.5	148	160.5	160.5	173	185.5	185.5	198	210.5	223	223	235.5	248	248	260.5	273	285.5	285.5	298	310.5	310.5	323	335.5
L4	125	137.5	150	150	162.5	175	175	187.5	200	212.5	212.5	225	237.5	237.5	250	262.5	275	275	287.5	300	300	312.5	325
L5	20.5	22	24	19.5	21	23	18.5	20	22	23.5	19	21	22.5	18	20	21.5	23.5	19	20.5	22.5	18	19.5	21.5

# Pulsin Connector Connecting Base JSY1000/3000/5000 Series


Type 10/Side Ported


Flat Ribbon Cable (IP40/Connector Entry Direction Adjustable)


JJ5SY3-10 PG 1 - Stations D - C6 (D)

Dimensions: JSY3000 Series









- \* These figures show the "JJ5SY3-10P2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.
- \* Only connectors are different for 10PG and 10PH. L1 to L5 dimensions are the same as 10P type.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
L1	93.8	105.3	116.8	128.3	139.8	151.3	162.8	174.3	185.8	197.3	208.8	220.3	231.8	243.3	254.8	266.3	277.8	289.3	300.8	312.3	323.8	335.3	346.8
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	273	285.5	298	310.5	323	335.5	348	360.5	373	385.5
L4	112.5	125	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	262.5	262.5	275	287.5	300	312.5	325	337.5	350	362.5	375
L5	17.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5	23	23.5	18	18.5	19	19.5	20	20.5	21	21.5	22	22.5



34

John Plug-in Connector

Chart

Valve

Terminal D-Block Flat F

EX245 EX600 Lead Wire

EX250 EX245

EX120 EX260 E

Common Dimensions

Manifold Exploded View

gs, 2K2 ment Combinatio Tools Manifold

Replacement Co Parts, Tools

Manifold Options

> Made to Order


Specific | Product Precautions


#### Type 10/Side Ported


# Dimensions: **JSY5000** Series

Flat Ribbon Cable (IP40/Connector Entry Direction Adjustable)

JJ5SY5-10 PG 1- Stations D-C10 (D)







- \* These figures show the "JJ5SY5-10P2-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

C12: ø12 (SMC)

 Only connectors are different for 10PG and 10PH. L1 to L5 dimensions are the same as 10P type.


L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
L1	123	139	155	171	187	203	219	235	251	267	283	299	315	331	347	363	379	395	411	427	443	459	475
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	160.5	173	185.5	210.5	223	235.5	260.5	273	285.5	298	323	335.5	348	360.5	385.5	398	410.5	435.5	448	460.5	473	498	510.5
L4	150	162.5	175	200	212.5	225	250	262.5	275	287.5	312.5	325	337.5	350	375	387.5	400	425	437.5	450	462.5	487.5	500
L5	22	20	18.5	23	21	19.5	24	22	20.5	18.5	23	21.5	19.5	18	22.5	20.5	19	23.5	21.5	20	18	22.5	21

Dimensions: JSY1000 Series


JJ5SY1-10  $\stackrel{P}{PG}$   $C_2^1$ -Stations  $\stackrel{U}{P}$  -  $\stackrel{C2}{C4}$  (D)

Type 10/Side Ported (Applicable to 02 and 04 fittings) Flat Ribbon Cable (IP20/Compact Type)





Applicable connector: 26 pins

(Conforming to MIL-C-83503)



One-touch fitting [4(A), 2(B) port] Applicable tubing O.D. C2: ø2 (SMC) (Connector entry upward direction) (Station 1) --- (Station n) C4: ø4 (SMC) 13.6 (52.4)59 27 (For DIN rail mounting) One-touch fitting Manifold block internal wiring specifications [1(P), 3/5(E) port] Nil: Double wiring Applicable tubing O.D.: ø8 (SMC) S : Single wiring (Pitch) 10PHC (10 pins) 10.2





- \* These figures show the "JJ5SY1-10PC2-05D-C4."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- Only connectors are different for 10PGC and 10PHC. L1 to L5 dimensions are the same as 10PC type.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

<b>L1</b> 72.1 78.6 85.1 91.6 98.1 104.6 111.1 117.6 124.1 130.6	137.1 143.6	143.6   150.1   156.6	163.1
<b>L2</b> 56.4 62.9 69.4 75.9 82.4 88.9 95.4 101.9 108.4 114.9	121.4 127.9	127.9 134.4 140.9	147.4
<b>L3</b> 110.5 123 123 135.5 135.5 148 148 160.5 160.5 173	173 185.5	185.5 185.5 198	198
<b>L4</b> 100 112.5 112.5 125 125 137.5 137.5 150 150 162.5	162.5 175	175 175 187.5	187.5
<b>L5</b> 25 28 24.5 27.5 24.5 27.5 24 27 24 27	23.5 26.5	26.5 23.5 26.5	23

L	17	18	19	20	21	22	23	24
L1	169.6	176.1	182.6	189.1	195.6	202.1	208.6	215.1
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	210.5	210.5	223	235.5	235.5	248	248	260.5
L4	200	200	212.5	225	225	237.5	237.5	250
L5	26	23	26	29	25.5	28.5	25.5	28.5

Chart Valve

Plug-in

Terminal Block

EX600 Lead Wire

**EX245** 

**EX250** 

**EX260** EX120


Common Dimensions


Manifold Exploded View

n: Stations


Dimensions: JSY1000 Series


JJ5SY1-10 PG C2-Stations D-C6(D)





D side U side DIN rail holding screw Manual override (Non-locking) (For DIN rail mounting) Light/surge voltage suppressor 4(A) port side: Blue (DIN rail) 2(B) port side: Yellow (8) 57.2 66.5 78 47.3 9 4 x M4 Mounting hole (Recommended tightening torque: 1.4 N·m) Triangle mark (L4)(5.3)(Fitting for the type with P/E ports on the U and/or D sides) (DIN rail mounting hole pitch: 12.5) (**L3**)





- \* These figures show the "JJ5SY1-10PC2-05D-C6."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- Only connectors are different for 10PGC and 10PHC. L1 to L5 dimensions are the same as 10PC type.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

L: Dimensions n: Stations

	.00.0.													•	•
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	77.1	86.1	95.1	104.1	113.1	122.1	131.1	140.1	149.1	158.1	167.1	176.1	185.1	194.1	203.1
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	123	123	135.5	148	148	160.5	173	185.5	185.5	198	210.5	210.5	223	235.5	248
L4	112.5	112.5	125	137.5	137.5	150	162.5	175	175	187.5	200	200	212.5	225	237.5
L5	28.5	24	26	27.5	23	25	26.5	28.5	24	25.5	27.5	23	24.5	26.5	28

L	17	18	19	20	21	22	23	24
L1	212.1	221.1	230.1	239.1	248.1	257.1	266.1	275.1
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	248	260.5	273	285.5	285.5	298	310.5	310.5
L4	237.5	250	262.5	275	275	287.5	300	300
L5	23.5	25.5	27	29	24.5	26	28	23.5




Type 10/Side Ported

Dimensions: **JSY3000** Series

Flat Ribbon Cable (IP20/Compact Type)

JJ5SY3-10 PG C2-Stations P-C6 (D)





- \* These figures show the "JJ5SY3-10PC2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.
- \* Only connectors are different for 10PGC and 10PHC. L1 to L5 dimensions are the same as 10PC type.

#### I · Dimensions

Applicable connector: 20 pins

(Conforming to MIL-C-83503)

Triangle mark

n: Stations

L. Dill															i. Otations
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	88.3	99.8	111.3	122.8	134.3	145.8	157.3	168.8	180.3	191.8	203.3	214.8	226.3	237.8	249.3
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	273	285.5
L4	112.5	125	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	262.5	262.5	275
L5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	23	23.5

	17	18	19	20	21	22	23	24
L1	260.8	272.3	283.8	295.3	306.8	318.3	329.8	341.3
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	298	310.5	323	335.5	348	360.5	373	385.5
L4	287.5	300	312.5	325	337.5	350	362.5	375
L5	24	24.5	25	25.5	26	26.5	27	27.5

Applicable connector: 10 pins (Conforming to MIL-C-83503)

Triangle mark

63.6



Chart Valve

Terminal Block


EX600 Lead Wire

**EX245 EX250** 

**EX260** EX120

Common Dimensions


#### **Electrical Wiring Specifications**



#### **Specified Layout**


COM.

#### (25 pins)



A mixture of single and double wiring can be specified on the manifold specification sheet. The maximum number of stations is determined according to the number of solenoids. The total number of solenoids should be 24 or less. 1 solenoid is required for the 2-position single, and 2 solenoids for the 2-position double, 3-position, and 4-position.

**Connector Cable** 



#### D-sub connector cable [IP20/40 compliant]

Cable length ( <b>L</b> )	Assembly part no.	Note
1.5 m	AXT100-DS25-015	
3 m	AXT100-DS25-030	Cable 0.3 mm <sup>2</sup> x 25 cores
5 m	AXT100-DS25-050	0.5111111 X 25 00165

- When using a standard commercial connector, use a 25-pin type female connector conforming to MIL-C-24308.
- \* Cannot be used for movable wiring
- Lengths other than the above are also available. Please contact SMC for details.

#### D-sub connector cable [IP67 compliant]

Cable length ( <b>L</b> )	Assembly part no.	Note
1.5 m	SY30M-DS25-015	0.11
3 m	SY30M-DS25-030	Cable 0.3 mm <sup>2</sup> x 25 cores
5 m	SY30M-DS25-050	0.011111 1 20 00163

- \* Be sure to use the connector cable in the table, to satisfy enclosure IP67.
- \* Cannot be used for movable wiring

#### **Electrical characteristics**

Item	Property
Conductor resistance Ω/km, 20°C	65 or less
Voltage limit V, 1 minute, AC	1000
Insulation resistance MΩ/km, 20°C	5 or more

#### Connector Manufacturer's Example

- Fujitsu Limited
- Japan Aviation Electronics Industry, Limited
- J.S.T. Mfg. Co., Ltd.
- HIROSE ELECTRIC CO., LTD.


\* The minimum bending radius of the D-sub connector cable is 20 mm

#### D-sub connector cable terminal numbers

Terminal no.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
Lead wire color	Black	Brown	Red	Orange	Yellow	Pink	Blue	Purple	Gray	White	White	Yellow	Orange	Yellow	Pink	Blue	Purple	Gray	Orange	Red	Brown	Pink	Gray	Black	White
Dot marking	None	None	None	None	None	None	None	White	Black	Black	Red	Red	Red	Black	Black	White	None	None	Black	White	White	Red	Red	White	None



#### **Electrical Wiring Specifications**



14 □ □13
12 □ □11
10 □ □ 9
8 □ □ 7
6 □ □ 5
4 □ □ 3

2 🗆 🗆 1

#### P, PC: Flat ribbon cable (26 pins) <Double wiring> Terminal no. Polarity SOL.a (+) Station 1 SOL.b 2 (+)SOL.a 3 (+)Station 2 SOL.b o 4 (+) SOL.a 5 6 7 8 (+)Station 3 SOL.b o (+)SOL.a (+)Station 4 SOL.b (+)SOL.a 9 (+)Station 5 SOL.b 10 (+) SOL.a 11 (+)Station 6 -SOL.b 12 (+)SOL.a 13 (+)Station 7 SOL.b 14 (+)SOL.a 15 (+)Station 8 -SOL.b 16 (+)SOL.a 17 (+)Station 9 SOL.b 18 (+)SOL.a 19 (+)Station 10 -SOL.b o 20 (+)SOL.a 21 (+)Station 11 SOL.b 22 (+)SOL.a 23 (+)Station 12 { SOL.b 24 (+)COM. 25 (+) COM. 26 (+)(-)Positive Negative common common

<double< th=""><th>wiring&gt;</th></double<>	wiring>
Station 1 {	Terminal no. Polarity  1 (-) (+) 2 (-) (+) 3 (-) (+) 4 (-) (+) 5 (-) (+) 6 (-) (+) 7 (-) (+) 8 (-) (+) 9 (+) (-) 10 (+) (-) Positive Negative common common

\* When using a valve with no polarity, either positive common or negative common can be used. Valve

Chart

Plug-in Connector Connecting Bas

D-sub Flat Ribbor

Lead Wire Block

EX600

EX250 EX245

EX120 EX260

ed Dimensions

ation Explode

lacement Combinat ts, Tools Manifol

Manifold Options

> Made to Order


Specific Product Precautions



40

#### **Flat Ribbon Cable Connector**

AXT100-FC 20-2 26 3



#### Flat ribbon cable connector


Cable	Assembly part no.		
length (L)	26 pins	20 pins	10 pins
1.5 m	AXT100-FC26-1	AXT100-FC20-1	AXT100-FC10-1
3 m	AXT100-FC26-2	AXT100-FC20-2	AXT100-FC10-2
5 m	AXT100-FC26-3	AXT100-FC20-3	AXT100-FC10-3

- \* When using a standard commercial connector, use a 26-pin, 20-pin, or 10-pin type connector conforming to MIL-C-83503 with strain relief.
- Cannot be used for movable wiring
- \* Lengths other than the above are also available. Please contact SMC for details.

#### **Connector Manufacturer's Example**

- HIROSE ELECTRIC CO., LTD.
- 3M Japan Limited
- Fujitsu Limited
- Japan Aviation Electronics Industry, Limited
- J.S.T. Mfg. Co., Ltd.
- Oki Electric Cable Co., Ltd.

#### **Specified Layout**



A mixture of single and double wiring can be specified on the manifold specification sheet. The maximum number of stations is determined according to the number of solenoids. The total number of solenoids should be 24 or less for P and PC, 18 or less for PG and PGC, and 8 or less for PH and PHC. 1 solenoid is required for the 2-position single, and 2 solenoids for the 2-position double, 3-position, and 4-position.



Specific Product Precautions

# Plug-in Connector Connecting Base

Spring Type Terminal Block Box Terminal Block Box


Type 10 Side Ported


# JSY1000/3000/5000 Series



**Internal Pilot** 

#### How to Order Manifolds





Series	0	Series
--------	---	--------

1	JSY1000		
3	JSY3000		
5	JSY5000		

<b>2</b> Typ	e
10	Side ported

#### **3** Wiring

TC	Spring type terminal block box
T	Terminal block box

#### 4 Valve stations

<b>TC</b> : Spring type terminal block box			T: 1	Termina	l block box
Symbol	Stations	Note	Symb	ol Stations	Note

Symbol	Stations	Note		Symbol	Stations	Note
02	2 stations			02	2 stations	
:	:	Double wiring*1		:	:	Double wiring*1
16	16 stations			10	10 stations	
02	2 stations	Specified layout*2		02	2 stations	Specified layout*2
- :		(Up to 32 solenoids		:	i :	(Up to 20 solenoids
24	24 stations	available)		20	20 stations	available)

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused
  - control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- \*3 This also includes the number of blanking plates.

#### 6 P. E port entry

U	U side (2 to 10 stations)
D side (2 to 10 stations)	
В	Both sides (2 to 24 stations)

#### 6 SUP/EXH block assembly

Nil	Internal pilot
S	Internal pilot, Built-in silencer

- The 3/5(E) port is plugged for the built-in silencer type.
- When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### A, B port size (Metric/One-touch fitting)

Symbol	A, B port		JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	~/~
C4		ø4	•	_	_	
C6	벑	ø6	•	•	_	
C8	Straight	ø8	_	•	_	
C10		ø10	_	_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	- Ordina
P, E port size (One-touch fittings)			ø8	ø10	ø12	



- "CM."
- The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the

#### **8** Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting


- Enter the number of stations inside ☐ when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.

#### **DIN Rail Option**

Nil	DIN ra	il mounting (With DIN rail)
0		mounting (Without DIN rail)
3	For 3 stations	Specify a length longer than
i	÷	that of the standard rail.
24	For 24 stations	that of the standard rail.



Chart



JJ5SY3-10TC-05D-C8 ··· 1 set (Type 10 5-station manifold base part no.)

- \* JSY3100-5U ..... 2 sets (2-position single part no.) JSY3200-5U ..... 3 sets (2-position double part no.)

With power-saving circuit

- The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- · For the valve arrangement, the valve closest to the D side is considered the
- Under the manifold part number, state the valves to be mounted in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification


**Internal Pilot** 

### How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

## **JSY1000** Series

JSY3000/5000 Series



Single

Double

Closed center

Exhaust center

Pressure center

N.C./N.C.

N.O./N.O.

N.C./N.O.

#### Made to Order Made to (Refer to page 135 for details.) Specification

6 Manual override

Nil:

Non-locking

push type

Push-turn locking leve

type

With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

Push-turn

type

locking slotted

#### Series

00.	100
1	JSY1000
3	JSY3000
5	ISV5000

# 3 Pilot valve exhaust method

_	
0	Pilot valve individual exhaust

# 4 Rated voltage

Order" on page 135.

is available.

5	24 VDC

If the JSY3000/5000 series is to

be continuously energized, please

be sure to select the power-sav-

ing circuit (continuous duty type)

specification. Refer to "Made to

For the JSY1000 series, only the power-saving circuit specification

#### **5** Light/surge voltage suppressor and common specification

Type of actuation

2

3

4

5

Α

В

C

2-position

3-position

4-position

dual 3-port

Symbol	With light	Surge voltage suppressor	Common specification		
U			Non-polar		
Z	•	•	Positive common		
NZ			Negative common		

type is selected, take measures to prevent surge voltage. For details, refer to page 138.

anc	COMMISSION	Specificat	1011		
Symbol	With light	Surge voltage suppressor	Common specification		
U			Non-polar		
Z	•	•	Positive common		
NZ			Negative common		

#### \* Only "Z" and "NZ" types are available for the JSY1000 series.


When the non-polar common specification

#### \* When ordering a valve individually, the base gasket is not included. Since the base gasket is attached to the

Push-turn locking lever type "E" is not

available for the JSY1000.

manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.








Type 10/Side Ported (Applicable to Ø2 and Ø4 fittings)


Dimensions: JSY1000 Series

JJ5SY1-10TC-Stations D-C2 (D)









- \* These figures show the "JJ5SY1-10TC-05D-C4."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L: Dimensions n: Stations

		. •													
	n <b>2</b>	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	138.5	145	151.5	158	164.5	171	177.5	184	190.5	197	203.5	210	216.5	223	229.5
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	173	173	185.5	185.5	198	198	210.5	210.5	223	223	235.5	235.5	248	248	260.5
L4	162.5	162.5	175	175	187.5	187.5	200	200	212.5	212.5	225	225	237.5	237.5	250
L5	17.5	14	17	14	17	13.5	16.5	13.5	16.5	13	16	13	16	12.5	15.5

L	17	18	19	20	21	22	23	24
L1	236	242.5	249	255.5	262	268.5	275	281.5
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	260.5	273	273	285.5	285.5	298	310.5	310.5
L4	250	262.5	262.5	275	275	287.5	300	300
L5	12.5	15.5	12	15	12	15	18	14.5





Dimensions: JSY1000 Series


Spring Type Terminal Block Box

JJ5SY1-10TC-Stations D-C6(D)









- \* These figures show the "JJ5SY1-10TC-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

#### L: Dimensions

11.	Stations	
_		

	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	143.5	152.5	161.5	170.5	179.5	188.5	197.5	206.5	215.5	224.5	233.5	242.5	251.5	260.5	269.5
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	173	185.5	185.5	198	210.5	223	223	235.5	248	248	260.5	273	285.5	285.5	298
L4	162.5	175	175	187.5	200	212.5	212.5	225	237.5	237.5	250	262.5	275	275	287.5
L5	15	16.5	12	14	15.5	17.5	13	14.5	16.5	12	13.5	15.5	17	12.5	14.5

	17	18	19	20	21	22	23	24
L1	278.5	287.5	296.5	305.5	314.5	323.5	332.5	341.5
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	310.5	323	323	335.5	348	348	360.5	373
L4	300	312.5	312.5	325	337.5	337.5	350	362.5
L5	16	18	13.5	15	17	12.5	14	16

Chart Valve

Plug-in

D-sub Flat Ribbon

EX245 EX600 Lead Wire

**EX250** 

**EX260 EX120** 


Common Dimensions


#### Type 10/Side Ported

Dimensions: **JSY3000** Series

Spring Type Terminal Block Box

JJ5SY3-10TC-Stations D-C6 (D)





- \* These figures show the "JJ5SY3-10TC-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

L	n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	L1	146.1	157.6	169.1	180.6	192.1	203.6	215.1	226.6	238.1	249.6	261.1	272.6	284.1	295.6	307.1
ı	L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
	L3	173	185.5	198	210.5	223	235.5	248	260.5	273	273	285.5	298	310.5	323	335.5
- 1	L4	162.5	175	187.5	200	212.5	225	237.5	250	262.5	262.5	275	287.5	300	312.5	325
	L5	13.5	14	14.5	15	15.5	16	16.5	17	17.5	11.5	12	12.5	13	13.5	14

L	17	18	19	20	21	22	23	24
L1	318.6	330.1	341.6	353.1	364.6	376.1	387.6	399.1
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	348	360.5	373	385.5	398	410.5	423	423
L4	337.5	350	362.5	375	387.5	400	412.5	412.5
L5	14.5	15	15.5	16	16.5	17	17.5	12




Type 10/Side Ported


Dimensions: **JSY5000** Series

Spring Type Terminal Block Box

JJ5SY5-10TC-Stations  $_{\text{D}}^{\text{U}}$ - $_{\text{C12}}^{\text{C10}}$ (D)







- \* These figures show the "JJ5SY5-10TC-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

 Dim	nensi	one

L: Dimensions n: Station													: Stations		
_  -	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5	325.5	341.5	357.5	373.5	389.5
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	198	210.5	223	248	260.5	273	285.5	310.5	323	335.5	360.5	373	385.5	398	423
L4	187.5	200	212.5	237.5	250	262.5	275	300	312.5	325	350	362.5	375	387.5	412.5
L5	16.5	14.5	13	17.5	15.5	14	12	16.5	15	13	17.5	16	14	12.5	17

L	17	18	19	20	21	22	23	24
L1	405.5	421.5	437.5	453.5	469.5	485.5	501.5	517.5
L2	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	435.5	448	473	485.5	498	510.5	535.5	548
L4	425	437.5	462.5	475	487.5	500	525	537.5
L5	15	13.5	18	16	14.5	12.5	17	15.5

**SMC** 

rector recting Base Valve

Chart

Plug-in Connec

iinal D-sub ck Flat Ribbon

EX245 EX600 Lead Wire

EX250 EX245 E

EX120 EX260

Dimensions

Manifold n Exploded View

ngs, ZKZ ement Combination Tools Manifold

mifold Fittin Stions Replace Parts


Made to Order


Specific Product Precautions

Dimensions: JSY1000 Series

JJ5SY1-10T-Stations  $\stackrel{\text{U}}{\text{P}}$ - $\stackrel{\text{C2}}{\text{C4}}$ (D)







- \* These figures show the "JJ5SY1-10T-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L: Dimensions n: Stations

		. •													
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	159.8	166.3	172.8	179.3	185.8	192.3	198.8	205.3	211.8	218.3	224.8	231.3	237.8	244.3	250.8
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	185.5	198	198	210.5	210.5	223	223	235.5	235.5	248	248	260.5	273	273	285.5
L4	175	187.5	187.5	200	200	212.5	212.5	225	225	237.5	237.5	250	262.5	262.5	275
L5	13	16	13	16	13	16	12	15	12	15	12	15	18	15	18

L_n	17	18	19	20
L1	257.3	263.8	270.3	276.8
L2	153.9	160.4	166.9	173.4
L3	285.5	298	298	310.5
L4	275	287.5	287.5	300
L5	14	17	14	17





Dimensions: JSY1000 Series

JJ5SY1-10T-Stations P-C6(D)









- \* These figures show the "JJ5SY1-10T-05D-C6."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

L: DIIII	: Dimensions														
/ />	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	164.8	173.8	182.8	191.8	200.8	209.8	218.8	227.8	236.8	245.8	254.8	263.8	272.8	281.8	290.8
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	198	198	210.5	223	235.5	235.5	248	260.5	260.5	273	285.5	298	298	310.5	323
L4	187.5	187.5	200	212.5	225	225	237.5	250	250	262.5	275	287.5	287.5	300	312.5
L5	17	12	14	16	18	13	15	17	12	14	16	17	13	15	16

L	17	18	19	20
L1	299.8	308.8	317.8	326.8
L2	196.4	205.4	214.4	223.4
L3	323	335.5	348	360.5
L4	312.5	325	337.5	350
L5	12	14	15	17

Chart Valve

Plug-in

D-sub Flat Ribbon

EX600 Lead Wire

**EX245 EX250** 

**EX260** EX120

Common Dimensions

ZK2 Combination Manifold


50


Type 10/Side Ported

Dimensions: **JSY3000** Series

Terminal Block Box

JJ5SY3-10T-Stations  $\stackrel{\text{U}}{\text{P}}$ - $\stackrel{\text{C6}}{\text{C8}}$ (D)





- \* These figures show the "JJ5SY3-10T-05D-C8."
- $\ast\,$  Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	167.4	178.9	190.4	201.9	213.4	224.9	236.4	247.9	259.4	270.9	282.4	293.9	305.4	316.9	328.4
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	198	210.5	223	235.5	248	248	260.5	273	285.5	298	310.5	323	335.5	348	360.5
L4	187.5	200	212.5	225	237.5	237.5	250	262.5	275	287.5	300	312.5	325	337.5	350
L5	16	16	17	17	18	12	12	13	13	14	14	15	15	16	16

L	17	18	19	20
L1	339.9	351.4	362.9	374.4
L2	238.6	250.1	261.6	273.1
L3	373	385.5	398	398
L4	362.5	375	387.5	387.5
L5	17	17	18	12




Type 10/Side Ported


Dimensions: **JSY5000** Series

Terminal Block Box

JJ5SY5-10T-Stations D-C12 (D)







- \* These figures show the "JJ5SY5-10T-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

L:	Dim	ens	ions
----	-----	-----	------

L: Dim	nension	ıs												r	: Stations
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	186.8	202.8	218.8	234.8	250.8	266.8	282.8	298.8	314.8	330.8	346.8	362.8	378.8	394.8	410.8
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	210.5	235.5	248	260.5	285.5	298	310.5	323	348	360.5	373	398	410.5	423	435.5
L4	200	225	237.5	250	275	287.5	300	312.5	337.5	350	362.5	387.5	400	412.5	425
L5	12	16.5	14.5	13	17.5	15.5	14	12	16.5	15	13	17.5	16	14	12.5

n	17	18	19	20
L1	426.8	442.8	458.8	474.8
L2	325.5	341.5	357.5	373.5
L3	460.5	473	485.5	498
L4	450	462.5	475	487.5
L5	17	15	13.5	11.5

Chart Valve

Plug-in

D-sub Flat Ribbon

EX600 Lead Wire

**EX245** 


**EX250** 

**EX260** EX120

#### **Spring Type Terminal Block "TC" Connection**

# Step 1. Remove the terminal block cover. Loosen the 4 mounting screws (M3) to remove

the terminal block cover.




#### Step 3. Mount the terminal block cover.

Securely tighten the mounting screws (M3) to the torque shown below only after confirming that the gasket is installed correctly.

Proper tightening torque [N·m]
0.54 to 0.66

# Step 2. The diagram below shows the terminal block wiring. All stations are provided with double wiring regardless of the mounted valves.

Connect each wire to the power supply side, according to the markings provided inside the terminal block. Be sure to connect the wire with the push button pressed down.



• Applicable wire range: Conductor diameter Ø0.5 to Ø1.2 mm, Stranded wire AWG24 to 16

#### **Electrical Wiring Specifications (IP67 compliant)**

If alignment is not specified, the internal wiring will be double wiring (connected to SOL. a and SOL. b) regardless of number of stations, valve types, and option types.


\* When using a valve with no polarity, either positive common or negative common can be used.

Tom	<b>-</b>	Polo	rit.
I eri SOL.a	minal no		•
Station 1	1A	(-)	(+)
SOL.a	1B	(–)	(+)
Station 2 SOL.b	2A	(–)	(+)
SOL.a SOL.a	2B	(–)	(+)
Station 3 SOL.b	3A	(–)	(+)
SOL.a SOL.a	3B	(–)	(+)
Station 4 SOL.b	4A	(–)	(+)
SOL.a SOL.a	4B	(–)	(+)
Station 5 SOL.b	5A	(–)	(+)
(+~~~o	5B	(–)	(+)
Station 6 SOL.a	6A	(-)	(+)
(+1111	6B	(-)	(+)
Station 7	7A	(-)	(+)
(+************************	7B	(-)	(+)
Station 8 SOL.a	8A	(-)	(+)
SOL.a	8B	(–)	(+)
Station 9 SOL.b	9A	(-)	(+)
SOL.a SOL.a	9B	(–)	(+)
Station 10 SOL.b	10A	(–)	(+)
Sol.a Sol.a	.00	(–)	(+)
Station 11 SOL.b	11A	(–)	(+)
( <del>L</del>	11B	(–)	(+)
Station 12 SOL.b		(-)	(+)
(+mm		(–)	(+)
Station 13		(-)	(+)
(+mm	13B	(-)	(+)
Station 14 SOL.a		(-)	(+)
( + 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	14B	(-)	(+)
Station 15 SOL.a	15A	(-)	(+)
( + 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	15B	(-)	(+)
Station 16 SOL.a SOL.b	16A	(-)	(+)
Station 16 SOL.b	16B	(-)	(+)
	COM.	(+)	(-)
	COM.	(+)	(-)
	Р	ositive N	legative
		ommon c	•

Standard wiring

#### **Specified Layout**

A mixture of single and double wiring can be specified on the manifold specification sheet. The maximum number of stations is determined according to the number of solenoids. The total number of solenoids should be 32 or less. 1 solenoid is required for the 2-position single, and 2 solenoids for the 2-position double, 3-position, and 4-position.






#### **Terminal Block "T" Connection**


#### Step 1. Remove the terminal block cover.

Loosen the 4 mounting screws (M4) to remove the terminal block cover.



#### Step 2. The diagram below shows the terminal block wiring. All stations are provided with double wiring regardless of the mounted valves.

Connect each wire to the power supply side, according to the markings provided inside the terminal block.




#### Step 3. Mount the terminal block cover.

Securely tighten the screws to the torque shown below only after confirming that the gasket is installed correctly.

> Proper tightening torque [N·m] 0.7 to 1.2


- Applicable crimped terminal: 1.25-3S, 1.25Y-3, 1.25Y-3N, 1.25Y-3.5
- Name plate: VVQ5000-N-T
- Drip proof plug assembly (for G3/4): AXT100-B06A

#### **Electrical Wiring Specifications (IP67 compliant)**



#### **Specified Layout**

A mixture of single and double wiring can be specified on the manifold specification sheet. The maximum number of stations is determined according to the number of solenoids. The total number of solenoids should be 20 or less. 1 solenoid is required for the 2-position single, and 2 solenoids for the 2-position double, 3-position, and 4-position.



# Plug-in Connector Connecting Base

Lead Wire

Type 10 Side Ported


# JSY1000/3000/5000 Series

( E UK ROHS



**Internal Pilot** 

#### How to Order Manifolds



Made to Order (Refer to page 135 for details.) Specification

External pilot (SUP/EXH block assembly)

A	Series
•	Series

1	JSY1000
3	JSY3000
5	JSY5000



10	Side ported

#### **Number of cores** (Lead wire)

(Lead Wile)			
L1	34 cores		
L2	17 cores		
L3	9 cores		

#### 4 Lead wire length

1	0.6 m
2	1.5 m
3	3 m

#### 6 P, E port entry

U	U side (2 to 10 stations)
D	D side (2 to 10 stations)
В	Both sides (2 to 24 stations)

#### SUP/EXH block assembly

Nil Internal pilot		
S	Internal pilot, Built-in silencer	

- The 3/5(E) port is plugged for the built-in silencer type.
- When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### A, B port size (Metric/One-touch fitting)

Symbol		A, B port	JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	(2)
C4		ø4	•	_	_	
C6	돭	ø6	•	•	_	
C8	Straight	ø8	_	•	_	
C10		ø10	_	_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	O To
P, E port size (One-touch fittings)		ø8	ø10	ø12		

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

#### Valve stations

	<del>-</del>						
<b>L1</b> □: 34 cores							
	Symbol	Stations	Note				
	02	2 stations					
	:	:	Double wiring*1				
	16	16 stations					
	02	2 stations	Specified layout*2				
	:		(Up to 32				
	24	24 stations	solenoids available)				

L2□	<b>L2</b> □: 17 cores										
Symbol	Stations	Note									
02	2 stations										
		Double wiring*1									
08	8 stations	_									
02	2 stations	Specified layout*2									
i	:	(Up to 16									
16	16 stations	solenoids available)									

#### **L3**□: 9 cores

Symbol	Stations	Note								
02	2 stations									
:	:	Double wiring*1								
4	4 stations									
02	2 stations	Specified layout*2								
:	:	(Up to 8								
08	8 stations	solenoids available)								

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations.
  - The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been
- \*3 This also includes the number of blanking plates.

#### Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- \* Enter the number of stations inside  $\square$  when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- \* Refer to page 139 for details on securing the DIN rail mounting type manifold.

#### **DIN Rail Option**

Nil	DIN ra	DIN rail mounting (With DIN rail)									
0	DIN rail	mounting (Without DIN rail)									
3	For 3 stations	Consider a law oth law you there									
•	÷	Specify a length longer than that of the standard rail.									
24	For 24 stations	that of the standard rail.									



#### **How to Order Manifold Assembly**

# Example (JJ5SY3-10L11-□) 2-position double (24 VDC) JSY3200-5U (3 sets) 2-position single (24 VDC) JSY3100-5U (2 sets) Manifold base (5 stations)

- JJ5SY3-10L11-05D-C8--1 set (Type 10 5-station manifold base part no.)
- \* JSY3100-5U ----- 2 sets (2-position single part no.)
- $_{\perp}^{*}$  JSY3200-5U------ 3 sets (2-position double part no.)
  - →The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- · For the valve arrangement, the valve closest to the D side is considered the 1st station
- Under the manifold part number, state the valves to be mounted in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification sheet.

**Internal Pilot** 


#### How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

#### **JSY1000** Series

JJ5SY3-10L11-05D-C8

# JSY3000/5000 Series



Single

Double

Closed center

Exhaust center

Pressure center

N.C./N.C.

N.O./N.O.

N.C./N.O.



With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

#### Series

1	JSY1000
3	JSY3000
5	JSY5000

# 3 Pilot valve exhaust method

	 -				_		_		-	
0	Pi	lot	val	ıαi	inc	divic	leuk	Δν	hauet	

# 4 Rated voltage

_	•
5	24 VDC

# 5 Light/surge voltage suppressor and common specification

Type of actuation

2

3

4

5

Α

В

C

2-position

3-position


4-position

dual 3-port

Symbol	With light	Surge voltage suppressor	Common specification		
U			Non-polar		
Z	•	•	Positive common		
NZ			Negative common		

- Only "Z" and "NZ" types are available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

#### 6 Manual override



- Push-turn locking lever type "E" is not available for the JSY1000.
- When ordering a valve individually, the base gasket is not included.
  Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance.
  Refer to page 116 for base gasket and mounting screw part numbers.

## **⚠** Caution

If the JSY3000/5000 series is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

Protective class class II (Mark: (iii))

Valve Chart

Plug-in Connector Connecting Ba

Flat Ribbon

Terminal Block

EX600

EX245

EX250

EX120 EX260

nsions

nifold ( ploded Di

ZK2 N mbination E Manifold

Fittings, placement Com arts, Tools Ma

anifold Re

e to

uct Or


56


Type 10/Side Ported (Applicable to 02 and 04 fittings)
Lead Wire


Dimensions: JSY1000 Series

JJ5SY1-10L $\frac{1}{3}$   $\square$  - Stations  $\stackrel{\text{U}}{\stackrel{\text{C}}}{\stackrel{\text{C}}{\stackrel{\text{C}}}{\stackrel{\text{C}}{\stackrel{\text{C}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}{\stackrel{\text{C}}}}}{\stackrel{\text{C}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}}{\stackrel{\text{C}}}}}}{\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}{\stackrel{\text{C}}}}}}{\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}$ 









- \* These figures show the "JJ5SY1-10L1□-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	107.5	114	120.5	127	133.5	140	146.5	153	159.5	166	172.5	179	185.5	192	198.5
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	135.5	148	148	160.5	160.5	173	173	185.5	185.5	198	198	210.5	210.5	223	223
L4	125	137.5	137.5	150	150	162.5	162.5	175	175	187.5	187.5	200	200	212.5	212.5
L5	14	17	14	17	13.5	16.5	13.5	16.5	13	16	13	16	12.5	15.5	12.5

	17	18	19	20	21	22	23	24
L1	205	211.5	218	224.5	231	237.5	244	250.5
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	235.5	235.5	248	248	260.5	273	273	285.5
L4	225	225	237.5	237.5	250	262.5	262.5	275
L5	15.5	12	15	12	15	18	14.5	17.5





Type 10/Side Ported (Applicable to Ø6 fittings) Lead Wire


Dimensions: JSY1000 Series

JJ5SY1-10L $\frac{1}{3}$   $\square$  -Stations  $\stackrel{\text{U}}{\mathbb{R}}$  -C6(D)









- \* These figures show the "JJ5SY1-10L1□-05D-C6."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

L: DII	L: Dimensions													i: Stations	
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	112.5	121.5	130.5	139.5	148.5	157.5	166.5	175.5	184.5	193.5	202.5	211.5	220.5	229.5	238.5
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	148	148	160.5	173	173	185.5	198	210.5	210.5	223	235.5	235.5	248	260.5	273
L4	137.5	137.5	150	162.5	162.5	175	187.5	200	200	212.5	225	225	237.5	250	262.5
1.5	10	12.5	15	17	10.5	1.4	16	17.5	10	15	16.5	10	1.4	15.5	17.5

L n	17	18	19	20	21	22	23	24
L1	247.5	256.5	265.5	274.5	283.5	292.5	301.5	310.5
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	273	285.5	298	298	310.5	323	335.5	335.5
L4	262.5	275	287.5	287.5	300	312.5	325	325
L5	13	14.5	16.5	12	13.5	15.5	17	12.5

**SMC** 

Chart Valve

Plug-in

D-sub Flat Ribbon

Terminal Block

EX245 EX600

**EX250** 

EX260 EX120

Common Dimensions


Type 10/Side Ported

Dimensions: JSY3000 Series

JJ5SY3-10L $_{3}^{1}$   $\square$  - Stations  $\stackrel{\cup}{B}$  -  $\stackrel{\subset}{C_{8}}$  (D)

Lead Wire





- \* These figures show the "JJ5SY3-10L1 $\square$ -05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	115.1	126.6	138.1	149.6	161.1	172.6	184.1	195.6	207.1	218.6	230.1	241.6	253.1	264.6	276.1
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	148	160.5	173	173	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	310.5
L4	137.5	150	162.5	162.5	175	187.5	200	212.5	225	237.5	250	262.5	275	287.5	300
L5	16.5	17	17.5	11.5	12	12.5	13	13.5	14	14.5	15	15.5	16	16.5	17


	17	18	19	20	21	22	23	24
L1	287.6	299.1	310.6	322.1	333.6	345.1	356.6	368.1
L2	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1
L3	323	323	335.5	348	360.5	373	385.5	398
L4	312.5	312.5	325	337.5	350	362.5	375	387.5
L5	17.5	12	12.5	13	13.5	14	14.5	15




Dimensions: **JSY5000** Series

JJ5SY5-10L $_{3}^{1}$  - Stations  $_{D}^{U}$  -  $_{C12}^{C10}$  (D)







\* These figures show the "JJ5SY5-10L1□-05D-C12."

\* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

· Dimensions n. Stations

L. Dilli		13												'	i. Otations
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	134.5	150.5	166.5	182.5	198.5	214.5	230.5	246.5	262.5	278.5	294.5	310.5	326.5	342.5	358.5
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	173	185.5	198	210.5	235.5	248	260.5	285.5	298	310.5	323	348	360.5	373	398
L4	162.5	175	187.5	200	225	237.5	250	275	287.5	300	312.5	337.5	350	362.5	387.5
L5	19.5	17.5	16	14	18.5	17	15	19.5	18	16	14.5	19	17	15.5	20

	17	18	19	20	21	22	23	24
L1	374.5	390.5	406.5	422.5	438.5	454.5	470.5	486.5
L2	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	410.5	423	435.5	460.5	473	485.5	510.5	523
L4	400	412.5	425	450	462.5	475	500	512.5
L5	18	16.5	14.5	19	17.5	15.5	20	18.5



Chart

Valve

Plug-in

D-sub Flat Ribbon


Terminal Block

EX245 EX600

**EX250** 

EX260 EX120

#### **Electrical Wiring Specifications**



Lead Printed mark

		5		wire	(Both sid	des)
	ad wire	no. P	olarity	color	Type	Color
Station 1 SOL.a	ି 1	(-)	(+)	Orongo		Red
Station 1 SOL.b		(-)	(+)	Orange	_	Black
SOL.a	3	(-)	(+)	Light		Red
Station 2 SOL.b		(-)	(+)	gray	_	Black
SOL.a	5	(-)	(+)	White		Red
Station 3 SOL.b		(-)	(+)	vvriite	_	Black
SOL.a	7	(-)	(+)	Yellow		Red
Station 4 SOL.b		(-)	(+)	Yellow	_	Black
Sol.a	9	(-)	(+)	Dial		Red
Station 5 { SOL.b	10	(-)	(+)	Pink	1	Black
Station 6 SOL.a	11	(-)	(+)	Orange		Red
( <del>  ~~~~~</del>	12	(-)	(+)	Orange		Black
Station 7 SOL.a	13	(-)	(+)	Light		Red
(+m	14	(-)	(+)	gray		Black
Station 8 SOL.a	15	(-)	(+)	White		Red
( - 7777	○ 16	(–)	(+)	VVIIIC		Black
Station 9 SOL.a		(-)	(+)	Yellow		Red
SOL.D	18	(-)	(+)	ICHOW		Black
Station 10 SOL.a	19	(–)	(+)	Pink		Red
(+m <u></u>	20	(–)	(+)	I IIIK		Black
Station 11 SOL.a	21	(–)	(+)	Orange		Red
(+~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	22	(–)	(+)	o.ugo		Black
Station 12 SOL.a	23	(–)	(+)	Light		Red
(	24	(–)	(+)	gray		Black
Station 13 SOL.a	25	(–)	(+)	White		Red
Station 13 SOL.b	2 <b>6</b>	(–)	(+)			Black
Station 14	2 <b>7</b>	(–)	(+)	Yellow		Red
( <del>                                    </del>	28	(–)	(+)			Black
Station 15 SOL h	29	(–)	(+)	Pink		Red
(+m-302.3)	○ 30	(-)	(+)			Black
Station 16 SOL.a	⊃ 31	(-)	(+)	Orange		Red
COM		(-)	(+)			Black
COM	33	(+)	(-)	Light		Red
	34	(+)	(-)	gray		Black
	F	ositiv	e Negative			

#### **Electrical characteristics**

Item	Property
Conductor resistance $\Omega/km$ , 20°C	143 or less
Voltage limit V, 1 minute, AC	2000
Insulation resistance MΩ/km, 20°C	10 or more

Cannot be used for movable wiring The minimum bending radius of the cable is 55 mm.

# Specified Layout


 For negative common specification, a valve for negative common or a valve without polarity should be used.

A mixture of single and double wiring can be specified on the manifold specification sheet. The maximum number of stations is determined according to the number of solenoids. The total number of solenoids should be 32 or less. 1 solenoid is required for the 2-position single, and 2 solenoids for the 2-position double, 3-position, and 4-position.

common common



**Electrical Wiring Specifications** 



Red

Black

Red

\* For negative common specification, a valve for negative common or a valve without polarity should be used.

(-)

(-)

(+)

**Positive** 

common

<u>SOL.b</u> 0 16

COM. ○ 17

Station 8

(+)

(+)

(-)

Negative

common

White

Yellow

Chart Valve

Plug-in

Flat Ribbon

**EX600** 

**EX245 EX250** 

**EX260** 

EX120

# Plug-in Connector Connecting Base



RoHS

Type 10 Side Ported


# JSY1000/3000/5000 Series

EtherCAT compatible products (3 Kit type/Symbol: D) are to be discontinued as of October 2022.

As a substitute, please consider the use of an EX260 series product (SI unit specification/Symbol: DA). However, keep in mind that the product specifications, external appearance, etc., differ. For details, please contact your SMC sales representative.

**Internal Pilot** 

#### **How to Order Manifolds**



#### Series

1	JSY1000
3	JSY3000
5	JSY5000

#### 2 Туре

10	Side ported

#### 3 SI unit

0	Without SI unit
Q	DeviceNet® (Version A)
N	PROFIBUS DP (Version A)
V	CC-Link
EA	EtherNet/IP™ (2 ports)
D	EtherCAT
F	PROFINET
FA	PROFINET (IO-Link unit)
WE	EtherNet/IP™ compatible wireless base*1
WF	PROFINET compatible wireless base*1
WS	Wireless remote*1

- \*1 The wireless system is suitable for use only in a country where it is in accordance with the Radio Act and regulations of that country.
- \* I/O unit cannot be mounted without SI unit.
- Valve plate which connects manifold and SI unit is included, but it is not mounted to a valve without SI unit.
   For mounting, refer to the EX600 series on page 108.

#### 4 SI unit output polarity, End plate type (Part no.)

SI unit output	M12 power supply	7/8 inch	M12 power supply connector IN/OUT, A-coded			
polarity	connector B-coded (EX600-ED2)	power supply connector (EX600-ED3)	Pin arrangement 1 (EX600-ED4)	Pin arrangement 2 (EX600-ED5)		
Without SI unit		N	il			
SI unit positive common	2	3	6	8		
SI unit negative common	4	5	7	9		

- \* Ensure a match with the common specification of the valve to be used.
- \* When not selecting an SI unit, the symbol will be "nil"

#### 5 I/O unit stations

Nil	None
1	1 station
i	i i
9	9 stations

- \* When not selecting an SI unit, the symbol will be "nil"
- \* SI unit is not included in I/O unit stations.
- \* When I/O unit is selected, it is shipped separately, and assembled by users. Refer to the attached operation manual for mounting.

# Made to Order Order (Refer to page 135 for details.)

Specification
External pilot (SUP/EXH block assembly)

#### **6** Valve stations

$\overline{}$		
Symbol	Stations	Note
02	2 stations	
1	:	Double wiring*1
16	16 stations	_
02	2 stations	Considered lawww.t*2
1	:	Specified layout*2 (Up to 32 solenoids available)
24	24 stations	(Op to 32 solerious available)

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- \* This also includes the number of blanking plates.

## 7 P, E port entry, SUP/EXH block assembly

P, E port entry	Internal pilot	Internal pilot, Built-in silencer
U side (2 to 10 stations)	U	С
D side (2 to 10 stations)	D	E
Both sides (2 to 24 stations)	В	F

- \* The 3/5(E) port is plugged for the built-in silencer type.
- \* When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- \* The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### 8 A, B port size (Metric/One-touch fitting)

• • • •		· · · · · · · · · · · · · · · · · · ·			9/	
Symbol		A, B port	JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	~ (S)
C4		ø4	•	_	_	
C6	둧	ø6	• •		_	
C8	Straight	ø8	_	•	_	
C10	ळ	ಪ್ ø10 —		_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	- Ordina
		port size uch fittings)	ø8	ø10	ø12	

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- \* The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

#### Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- \* Enter the number of stations inside ☐ when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.

#### **DIN Rail Option**

Nil	DIN rail mounting (With DIN rail)											
0	DIN rail n	DIN rail mounting (Without DIN rail)										
3	For 3 stations	Consider a law orth law way than										
i	:	Specify a length longer than that of the standard rail.										
24	For 24 stations	that of the standard rail.										

If the DIN rail must be mounted without an SI unit, select D0. Refer to L3 of the dimensions for the DIN rail length and order separately. (Refer to page 131 for the DIN rail part number.)

For details on the EX600 Integrated Type (For Input/Output) Serial Transmission System, refer to the **Web Catalog** and the Operation Manual. For the part numbers of the SI units to be mounted, refer to pages 108 and 109. (IP40 specifications may be required according to the I/O unit to be selected.) Please download the Operation Manual via the SMC website, https://www.smcworld.com



2-position double

JSY3200-5U (3 sets)

JSY3100-5U (2 sets)

2-position single

Example (JJ5SY3-10S6□-□)

Digital output unit

EX600-DYPB

Digital input unit

EX600-DXPD

The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.

- · For the valve arrangement, the valve closest to the D side is considered the 1st station.
- · Under the manifold part number, state the valves to be mounted, then the I/O units in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification sheet.
- \*1 Do not enter the SI unit part number and the end plate part number together.


**Internal Pilot** 

How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

**JSY1000** Series

JSY3000/5000 Series



vlade to Made to Order (Refer to page 135 for details.)

Specification With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

1 Series

1	JSY1000
3	JSY3000
5	JSY5000

# 3 Pilot valve exhaust method

0	Pilot valve individual exhaust

49 Rated voltage

5	24 VDC	

#### Type of actuation

SI unit\*1

End plate\*1 EX600-ED4 EX600-SDN1A

	2-position	Single							
2	2-position	Double							
3		Closed center							
4	3-position	Exhaust center							
5		Pressure center							
Α	4 manitina	N.C./N.C.							
В	4-position dual 3-port	N.O./N.O.							
С	duai 5-port	N.C./N.O.							


#### 5 Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification				
U			Non-polar				
Z NZ	•	•	Positive common				
			Negative common				

- Select "U" or "Z" for the valve when the SI unit output polarity is positive common. Select "U" or "NZ" for the valve when the SI unit output polarity is negative common.
- Only "Z" and "NZ" types are available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

**多SMC** 

#### 6 Manual override



- Push-turn locking lever type "E" is not available for the JSY1000
- When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

## 

If the JSY3000/5000 series is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

Protective class class II (Mark: (ii)) Valve

Chart

Plug-in

Flat Ribbon Terminal Block

Lead Wire

**EX**600

**EX245** 

**EX250 EX260** 

**EX120** 


Dimensions: JSY1000 Series

Type 10/Side Ported (Applicable to 02 and 04 fittings)

EX600 (M12 Connector)

JJ5SY1-10S6 $\square_{\frac{7}{8}}^{\frac{2}{4}} \square$ -Stations  $\stackrel{\text{U}}{\underset{\text{B}}{\text{P}}}$ - $\stackrel{\text{C2}}{\underset{\text{C4}}{\text{C4}}}$ (D)





 $L1 = 6.5 \times n1 + 139 + 47 \times n2$ 

 $L2 = 6.5 \times n1 + 43.4$ 

L4 = L3 - 10.5

L5 = (L3 - L1) / 2 $L6 = 47 \times n2 + 83.8$ 

n1: Valve stations n2: I/O unit stations

- \* These figures show the "JJ5SY1-10S6Q22-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

#### L3: DIN Rail Overall Length

Valve stations (n1) I/O unit stations (n2)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	185.5	185.5	198	198	210.5	210.5	223	223	235.5	235.5	248	248	260.5	260.5	273	273	285.5	298	298	310.5	310.5	323	323
1	223	235.5	235.5	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373
2	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373	385.5	385.5	398	398	410.5	410.5	423
3	323	323	335.5	348	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448	460.5	460.5
4	373	373	385.5	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448	460.5	473	473	485.5	485.5	498	498	510.5	510.5
5	410.5	423	435.5	435.5	448	448	460.5	460.5	473	473	485.5	485.5	498	498	510.5	510.5	523	523	535.5	535.5	548	548	560.5
6	460.5	473	473	485.5	485.5	498	498	510.5	510.5	523	523	535.5	535.5	548	560.5	560.5	573	573	585.5	585.5	598	598	610.5
7	510.5	523	523	535.5	535.5	548	548	560.5	560.5	573	573	585.5	585.5	598	598	610.5	610.5	623	623	635.5	635.5	648	648
8	560.5	560.5	573	573	585.5	585.5	598	598	610.5	610.5	623	623	635.5	648	648	660.5	660.5	673	673	685.5	685.5	698	698
9	610.5	610.5	623	623	635.5	635.5	648	648	660.5	660.5	673	673	685.5	685.5	698	698	710.5	710.5	723	723	735.5	735.5	748


Type 10/Side Ported (Applicable to of fittings)


Dimensions: JSY1000 Series

EX600 (M12 Connector)

JJ5SY1-10S6 - Stations B - C6(D)







L1 = 9 x n1 + 139 + 47 x n2 L2 = 9 x n1 + 43.4 L4 = L3 - 10.5

L5 = (L3 - L1) / 2

L6 = 47 x n2 + 83.8

n1: Valve stations n2: I/O unit stations

- $\ast\,$  These figures show the "JJ5SY1-10S6Q22-05D-C6."
- \* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

#### L3: DIN Rail Overall Length

EO. DIIT	Lo. Dir Haii Overali Leligili																						
Valve stations (n1) I/O unit stations (n2)		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	185.5	198	210.5	210.5	223	235.5	235.5	248	260.5	273	273	285.5	298	298	310.5	323	335.5	335.5	348	360.5	360.5	373	385.5
1	235.5	248	248	260.5	273	273	285.5	298	310.5	310.5	323	335.5	335.5	348	360.5	373	373	385.5	398	410.5	410.5	423	435.5
2	285.5	285.5	298	310.5	310.5	323	335.5	348	348	360.5	373	385.5	385.5	398	410.5	410.5	423	435.5	448	448	460.5	473	473
3	323	335.5	348	360.5	360.5	373	385.5	385.5	398	410.5	423	423	435.5	448	448	460.5	473	485.5	485.5	498	510.5	510.5	523
4	373	385.5	398	398	410.5	423	423	435.5	448	460.5	460.5	473	485.5	485.5	498	510.5	523	523	535.5	548	560.5	560.5	573
5	423	435.5	435.5	448	460.5	460.5	473	485.5	498	498	510.5	523	535.5	535.5	548	560.5	560.5	573	585.5	598	598	610.5	623
6	473	473	485.5	498	510.5	510.5	523	535.5	535.5	548	560.5	573	573	585.5	598	598	610.5	623	635.5	635.5	648	660.5	660.5
7	510.5	523	535.5	548	548	560.5	573	573	585.5	598	610.5	610.5	623	635.5	635.5	648	660.5	673	673	685.5	698	710.5	710.5
8	560.5	573	585.5	585.5	598	610.5	610.5	623	635.5	648	648	660.5	673	685.5	685.5	698	710.5	710.5	723	735.5	748	748	760.5
9	610.5	623	623	635.5	648	660.5	660.5	673	685.5	685.5	698	710.5	723	723	735.5	748	748	760.5	773	785.5	785.5	798	810.5

**SMC** 

Valve Chart

ting Base Valv

Plug-in Connecting Ba

< Flat Ribbon

Lead Wire Block

2 EX600

EX250 EX245

EX120 EX260

d Common d Dimensions

Manifold Exploded View

t, ZK2
lent Combination
ols Manifold

Replacement Co

e to Mani er Opti

ecific Ma oduct Or


66

Dimensions: JSY1000 Series

Type 10/Side Ported (Applicable to Ø2 and Ø4 fittings) EX600 (7/8 Inch Connector)

JJ5SY1-10S6 $\square \ _5^3\square$  - Stations  $\stackrel{\text{U}}{\text{P}}$  -  $\stackrel{\text{C2}}{\text{C4}}$ (D)





 $L2 = 6.5 \times n1 + 43.4$ L4 = L3 - 10.5 L5 = (L3 - L1) / 2

 $L6 = 47 \times n2 + 83.8$ 

n1: Valve stations n2: I/O unit stations

67

- \* These figures show the "JJ5SY1-10S6Q32-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

#### L3: DIN Rail Overall Length


Valve stations (n1) I/O unit stations (n2)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	198	210.5	210.5	223	223	235.5	235.5	248	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	335.5
1	248	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	335.5	335.5	348	348	360.5	360.5	373	373	385.5	385.5
2	298	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	410.5	423	423	435.5
3	335.5	348	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	423	423	435.5	435.5	448	448	460.5	460.5	473	473	485.5
4	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448	460.5	460.5	473	473	485.5	485.5	498	498	510.5	510.5	523	523
5	435.5	435.5	448	448	460.5	460.5	473	473	485.5	485.5	498	510.5	510.5	523	523	535.5	535.5	548	548	560.5	560.5	573	573
6	485.5	485.5	498	498	510.5	510.5	523	523	535.5	535.5	548	548	560.5	560.5	573	573	585.5	585.5	598	598	610.5	610.5	623
7	523	535.5	535.5	548	548	560.5	560.5	573	573	585.5	598	598	610.5	610.5	623	623	635.5	635.5	648	648	660.5	660.5	673
8	573	585.5	585.5	598	598	610.5	610.5	623	623	635.5	635.5	648	648	660.5	660.5	673	673	685.5	685.5	698	698	710.5	723
9	623	623	635.5	635.5	648	648	660.5	660.5	673	685.5	685.5	698	698	710.5	710.5	723	723	735.5	735.5	748	748	760.5	760.5

Dimensions: **JSY1000** Series

EX600 (7/8 Inch Connector)

JJ5SY1-10S6 - 3 - Stations P-C6(D)





 $L1 = 9 \times n1 + 155.5 + 47 \times n2$  $L2 = 9 \times n1 + 43.4$ L4 = L3 - 10.5

L5 = (L3 - L1) / 2 $L6 = 47 \times n2 + 83.8$ 

n1: Valve stations n2: I/O unit stations

- \* These figures show the "JJ5SY1-10S6Q32-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

#### L3: DIN Rail Overall Length

Lo. Divitali Overali Lengui																							
Valve stations (n1) I/O unit stations (n2)	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	198	210.5	223	235.5	235.5	248	260.5	260.5	273	285.5	298	298	310.5	323	323	335.5	348	360.5	360.5	373	385.5	398	398
1	248	260.5	273	273	285.5	298	298	310.5	323	335.5	335.5	348	360.5	373	373	385.5	398	398	410.5	423	435.5	435.5	448
2	298	310.5	310.5	323	335.5	348	348	360.5	373	373	385.5	398	410.5	410.5	423	435.5	435.5	448	460.5	473	473	485.5	498
3	348	348	360.5	373	385.5	385.5	398	410.5	410.5	423	435.5	448	448	460.5	473	473	485.5	498	510.5	510.5	523	535.5	548
4	385.5	398	410.5	423	423	435.5	448	448	460.5	473	485.5	485.5	498	510.5	523	523	535.5	548	548	560.5	573	585.5	585.5
5	435.5	448	460.5	460.5	473	485.5	498	498	510.5	523	523	535.5	548	560.5	560.5	573	585.5	585.5	598	610.5	623	623	635.5
6	485.5	498	498	510.5	523	535.5	535.5	548	560.5	560.5	573	585.5	598	598	610.5	623	623	635.5	648	660.5	660.5	673	685.5
7	535.5	535.5	548	560.5	573	573	585.5	598	598	610.5	623	635.5	635.5	648	660.5	673	673	685.5	698	698	710.5	723	735.5
8	573	585.5	598	610.5	610.5	623	635.5	648	648	660.5	673	673	685.5	698	710.5	710.5	723	735.5	735.5	748	760.5	773	773
9	623	635.5	648	648	660.5	673	685.5	685.5	698	710.5	710.5	723	735.5	748	748	760.5	773	773	785.5	798	810.5	810.5	823

**SMC** 

Chart Valve

Plug-in

Flat Ribbon

Terminal Block Lead Wire

> **EX245 EX250**

**EX260 EX120** 

Common Dimensions


68

Type 10/Side Ported EX600 (M12 Connector)

Dimensions: JSY3000 Series

JJ5SY3-10S6 - Stations B-C8 (D)





L1 = 11.5 x n1 + 136.6 + 47 x n2 L2 = 11.5 x n1 + 43.1

L4 = L3 - 10.5

L5 = (L3 - L1) / 2

L6 = 47 x n2 + 82

n1: Valve stations n2: I/O unit stations

- \* These figures show the "JJ5SY3-10S6Q22-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

#### L3: DIN Rail Overall Length


Valve stations (n1) I/O unit stations (n2)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	298	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448
1	235.5	248	260.5	273	285.5	298	310.5	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	460.5	473	485.5
2	285.5	298	310.5	323	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	473	473	485.5	498	510.5	523	535.5
3	335.5	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	485.5	498	510.5	523	535.5	548	560.5	573	585.5
4	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498	498	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5
5	423	435.5	448	460.5	473	485.5	498	510.5	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5	648	648	660.5	673
6	473	485.5	498	510.5	523	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5	648	660.5	660.5	673	685.5	698	710.5	723
7	523	535.5	535.5	548	560.5	573	585.5	598	610.5	623	635.5	648	660.5	673	673	685.5	698	710.5	723	735.5	748	760.5	773
8	560.5	573	585.5	598	610.5	623	635.5	648	660.5	673	685.5	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798	810.5	823
9	610.5	623	635.5	648	660.5	673	685.5	698	698	710.5	723	735.5	748	760.5	773	785.5	798	810.5	823	835.5	848	848	860.5

Dimensions: **JSY3000** Series

Type 10/Side Ported EX600 (7/8 Inch Connector)

JJ5SY3-10S6 $\square \stackrel{3}{5}\square$ -Stations  $\stackrel{\mathsf{U}}{\mathsf{P}}$ - $\stackrel{\mathsf{C6}}{\mathsf{C8}}$ (D)





 $L1 = 11.5 \times n1 + 153.1 + 47 \times n2$ 

 $L2 = 11.5 \times n1 + 43.1$ L4 = L3 - 10.5

L5 = (L3 - L1) / 2

 $L6 = 47 \times n2 + 82$ 

n1: Valve stations n2: I/O unit stations \* These figures show the "JJ5SY3-10S6Q32-05D-C8."

\* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

#### L3: DIN Rail Overall Length

LO. DIIT	Lo. Div Hail Overall Length																						
Valve stations (n1) I/O unit stations (n2)		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	223	235.5	248	260.5	273	285.5	285.5	298	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	423	435.5	448	460.5	473
1	273	285.5	298	298	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	435.5	448	460.5	473	485.5	498	510.5	523
2	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	448	460.5	473	485.5	498	510.5	523	535.5	548	560.5	573
3	360.5	373	385.5	398	410.5	423	435.5	448	460.5	460.5	473	485.5	498	510.5	523	535.5	548	560.5	573	585.5	598	610.5	610.5
4	410.5	423	435.5	448	460.5	473	473	485.5	498	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	623	635.5	648	660.5
5	460.5	473	485.5	485.5	498	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5	635.5	648	660.5	673	685.5	698	710.5
6	498	510.5	523	535.5	548	560.5	573	585.5	598	610.5	623	635.5	648	648	660.5	673	685.5	698	710.5	723	735.5	748	760.5
7	548	560.5	573	585.5	598	610.5	623	635.5	648	660.5	660.5	673	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798	798
8	598	610.5	623	635.5	648	660.5	673	673	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798	810.5	810.5	823	835.5	848
9	648	660.5	673	685.5	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798	810.5	823	823	835.5	848	860.5	873	885.5	898

**SMC** 

Chart Valve

Plug-in Flat Ribbon


Terminal Block Lead Wire

> **EX**600 **EX245**

**EX250 EX260** 

**EX120** Common Dimensions

Manifold Exploded View



L3: DIN Rail Overall Length

71


Lo. Divitali Overdii Ecliga																							
Valve stations (n1) I/O unit stations (n2)		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	210.5	223	235.5	260.5	273	285.5	310.5	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	485.5	498	510.5	523	548	560.5
1	260.5	273	285.5	298	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	485.5	498	510.5	523	548	560.5	573	585.5	610.5
2	298	323	335.5	348	360.5	385.5	398	410.5	435.5	448	460.5	473	498	510.5	523	548	560.5	573	585.5	610.5	623	635.5	660.5
3	348	360.5	385.5	398	410.5	435.5	448	460.5	473	498	510.5	523	535.5	560.5	573	585.5	610.5	623	635.5	648	673	685.5	698
4	398	410.5	423	448	460.5	473	498	510.5	523	535.5	560.5	573	585.5	610.5	623	635.5	648	673	685.5	698	710.5	735.5	748
5	448	460.5	473	485.5	510.5	523	535.5	560.5	573	585.5	598	623	635.5	648	673	685.5	698	710.5	735.5	748	760.5	785.5	798
6	485.5	510.5	523	535.5	560.5	573	585.5	598	623	635.5	648	660.5	685.5	698	710.5	735.5	748	760.5	773	798	810.5	823	848
7	535.5	548	573	585.5	598	623	635.5	648	660.5	685.5	698	710.5	735.5	748	760.5	773	798	810.5	823	835.5	860.5	873	885.5
8	585.5	598	610.5	635.5	648	660.5	685.5	698	710.5	723	748	760.5	773	798	810.5	823	835.5	860.5	873	885.5	910.5	923	935.5
9	635.5	648	660.5	685.5	698	710.5	723	748	760.5	773	785.5	810.5	823	835.5	860.5	873	885.5	898	923	935.5	948	973	985.5

Dimensions: **JSY5000** Series

Type 10/Side Ported
EX600 (7/8 Inch Connector)

JJ5SY5-10S6 $\square \stackrel{3}{5}\square$  - Stations  $\stackrel{U}{p}$  -  $\stackrel{C10}{C12}$ (D)





L1 = 16 x n1 + 163.5 + 47 x n2 L2 = 16 x n1 + 53.5 L4 = L3 - 10.5

L5 = (L3 - L1) / 2 $L6 = 47 \times n2 + 81.5$ 

n1: Valve stations n2: I/O unit stations

- \* These figures show the "JJ5SY5-10S6Q32-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

#### L3: DIN Rail Overall Length

LO. DIIT	iuii C	, , ,	411 <b>L</b> \	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>																			
Valve stations (n1) I/O unit stations (n2)	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	223	235.5	260.5	273	285.5	310.5	323	335.5	348	373	385.5	398	423	435.5	448	460.5	485.5	498	510.5	523	548	560.5	573
1	273	285.5	298	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	485.5	498	510.5	523	548	560.5	573	598	610.5	623
2	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	473	498	510.5	523	548	560.5	573	585.5	610.5	623	635.5	660.5	673
3	360.5	385.5	398	410.5	435.5	448	460.5	473	498	510.5	523	548	560.5	573	585.5	610.5	623	635.5	648	673	685.5	698	723
4	410.5	423	448	460.5	473	498	510.5	523	535.5	560.5	573	585.5	610.5	623	635.5	648	673	685.5	698	723	735.5	748	760.5
5	460.5	473	498	510.5	523	535.5	560.5	573	585.5	598	623	635.5	648	673	685.5	698	710.5	735.5	748	760.5	785.5	798	810.5
6	510.5	523	535.5	560.5	573	585.5	598	623	635.5	648	673	685.5	698	710.5	735.5	748	760.5	773	798	810.5	823	848	860.5
7	548	573	585.5	598	623	635.5	648	660.5	685.5	698	710.5	735.5	748	760.5	773	798	810.5	823	848	860.5	873	885.5	910.5
8	598	623	635.5	648	660.5	685.5	698	710.5	723	748	760.5	773	798	810.5	823	835.5	860.5	873	885.5	910.5	923	935.5	948
9	648	660.5	685.5	698	710.5	723	748	760.5	773	798	810.5	823	835.5	860.5	873	885.5	898	923	935.5	948	973	985.5	_

**SMC** 

Valve Chart

Plug-in Connector Connecting Base

K Flat Ribbon

Lead Wire Block

EX250 EX245 EX600

EX120 EX260

oded Dimensions

C12: ø12 (SMC)

ion Exploded

ement Combination Tools Manifold

Replacement C Parts, Tools

Manifold Options

Made to Order

## Plug-in Connector Connecting Base


EX245

Type 10/ Side Ported

# JSY3000/5000 Series



#### **How to Order Manifolds**



Only direct mounting is selectable for the manifold.



#### Made to Order (Refer to page 135 for details.)

Specification

External pilot
(SUP/EXH block assembly)

#### 1 Series

3	JSY3000
5	JSY5000

## 2 Туре

10	Side ported

#### 3 SI unit

Symbol (Output polarity) Negative common (PNP)	Protocol	Communication connector	Communication connector specifications		
0	Without SI unit				
AAN		Push/Pull (SCRJ): 2 pcs.	Push/Pull (24 V): 2 pcs.		
ABN	PROFINET	Push/Pull (RJ45): 2 pcs.	Push/Pull (24 V): 2 pcs.		
ACN		M12: 2 pcs.	7/8 inch: 2 pcs.		

\* The valve output polarity for the SI unit is negative common (PNP).

#### 4 With or without I/O modules

Nil	Without I/O module
Υ	With I/O module

\* When not selecting an SI unit, the symbol will be "nil."

#### **5** Number of I/O modules

Nil Without I/O module	
1	1 station
:	:
8	8 stations

\* When not selecting an SI unit, the symbol will be "nil."

#### 6 Valve stations

Symbol	Stations	Note			
02	2 stations				
:	:	Double wiring*1			
16	16 stations				
02	2 stations	Specified layout*2			
:	:	(Available up to 32			
24	24 stations	solenoids)			

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet
  - (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- \* This also includes the number of the blanking plate assembly.

#### P, E port entry

	•
U	U side (2 to 10 stations)
D	D side (2 to 10 stations)
В	Both sides (2 to 24 stations)

#### SUP/EXH block assembly

O SOI /EXIT DIOCK assembly					
Nil	Internal pilot				
S	Internal pilot, Built-in silencer				

- The 3/5(E) port is plugged for the built-in silencer type.
- \* When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### 9 A, B port size (Metric)

Symbol		A, B port	JSY3000	JSY5000
C6		ø6 One-touch fitting	•	_
C8	Ħ	ø8 One-touch fitting	•	_
C10	raig	ø10 One-touch fitting	_	•
C12	Š	ø12 One-touch fitting	_	•
CM*1		Straight port, mixed sizes	•	•
P, E port size (One-touch fittings) ø10 ø12				


st 1 Indicate the sizes on the manifold specification sheet in the case of "CM."

For details on the EX245 Integrated Type (For Input/Output) Serial Transmission System, refer to the **Web Catalog** and the Operation Manual. For the part numbers of the SI units to be mounted, refer to page 110. Please download the Operation Manual via the SMC website, https://www.smcworld.com



Chart

#### **How to Order Manifold Assembly**



JJ5SY3-10SAANY2-05D-C6 ··· 1 set (Type 10 5-station manifold base part no.) \* JSY3100-5U-----3 sets (2-position single part no.)

- \* JSY3200-5U .....2 sets (2-position double part no.)
- \* EX245-DX1 ......1 set I/O module part number \* EX245-DY1 .....1 set I/O module part number
  - The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- For the valve arrangement, the valve closest to the D side is considered the 1st station.
- The I/O module station arrangement is numbered starting from the SI unit side. · Under the manifold part number, state the valves to be mounted, then the I/O modules in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold
- \*1 Do not enter the SI unit part number and the end plate part number together.


**Internal Pilot** 

#### How to Order Valves (With mounting screw)

specification sheet.

Refer to page 13 for valve specifications.

## JSY3000/5000 Series



Made to Order	Made to Order (Refer to page 135 for details						
Specification							
W	ith nower-saving circuit						

(Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

#### Series

3	JSY3000
5	JSY5000

Pilot valve individual exhaust

24 VDC

3 Pilot valve exhaust method

## Type of actuation

1	2-position	Single				
2	2-position	Double				
3		Closed center				
4	3-position	Exhaust center				
5		Pressure center				
Α	4	N.C./N.C.				
В	4-position dual 3-port	N.O./N.O.				
С	duai 5-poit	N.C./N.O.				


## Light/surge voltage suppressor

	and common specification									
Syn	nbol	With light	Surge voltage suppressor	Common specification						
U	J		•	Non-polar						
N	Z		_	Negative common						

When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

**SMC** 

## 6 Manual override



\* When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

#### **⚠** Caution

4 Rated voltage

If the JSY3000/5000 series is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

Protective class class II (Mark: ♠)

## JSY3000/5000 Series


Type 10/Side Ported


Dimensions: JSY3000 Series


EX245

JJ5SY3-10SA - Stations P-C8









L1 = 11.5n1 + 168.2 L2 = 11.5n1 + 43.1 L3 = 54n2 + 113.6

- \* These figures show the "JJ5SY3-10SAANY2-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

\* The L1 dimension is the dimension without an I/O module. Add 54 mm to this dimension for each I/O module.

**Dimensions** \* n2 is the number of I/O module stations


	The first transfer of the module electronic																						
Valve stations n1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
L1	191.2	202.7	214.2	225.7	237.2	248.7	260.2	271.7	283.2	294.7	306.2	317.7	329.2	340.7	352.2	363.7	375.2	386.7	398.2	409.7	421.2	432.7	444.2
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1	238.6	250.1	261.6	273.1	284.6	296.1	307.6	319.1


## Puggin Connector Connecting Base JSY3000/5000 Series


Dimensions: **JSY5000** Series

JJ5SY5-10SA - Stations P - C10 C12

Type 10/Side Ported EX245







L1 = 16n1 + 178.6 L2 = 16n1 + 53.5 L3 = 54n2 + 113.1

\* These figures show the "JJ5SY5-10SAANY2-05D-C12."

\* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

\* The L1 dimension is the dimension without an I/O module. Add 54 mm to this dimension for each I/O module.

**Dimensions** \* n2 is the number of I/O module stations.

	The first the fluthber of the module stations.																						
Valve stations n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
L1	210.6	226.6	242.6	258.6	274.6	290.6	306.6	322.6	338.6	354.6	370.6	386.6	402.6	418.6	434.6	450.6	466.6	482.6	498.6	514.6	530.6	546.6	562.6
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5

**SMC** 

Chart

Sesse Valve

Plug-in Connector
Connecting B

al D-sub Flat Ribbon

Wire Block

EX600 Lead Wire

EX250 EX2

20 EX260

sions EX120

anifold Co

Combination | Manifold

Fittings,
Replacement Co

Manifold Options

Made to Order

> Product Precautions

## Plug-in Connector Connecting Base

**EX250** 

Type 10 Side Ported


# JSY1000/3000/5000 Series

PROFIBUS DP compatible products (**3**SI unit/Symbol: N) are to be discontinued as of November 2022. As a substitute, please consider the use of an EX600 series product (SI unit/Symbol: N). However, keep in mind that the product specifications, external appearance, etc., differ. For details, please contact your SMC sales representative.



**Internal Pilot** 

#### **How to Order Manifolds**



#### 1 Series

1	JSY1000
3	JSY3000
5	JSY5000

## 2 Type

10	Side ported

#### SI unit

0	Without SI unit							
Q	DeviceNet™ (Negative common)							
N	PROFIB	PROFIBUS DP (Negative common)						
TA	HUNEGATIVE F	2 isolated	8 in/8 out, 31 slave modes					
TB		common type	4 in/4 out, 31 slave modes					
TC		1 common	8 in/8 out, 31 slave modes					
TD		type	4 in/4 out, 31 slave modes					
Υ	CANopen (Negative common)							
ZE	EtherNe	EtherNet/IP™ (Negative common)						

- Ensure a match with the common specification of the valve to be used.
- Input block cannot be mounted without SI unit.
- \* The supply current from the SI unit of AS-Interface applicable 1 power supply system specification to the input block and valve is limited.

#### 4 Input block stations

Nil	None						
1	1 station						
÷	:						
8	8 stations						

When not selecting an SI unit, the symbol will be "nil."
The maximum number of stations is limited for the AS-Interface applicable SI unit.

#### 6 Input block type

	PNP sensor input	NPN sensor input
Without input block	N	lil
M12, 2 inputs	Α	D
M12, 4 inputs	В	E
M8, 4 inputs	С	F

\* When not selecting an SI unit, the symbol will be "nil."

#### P, E port entry, SUP/EXH block assembly

P, E port entry	Internal pilot	Internal pilot, Built-in silencer
U side (2 to 10 stations)	U	С
D side (2 to 10 stations)	D	E
Both sides (2 to 24 stations)	В	F

- \* The 3/5(E) port is plugged for the built-in silencer type.
- \* When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- \* The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### **8** A, B port size (Metric/One-touch fitting)

Symbol		A, B port	JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	
C4		ø4	•	_	_	Ø
C6	턽	ø6	•	•	_	
C8	Straight	ø8	_	•	_	
C10	쟔	ø10	_	_	•	Ø.
C12		ø12	_	_	•	Ó
CM*1		Straight port, mixed sizes	•	•	•	-(
P, E port size (One-touch fittings)			ø8	ø10	ø12	

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- \* The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

For details on the EX250 Integrated Type (For Input/Output) Serial Transmission System, refer to the **Web Catalog** and the Operation Manual. For the part numbers of the SI units to be mounted, refer to page 112. Please download the Operation Manual via the SMC website, https://www.smcworld.com

#### Made to Order M

#### Made to Order (Refer to page 135 for details.)

Specification	
External pilot (SUP/EXH block assemble	y)

#### 6 Valve stations

Symbol	Stations	Note								
02	2 stations									
:	:	Double wiring*1								
16	16 stations	-								
02	2 stations	Considered lawayee*2								
:	:	Specified layout*2 (Up to 32 solenoids available)								
24	24 stations	(Op to 32 soleriolds available)								

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.) When determining the number of valve stations, note that the maximum number of solenoids for the AS-Interface applicable SI unit specification is as follows.
  - $\cdot$  8 in/8 out specification: Max. 8 solenoids
  - 4 in/4 out specification: Max. 4 solenoids
- \* This also includes the number of blanking plates.
- \* For the product without the SI unit (S0), note the maximum number of solenoids of the SI unit that will be mounted. If the layout is specified, indicate it on the manifold specification sheet.

#### 9 Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- \* Enter the number of stations inside ☐ when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.
- DIN rail mounting (D□) is not available for the product without the SI unit (S0).

#### **DIN Rail Option**

Nil	DIN ra	DIN rail mounting (With DIN rail)													
0	DIN rail	mounting (Without DIN rail)													
3	For 3 stations	0													
:	:	Specify a length longer than that of the standard rail.													
24	For 24 stations	that of the Standard rail.													

 Refer to L3 of the dimensions for the DIN rail length and order separately. (Refer to page 131 for the DIN rail part number.)



Example (JJ5SY3-10S□-□)

2-position double (24 VDC)

JSY3200-5U (2 sets)

2-position single (24 VDC)

JSY3100-5U (3 sets)

- The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- For the valve arrangement, the valve closest to the D side is considered the · Under the manifold part number, state the valves to be mounted in order
- starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification

**Internal Pilot** 


**How to Order Valves (With mounting screw)** 

Refer to page 13 for valve specifications.

**JSY1000** Series

Manifold base (5 stations) JJ5SY3-10SQ1C-05D-C8

JSY3000/5000 Series



**Made to Order** (Refer to page 135 for details.)

Specification With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

Series

1	JSY1000
3	JSY3000
5	JSY5000

## 3 Pilot valve exhaust method

<b>n</b>	Pilot valve individual exhaust

Rated voltage

•		
5	24 VDC	_

Type of actuation


1	2-position	Single								
2	2-position	Double								
3		Closed center								
4	3-position	Exhaust center								
5		Pressure center								
Α	4	N.C./N.C.								
В	4-position dual 3-port	N.O./N.O.								
С	duai 5-port	N.C./N.O.								

#### 5 Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification
U			Non-polar
Z	•	•	Positive common
NZ			Negative common

- "U" is applicable for every SI unit. However, "Z" can be used only for CC-Link applicable unit and "NZ" is for units which are not CC-Link applicable.
- Only "Z" and "NZ" types are available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

6 Manual override



- Push-turn locking lever type "E" is not available for the JSY1000.
- When ordering a valve individually, the base gasket is not included. Since the base gasket is attached to the

manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

#### 

If the JSY3000/5000 series is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

Protective class class II (Mark: ⟨II)

**多SMC** 

Valve

Chart

Plug-in

Flat Ribbon

Terminal Block

Lead Wire **EX600** 

**EX245** 

**EX250** 

**EX260 EX120** 

ZK2 Combination Manifold


78

Dimensions: **JSY1000** Series

JJ5SY1-10S $\square$  - Stations  $\stackrel{\text{U}}{\mathbb{R}}$  -  $\stackrel{\text{C2}}{\mathbb{C}}$  (D)

Type 10/Side Ported (Applicable to o2 and o4 fittings)
EX250





L1 = 6.5 x n1 + 139 + 21 x n2 L2 = 6.5 x n1 + 43.4 L4 = L3 - 10.5

L5 = (L3 - L1) / 2 $L6 = 21 \times n2 + 83.8$ 

n1: Number of valve stations of the JSY1000

n2: Input block stations

- \* These figures show the "JJ5SY1-10SQ1A-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.

S : Single wiring

\* When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L3: DIN Rail Overall Length


Valve stations (n1) I/O unit stations (n2)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	185.5	185.5	198	198	210.5	210.5	223	223	235.5	235.5	248	248	260.5	260.5	273	273	285.5	298	298	310.5	310.5	323	323
1	198	210.5	210.5	223	223	235.5	235.5	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	335.5	348
2	223	235.5	235.5	248	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5
3	248	248	260.5	260.5	273	273	285.5	285.5	298	298	310.5	310.5	323	323	335.5	348	348	360.5	360.5	373	373	385.5	385.5
4	260.5	273	273	285.5	285.5	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5
5	285.5	298	298	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	410.5	423	435.5
6	310.5	310.5	323	323	335.5	335.5	348	348	360.5	360.5	373	373	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448
7	323	335.5	335.5	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448	460.5	460.5	473
8	348	360.5	360.5	373	373	385.5	385.5	398	398	410.5	410.5	423	423	435.5	435.5	448	448	460.5	460.5	473	485.5	485.5	498

Dimensions: **JSY1000** Series

JJ5SY1-10S - Stations P-C6(D)

Type 10/Side Ported (Applicable to 06 fittings)
EX250





Manifold block internal wiring specifications

Nil: Double wiring

S : Single wiring

(11.8) For DIN rai

L1 = 9 x n1 + 139 + 21 x n2 L2 = 9 x n1 + 43.4 L4 = L3 - 10.5 L5 = (L3 - L1) / 2

L6 = (L3 - L1)/2 $L6 = 21 \times n2 + 83.8$ 

n1: Number of valve stations of the JSY1000

4 x M8

3-pin socket

n2: Input block stations

\* These figures show the "JJ5SY1-10SQ1A-05D-C6."

(Pitch)

P = 9

23

\* Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.

\* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

I 3: DIN Rail Overall I ength

L3: DIN Hall Overall Length																							
Valve stations	1																						
I/O (n1)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
stations (n2)																							
0	185.5	198	210.5	210.5	223	235.5	235.5	248	260.5	273	273	285.5	298	298	310.5	323	335.5	335.5	348	360.5	360.5	373	385.5
1	210.5	210.5	223	235.5	248	248	260.5	273	285.5	285.5	298	310.5	310.5	323	335.5	348	348	360.5	373	373	385.5	398	410.5
2	223	235.5	248	260.5	260.5	273	285.5	285.5	298	310.5	323	323	335.5	348	360.5	360.5	373	385.5	385.5	398	410.5	423	423
3	248	260.5	273	273	285.5	298	298	310.5	323	335.5	335.5	348	360.5	360.5	373	385.5	398	398	410.5	423	435.5	435.5	448
4	273	285.5	285.5	298	310.5	310.5	323	335.5	348	348	360.5	373	373	385.5	398	410.5	410.5	423	435.5	435.5	448	460.5	473
5	285.5	298	310.5	323	323	335.5	348	360.5	360.5	373	385.5	385.5	398	410.5	423	423	435.5	448	448	460.5	473	485.5	485.5
6	310.5	323	335.5	335.5	348	360.5	360.5	373	385.5	398	398	410.5	423	435.5	435.5	448	460.5	460.5	473	485.5	498	498	510.5
7	335.5	348	348	360.5	373	373	385.5	398	410.5	410.5	423	435.5	435.5	448	460.5	473	473	485.5	498	510.5	510.5	523	535.5
8	360.5	360.5	373	385.5	385.5	398	410.5	423	423	435.5	448	448	460.5	473	485.5	485.5	498	510.5	510.5	523	535.5	548	548

\_мз

/ 2 x M<sub>12</sub>

e Chart

lase Valve

Plug-in Connecting Bas

D-sub Flat Ribbon

e Terminal

EX600 Lead Wire

EX250 **EX245** 

EX120 EX260

Common Dimensions

Exploded View

ings, ZK2 cement Combination , Tools Manifold

nifold Fittings tions Replacen TParts. To


Made to Order


Specific Product Precautions



JJ5SY3-10S $\square$  - Stations  $\stackrel{\text{U}}{\text{B}}$  -  $\stackrel{\text{C6}}{\text{C8}}$  (D)







L1 = 11.5 x n1 + 136.6 + 21 x n2 L2 = 11.5 x n1 + 43.1

L4 = L3 - 10.5

L5 = (L3 - L1) / 2

 $L6 = 21 \times n2 + 82$ 

\* These figures show the "JJ5SY3-10SQ1A-05D-C8."

\* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

n1: Number of valve stations of the JSY3000

n2: Input block stations


L3: DIN Rail Overall Length


L3: DIN Rail Overall Length																							
Valve stations (n1) I/O unit stations (n2)	1	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	298	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448
1	210.5	223	235.5	248	260.5	273	273	285.5	298	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	423	435.5	448	460.5
2	235.5	248	248	260.5	273	285.5	298	310.5	323	335.5	348	360.5	373	385.5	398	398	410.5	423	435.5	448	460.5	473	485.5
3	248	260.5	273	285.5	298	310.5	323	335.5	348	360.5	373	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498	510.5
4	273	285.5	298	310.5	323	335.5	348	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	485.5	498	510.5	523
5	298	310.5	323	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	460.5	473	485.5	498	510.5	523	535.5	548
6	310.5	323	335.5	348	360.5	373	385.5	398	410.5	423	435.5	435.5	448	460.5	473	485.5	498	510.5	523	535.5	548	560.5	573
7	335.5	348	360.5	373	385.5	398	410.5	410.5	423	435.5	448	460.5	473	485.5	498	510.5	523	535.5	548	560.5	560.5	573	585.5
8	360.5	373	385.5	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498	510.5	523	535.5	535.5	548	560.5	573	585.5	598	610.5

Dimensions: **JSY5000** Series

JJ5SY5-10S□ - Stations P - C12 (D)

Type 10/Side Ported EX250





 $L1 = 16 \times n1 + 147 + 21 \times n2$ L2 = 16 x n1 + 53.5

L4 = L3 - 10.5L5 = (L3 - L1) / 2

 $L6 = 21 \times n2 + 81.5$ 

n1: Number of valve stations of the JSY5000

n2: Input block stations

- \* These figures show the "JJ5SY5-10SQ1A-05D-C12."
- \* Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

L3: DIN Rail Overall Length

Valve stations (n1) I/O unit stations (n2)	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
0	210.5	223	235.5	260.5	273	285.5	310.5	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	485.5	498	510.5	523	548	560.5
1	235.5	248	260.5	273	298	310.5	323	335.5	360.5	373	385.5	410.5	423	435.5	448	473	485.5	498	523	535.5	548	560.5	585.5
2	248	260.5	285.5	298	310.5	335.5	348	360.5	373	398	410.5	423	448	460.5	473	485.5	510.5	523	535.5	560.5	573	585.5	598
3	273	285.5	298	323	335.5	348	373	385.5	398	410.5	435.5	448	460.5	485.5	498	510.5	523	548	560.5	573	585.5	610.5	623
4	298	310.5	323	335.5	360.5	373	385.5	410.5	423	435.5	448	473	485.5	498	510.5	535.5	548	560.5	585.5	598	610.5	623	648
5	310.5	335.5	348	360.5	373	398	410.5	423	435.5	460.5	473	485.5	510.5	523	535.5	548	573	585.5	598	623	635.5	648	660.5
6	335.5	348	360.5	385.5	398	410.5	435.5	448	460.5	473	498	510.5	523	548	560.5	573	585.5	610.5	623	635.5	660.5	673	685.5
7	360.5	373	385.5	398	423	435.5	448	473	485.5	498	510.5	535.5	548	560.5	585.5	598	610.5	623	648	660.5	673	685.5	710.5
8	373	398	410.5	423	435.5	460.5	473	485.5	510.5	523	535.5	548	573	585.5	598	610.5	635.5	648	660.5	685.5	698	710.5	723



Chart Valve

Plug-in

D-sub Flat Ribbon

Terminal Block Lead Wire

**EX600** EX245

EX250

**EX260 EX120** 

Fittings, ZK2
Replacement Combination
Parts, Tools Manifold

## Plug-in Connector Connecting Base

**EX260** 

## Type 10 Side Ported


# JSY1000/3000/5000 Series

Refer to page 85 for details on manifolds that support safety communication (PROFIsafe).

**Internal Pilot** 

#### How to Order Manifolds





#### Series

1	JSY1000
3	JSY3000
5	JSY5000

#### SI unit (Output polarity, Protocol, Number of outputs, Communication connector)

F, '-	tput polarity)	Ductoral	Number	Communication
Positive common (NPN)	Negative common (PNP)	Protocol	of outputs	connector
0	*1	Without	SI unit	
QA	QAN	DeviceNet®	32	M12
QB	QBN	Devicemet	16	IVITZ
NA	NAN		32	M12
NB	NBN	PROFIBUS	16	IVITZ
NC	NCN	DP	32	D-sub
ND	NDN		16	D-800
VA	VAN	CC-Link	32	M12
VB	VBN		16	IVIIZ
DA	DAN	EtherCAT	32	M12
DB	DBN	Lilleroat	16	IVITZ
FA	FAN	PROFINET	32	M12
FB	FBN	THOTHAL	16	14112
EA	EAN	EtherNet/IP™	32	M12
EB	EBN	Luiciivetiii	16	14112
*2	GAN	POWERLINK 16		M12
*2	GBN			IVIIZ
_*2 KAN		IO-Link	32*4	M12

- \*1 Without SI unit, the output polarity is decided by the SI unit used. Ensure a match with the common
- specification of the valves to be used.
  \*2 Positive common (NPN) type is not available.
- \*3 IP40 for the D-sub applicable
- communication connector specification.

  \*4 Only the 32 outputs type is available.

  \* DIN rail cannot be mounted without SI unit.

#### Type

<u> </u>	• •
10	Side ported

#### **5** P, E port entry

	<u> </u>		
U side (2 to 10 stations) D side (2 to 10 stations)			

#### 6 SUP/EXH block assembly

Nil	Internal pilot		
S	Internal pilot, Built-in silencer		

- The 3/5(E) port is plugged for the built-in silencer type.
- When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### Made to Order (Refer to page 135 for details.)

Specification External pilot (SUP/EXH block assembly)

#### Valve stations

#### In the case of the 32-output SI unit

Symbol	Stations	Note
02	2 stations	
:	:	Double wiring*1
16	16 stations	
02	2 stations	0 '' 11 '*2
•	:	Specified layout*2 (Up to 32 solenoids available)
24	24 stations	(Op to 32 solerloids available)


#### In the case of the 16-output SI unit

Symbol	Stations	Note
02	2 stations	
•	:	Double wiring*1
08	8 stations	-
02	2 stations	Considered laws which
	:	Specified layout*2 (Up to 16 solenoids available)
16	16 stations	(Op to 16 soleriolds available)

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- This also includes the number of blanking plates.
- For the product without the SI unit (S0), note the maximum number of solenoids of the SI unit that will be mounted. If the layout is specified, indicate it on the manifold specification sheet.

#### A, B port size (Metric/One-touch fitting)

Symbol		A, B port	JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	
C4		ø4	•	_	_	
C6	돭	ø6	•	•		
C8	Straight	ø8	_	•	_	
C10		ø10	_	_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	a
	P, E port size (One-touch fittings)		ø8	ø10	ø12	



The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

For details on the EX260 Integrated Type (For Output) Serial Transmission System, refer to the Web Catalog and the Operation Manual. For the part numbers of the SI units to be mounted, refer to page 113. Please download the Operation Manual via the SMC website, https://www.smcworld.com

#### Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- Enter the number of stations inside  $\square$  when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.
- DIN rail mounting (D□) is not available for the product without the SI unit (S0).

#### **DIN Rail Option**

Nil	DIN rail mounting (With DIN rail)			
0	DIN rail mounting (Without DIN rail)			
3	For 3 stations	0		
:	:	Specify a length longer than that of the standard rail.		
24	For 24 stations	that of the Standard fall.		

Refer to L3 of the dimensions for the DIN rail length and order separately. (Refer to page 131 for the DIN rail part number.)



#### **How to Order Manifold Assembly**

# Example (JJ5SY3-10SNAN-□) 2-position double (24 VDC) JSY3200-5U (3 sets) 2-position single (24 VDC) JSY3100-5U (2 sets) Manifold base (5 stations) JJ5SY3-10SNAN-05D-C8

- JJ5SY3-10SNAN-05D-C8 ·· 1 set (Type 10 5-station manifold base part no.)

  \* JSY3100-5U ··················· 2 sets (2-position single part no.)

  \* JSY3200-5U ·················· 3 sets (2-position double part no.)
- →The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- · For the valve arrangement, the valve closest to the D side is considered the 1st station.
- Under the manifold part number, state the valves to be mounted in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification sheet.

With power-saving circuit


**Internal Pilot** 

How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

## JSY1000 Series

JSY3000/5000 Series



Single

Double

Closed center

Exhaust center

Pressure center N.C./N.C.

N.O./N.O.

N.C./N.O.

Made to Order (Refer to page 135 for details.)

Specification

With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

#### 1 Series

1	JSY1000
3	JSY3000
5	JSY5000

## 3 Pilot valve exhaust method

0 Pilot valve individual exhaus	t
---------------------------------	---

## 4 Rated voltage

Tital	ea voitage		
5		24 VDC	

## 5 Light/surge voltage suppressor and common specification

Type of actuation

2-position

3-position

4-position

dual 3-port

2

3

4

5


В


С

Symbol	With light	Surge voltage suppressor	Common specification
U	•		Non-polar
Z		•	Positive common
NZ			Negative common

- \* Select "U" or "Z" for the valve when the SI unit output polarity is Nil (positive common). Select "U" or "NZ" for the valve when the SI unit output polarity is N (negative common).
- Only "Z" and "NZ" types are available for the JSY1000 series.
- \* When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

#### **6** Manual override





- Push-turn locking lever type "E" is not available for the JSY1000.
- \* When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

## **⚠** Caution

If the JSY3000/5000 series is to be continuously energized, please be sure to select the powersaving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

Protective class class II (Mark: (1))



nnecting Base

Chart

Valve

D-sub Flat Ribbon

Block

Lead Wire

5 EX600

EX250 EX245

**EX120** EX260

nsions E

ifold Co

Combination Ex Manifold

Fittings, Replacement Com Parts, Tools Ma

> Manifold Options

lade to Order

Specific Product recautions

## Plug-in Connector Connecting Base

EX260 Safety Communication Protocol (PROFIsafe)

## Type 10 Side Ported

# JSY1000/3000/5000 Series

#### Using the safety communication protocol

Refer to the EX260 Web Catalog for details on units that support the safety communication protocol. When using a manifold valve within an ISO 13849-compliant safety system, the device needs to be considered from both the pneumatic circuit and the electric side.

Devices (including valves) need to be selected based on whether their functions are in line with the safety level of the equipment as a whole.

The use of valves that have been validated as being compliant with ISO 13849-2 may be required. For details on valves that have been validated, please contact SMC.

In addition, refer to "Safety Instructions" for precautions on model selection.

**Internal Pilot** 

#### **How to Order Manifolds**

Refer to page 83 for details on manifolds that support Fieldbus and Industrial Ethernet.

Made to Order

Communication connector)

(PNP)

FPN

by the SI unit used.

Symbol (Output polarity)

Positive common | Negative common

0\*1

(NPN)

(Refer to page 135 for details.) Specification External pilot (SUP/EXH block assembly)

Protocol

Without SI unit, the output polarity is decided

Ensure a match with the common specification of the valves to be used.

\*3 Only the 32 outputs type is available. \* DIN rail cannot be mounted without SI unit.

\*2 Positive common (NPN) type is not available.

Number

of


Without SI unit

PROFIsafe 32\*3 M12

connector

SI unit (Output polarity, Protocol, Number of outputs,

( E UK ROHS



#### Series

1	JSY1000
3	JSY3000
5	JSY5000

#### 4 Valve stations

Symbol	Stations	Note	
02	2 stations		
÷	:	Double wiring*1	
16	16 stations		
02	2 stations	Considered lawww.t*2	
	:	Specified layout*2 (Up to 32 solenoids available)	
24	24 stations	(Op to 32 soleriolds available)	

\*1 Double wiring: 2-position single, 3-position, and 4-position valves can be used on all manifold stations.

The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.

- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 3-position and 4-position valves cannot be used where single wiring has been specified.)
- This also includes the number of blanking plates

## **2** Type

10	Side ported

#### **5** P, E port entry

U	U side (2 to 10 stations)	
D side (2 to 10 stations)		
В	Both sides (2 to 24 stations)	

#### 6 SUP/EXH block assembly

S	Internal pilot, Built-in silencer
* The 3/5	(E) port is plugged for the built-in silencer type.
* When th	e built-in silencer type is used, keep the exhaust port

from coming into direct contact with water or other liquids. The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

#### A, B port size (Metric/One-touch fitting)

Internal pilot

Symbol		A, B port	JSY1000	JSY3000	JSY5000
C2		ø2	•	_	_
C4		ø4	•	_	_
C6	aight	ø6	•	•	_
C8	aj	ø8	_	•	_
C10	Str	ø10	_	_	•
C12		ø12	_	_	•
CM*1		Straight port, mixed sizes	•	•	•
P, E port size (One-touch fittings)		ø8	ø10	ø12	

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- \* The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

#### Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- \* Enter the number of stations inside □ when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.
- DIN rail mounting (D□) is not available for the product without the SI unit (S0).

#### **DIN Rail Option**

Nil	DIN rail mounting (With DIN rail)		
0	DIN rail mounting (Without DIN rail)		
3	For 3 stations	0 11 11 11	
	:	Specify a length longer than that of the standard rail.	
24	For 24 stations	mai or me standard ran.	

\* Refer to L3 of the dimensions for the DIN rail length and order separately. (Refer to page 131 for the DIN rail part number.)

For details on the EX260 Integrated Type (For Output) Serial Transmission System, refer to the Web Catalog and the Operation Manual. For the part numbers of the SI units to be mounted, refer to page 113. Please download the Operation Manual via the SMC website, https://www.smcworld.com

#### [Validated product examples]

Please contact SMC for further details as supported variations are continually being added.


\* 2-position double of rubber seal and manual override with locking function (D, E type) are excluded, because they don't comply with safety standard.

**Internal Pilot** 

#### How to Order Valves (With mounting screw)

JSY1000 Series

**JSY3000/5000** Series



Made to Order Made to (Refer to page 135 for details.)

> Specification With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

Series

1	JSY1000
3	JSY3000
5	JSY5000

#### Pilot valve exhaust method al exhaust

U	Pilot valve individual

4 Rat	ed vo	Itage

	· · · · · · · · · · · · · · · · · · ·
5	24 VDC

## **∕** Caution

If the JSY3000/5000 series is to be continuously energized, please be sure to select the powersaving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

#### 2 Type of actuation

1	2-position	Single				
3		Closed center				
4	3-position	Exhaust center				
5		Pressure center				
Α	4	N.C./N.C.				
В	4-position dual 3-port	N.O./N.O.				
С	duai 5-poit	N.C./N.O.				

#### 6 Manual override

Order



**5** Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification
U			Non-polar
NZ	•	•	Negative common

- Only "NZ" type is available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.



Plug-in

Chart

Valve

Flat Ribbon

Lead Wire

**EX600** 

**EX245 EX250** 

**EX260** 

**EX120** 


Type 10/Side Ported (Applicable to 02 and 04 fittings)


EX260

Dimensions: JSY1000 Series

JJ5SY1-10S $\square$ -Stations  $\stackrel{\text{U}}{p}$ - $\stackrel{\text{C2}}{c4}$ (D)







- \* These figures show the "JJ5SY1-10SQA-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	99.2	105.7	112.2	118.7	125.2	131.7	138.2	144.7	151.2	157.7	164.2	170.7	177.2	183.7	190.2
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	123	135.5	135.5	148	160.5	160.5	173	173	185.5	185.5	198	198	210.5	210.5	223
L4	112.5	125	125	137.5	150	150	162.5	162.5	175	175	187.5	187.5	200	200	212.5
L5	12	15	12	15	18	15	18	14	17	14	17	14	17	14	17


L	17	18	19	20	21	22	23	24
L1	196.7	203.2	209.7	216.2	222.7	229.2	235.7	242.2
L2	153.9	160.4	166.9	173.4	179.9	186.4	192.9	199.4
L3	223	235.5	235.5	248	248	260.5	260.5	273
L4	212.5	225	225	237.5	237.5	250	250	262.5
L5	13	16	13	16	13	16	13	16




Dimensions: **JSY1000** Series EX260

JJ5SY1-10S - Stations D-C6(D)







- \* These figures show the "JJ5SY1-10SQA-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- \* When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

#### L: Dimensions

n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	104.2	113.2	122.2	131.2	140.2	149.2	158.2	167.2	176.2	185.2	194.2	203.2	212.2	221.2	230.2
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	135.5	148	148	160.5	173	173	185.5	198	210.5	210.5	223	235.5	235.5	248	260.5
L4	125	137.5	137.5	150	162.5	162.5	175	187.5	200	200	212.5	225	225	237.5	250
L5	16	18	13	15	17	12	14	16	17	13	15	16	12	14	15

	17	18	19	20	21	22	23	24
L1	239.2	248.2	257.2	266.2	275.2	248.2	293.2	302.2
L2	196.4	205.4	214.4	223.4	232.4	241.4	250.4	259.4
L3	273	273	285.5	298	310.5	310.5	323	335.5
L4	262.5	262.5	275	287.5	300	300	312.5	325
L5	17	13	14	16	18	13	15	17



Chart Valve

Plug-in D-sub Flat Ribbon

Terminal Block

EX245 EX600 Lead Wire

EX250 **EX260** 

**EX120** 

Common Dimensions


Type 10/Side Ported


Dimensions: **JSY3000** Series

JJ5SY3-10S $\square$ -Stations  $\stackrel{\text{U}}{P}$ - $\stackrel{\text{C6}}{C8}$ (D)

EX260







- \* These figures show the "JJ5SY3-10SQA-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	106.8	118.3	129.8	141.3	152.8	164.3	175.8	187.3	198.8	210.3	221.8	233.3	244.8	256.3	267.8
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	135.5	148	160.5	173	185.5	198	210.5	210.5	223	235.5	248	260.5	273	285.5	298
L4	125	137.5	150	162.5	175	187.5	200	200	212.5	225	237.5	250	262.5	275	287.5
L5	15	15	16	16	17	17	18	12	12	13	13	14	14	15	15

	17	18	19	20	21	22	23	24
L1	279.3	290.8	302.3	313.8	325.3	336.8	348.3	359.8
L2	238.6	250.1	261.1	273.1	284.6	296.1	307.6	319.1
L3	310.5	323	335.5	348	360.5	360.5	373	385.5
L4	300	312.5	325	337.5	350	350	362.5	375
L5	16	16	17	17	18	12	13	13



Dimensions: **JSY5000** Series


JJ5SY5-10S $\square$ -Stations  $\stackrel{\mathsf{U}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{10}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}{\overset{\mathsf{C}}}}}{\overset{\mathsf{C}}}}{\overset{\mathsf{C}}}}}{\overset{\mathsf{C}}}}}}}}$ 

Type 10/Side Ported EX260

D side

(L5) L1 Light/surge voltage suppressor Manual override (Non-locking) DIN rail holding screw 4(A) port side: Blue (DIN rail) (For DIN rail mounting) 2(B) port side: Yellow ⊗ ◈ ◈ 97.5 102.4 128 9.96 (35)⊗ 4 (15.8)4 x M5 Mounting hole (16.7)SI unit (Recommended tightening torque: 2.9 N·m) 34.2 (**L4**) (5.3)(Fitting for the type with P/E ports on the U and/or D sides) (DIN rail mounting hole pitch: 12.5) (L3)

U side



(Station 1) ----- (Station n) 8.7 29.1 (23.3) (For DIN rail mounting) (Pitch) One-touch fitting [4(A), 2(B) port] Applicable tubing O.D. C10: ø10 (SMC) C12: ø12 (SMC)

\* These figures show the "JJ5SY5-10SQA-05D-C12."

Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

I · I limancia	10
L: Dimension	

n: Stations	
-------------	--

L. Dilli	16112101	15												ı	i. Stations
L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	126.2	142.2	158.2	174.2	190.2	206.2	222.2	238.2	254.2	270.2	286.2	302.2	318.2	334.2	350.2
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	160.5	173	185.5	198	223	235.5	248	273	285.5	298	310.5	335.5	348	360.5	385.5
L4	150	162.5	175	187.5	212.5	225	237.5	262.5	275	287.5	300	325	337.5	350	375
L5	17	16	14	12	17	15	13	18	16	14	12	17	15	13	18

L	17	18	19	20	21	22	23	24
L1	366.2	382.2	398.2	414.2	430.2	446.2	462.2	478.2
L2	325.5	341.5	357.5	373.5	389.5	405.5	421.5	437.5
L3	398	410.5	423	448	460.5	473	485.5	510.5
L4	387.5	400	412.5	437.5	450	462.5	475	500
L5	16	14	13	17	15	14	12	16

Chart Valve

Plug-in

D-sub Flat Ribbon Terminal Block

EX245 EX600 Lead Wire

EX250

**EX260 EX120** 

Common Dimensions

ZK2 Combination Manifold

## Plug-in Connector Connecting Base

EX120


# JSY1000/3000/5000 Series

( E UK ROHS



**Internal Pilot** 

#### How to Order Manifolds



#### Series

1	JSY1000
3	JSY3000
5	JSY5000

#### **2** Type

10	Side ported

#### 3 SI unit

0	Without SI unit			
Q	DeviceNet® (Positive common NPN)			
R1	OMRON CompoBus/S	16 outputs		
R2	(Positive common NPN)	8 outputs		
V	CC-Link (Positive	e common NPN)		
<b>ZB</b> *1	CompoNet®	Positive common NPN		
ZBN*1	Componer	Negative common PNP		

- \*1 The communication connector (for the opposite side) is not provided. Please order it separately.
- \* Ensure a match with the common specification of the valve to be used

#### **5** P, E port entry

U	U side (2 to 10 stations)
D	D side (2 to 10 stations)
В	Both sides (2 to 16 stations)

#### 6 SUP/EXH block

Nil	Internal pilot
S	Internal pilot, Built-in silencer

- The 3/5(E) port is plugged for the built-in silencer type.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

## Made to Order

#### **Made to Order** (Refer to page 135 for details.)

Specification External pilot (SUP/EXH block assembly)

#### Valve stations

Symbol	Stations	Note
02	2 stations	
:	:	Double wiring*1
08	8 stations	
02	2 stations	Considered laws which
:	:	Specified layout*2 (Up to 16 solenoids available)
16	16 stations	(Op to 16 soleriolds available)

- Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control signal. If this is not desired, order with a specified layout.
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- This also includes the number of blanking plates.
- Since R2 type SI unit has 8 outputs, note that up to 8 solenoids can be accommodated.

#### A, B port size (Metric/One-touch fitting)

	_ •	•			3,	
Symbol	A, B port		JSY1000	JSY3000	JSY5000	
C2		ø2	•	_	_	(F)
C4		ø4	•	_	_	
C6	둧	ø6	•	•	_	
C8	Straight	ø8	_	•	_	
C10	쟔	ø10	_	_	•	
C12		ø12	_	_	•	00
CM*1		Straight port, mixed sizes	•	•	•	- Ordina
P, E port size (One-touch fittings)		ø8	ø10	ø12		

- \*1 Indicate the sizes on the manifold specification sheet in the case of "CM."
- The JSY1000 manifold pitch for C2 and C4 is 6.5 mm, and 9 mm for C6. When CM is selected, the manifold pitch is different depending on the selected fitting.

#### **8** Mounting and Option

Symbol	Mounting
Nil	Direct mounting
D□	DIN rail mounting

- Enter the number of stations inside  $\square$  when it is larger than the number of valve stations. (Refer to "DIN Rail Option" shown below.)
- Refer to page 139 for details on securing the DIN rail mounting type manifold.

#### **DIN Rail Option**

Nil	DIN rail mounting (With DIN rail)				
0	DIN rail mounting (Without DIN rail)				
3	For 3 stations	0			
i :	÷	Specify a length longer than that of the standard rail.			
16	For 16 stations	mai or me standard fall.			

If the DIN rail must be mounted without an SI unit, select D0. Refer to L3 of the dimensions for the DIN rail length and order separately. (Refer to page 131 for the DIN rail part number.)

For details on the EX120 Integrated Type (For Output) Serial Transmission System, refer to the Web Catalog and the Operation Manual. For the part numbers of the SI units to be mounted, refer to page 114. Please download the Operation Manual via the SMC website, https://www.smcworld.com



#### **How to Order Manifold Assembly**

## Example (JJ5SY3-10S3V-2-position double (24 VDC) JSY3200-5U (3 sets) 2-position single (24 VDC) JSY3100-5U (2 sets) $^{\prime}$ Manifold base (5 stations) JJ5SY3-10S3V-05D-C8

- JJ5SY3-10S3V-05D-C8 ··· 1 set (Type 10 5-station manifold base part no.) \* JSY3100-5U-----2 sets (2-position single part no.)
- \* JSY3200-5U ......3 sets (2-position double part no.)
  - The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the valve, etc.
- · For the valve arrangement, the valve closest to the D side is considered the
- · Under the manifold part number, state the valves to be mounted in order starting with the 1st station as shown in the figure. If the arrangement becomes too complicated, specify the details on a manifold specification

With power-saving circuit


**Internal Pilot** 

#### How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

#### **JSY1000** Series

## JSY3000/5000 Series



Made to Order (Refer to page 135 for details.) Specification

With power-saving circuit (Continuous duty type): 0.1 W (JSY3000/5000)

External pilot

Series

1	JSY1000
3	JSY3000
5	JSY5000

## Pilot valve exhaust method

0	Pilot valve individual exhaust

## Rated voltage

5	24 VDC

#### 

If the JSY3000/5000 series is to be continuously energized, please be sure to select the powersaving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.

For the JSY1000 series, only the power-saving circuit specification is available.

#### Type of actuation

1	2-position	Single				
2	2-position	Double				
3		Closed center				
4	3-position	Exhaust center				
5		Pressure center				
Α	4 manikina	N.C./N.C.				
В	4-position dual 3-port	N.O./N.O.				
С	duai 5-port	N.C./N.O.				


#### **5** Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification
U			Non-polar
Z	•	•	Positive common
NZ			Negative common

- \* Select "U" or "Z" for the valve when the SI unit specification is positive common. Select "U" or "NZ" for the valve when the SI unit specification is ZBN (negative common).
- Only "Z" and "NZ" types are available for the JSY1000 series.
- When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.

**多SMC** 

#### 6 Manual override



- Push-turn locking lever type "E" is not available for the JSY1000.
- When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.




Chart Valve

Plug-in

Flat Ribbon

Block

EX600 Lead Wire

**EX245** 

**EX250 EX260** 

Combination Manifold


Replacement Parts, Tools


Type 10/Side Ported (Applicable to o2 and o4 fittings)
EX120

Dimensions: JSY1000 Series

JJ5SY1-10S3 $\square$ -Stations  $\stackrel{\text{U}}{\text{D}}$ - $\stackrel{\text{C2}}{\text{C4}}$ (D)







- \* These figures show the "JJ5SY1-10S3V-05D-C4."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size and C6 (9 mm pitch) is included, refer to page 100 for dimensions.

L:	Dim	ension	IS							r	n: Stations	
$\overline{}$				_				 	1			

L_n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	104.3	110.8	117.3	123.8	130.3	136.8	143.3	149.8	156.3	162.8	169.3	175.8	182.3	188.8	195.3
L2	56.4	62.9	69.4	75.9	82.4	88.9	95.4	101.9	108.4	114.9	121.4	127.9	134.4	140.9	147.4
L3	135.5	135.5	148	148	160.5	160.5	173	173	185.5	198	198	210.5	210.5	223	223
L4	125	125	137.5	137.5	150	150	162.5	162.5	175	187.5	187.5	200	200	212.5	212.5
L5	16	12	15	12	15	12	15	12	15	18	14	17	14	17	14





Type 10/Side Ported (Applicable to Ø6 fittings) EX120

Dimensions: **JSY1000** Series

JJ5SY1-10S3□ - Stations D-C6(D)







- \* These figures show the "JJ5SY1-10S3V-05D-C6."
- Refer to page 97 for dimensions of external pilot (Made to Order) and silencer.
- When CM is selected for mixed A, B port size, refer to page 100 for dimensions.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	109.3	118.3	127.3	136.3	145.3	154.3	163.3	172.3	181.3	190.3	199.3	208.3	217.3	226.3	235.3
L2	61.4	70.4	79.4	88.4	97.4	106.4	115.4	124.4	133.4	142.4	151.4	160.4	169.4	178.4	187.4
L3	135.5	148	160.5	160.5	173	185.5	198	198	210.5	223	223	235.5	248	260.5	260.5
L4	125	137.5	150	150	162.5	175	187.5	187.5	200	212.5	212.5	225	237.5	250	250
L5	13	15	17	12	14	16	17	13	15	16	12	14	15	17	13

Chart Valve

Plug-in

D-sub Flat Ribbon

EX245 EX600 Lead Wire

EX260 EX250

Common Dimensions

ZK2 t Combination Manifold


Type 10/Side Ported


Dimensions: **JSY3000** Series

JJ5SY3-10S3 - Stations B-C6 (D)

EX120







- \* These figures show the "JJ5SY3-10S3V-05D-C8."
- \* Refer to page 98 for dimensions of external pilot (Made to Order) and silencer.

L: Dimensions n: Stations

L	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	111.9	123.4	134.9	146.4	157.9	169.4	180.9	192.4	203.9	215.4	226.9	238.4	249.9	261.4	272.9
L2	66.1	77.6	89.1	100.6	112.1	123.6	135.1	146.6	158.1	169.6	181.1	192.6	204.1	215.6	227.1
L3	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	273	285.5	298
L4	125	137.5	150	162.5	175	187.5	200	212.5	225	237.5	250	262.5	262.5	275	287.5
L5	12	12	13	13	14	14	15	15	16	16	17	17	12	12	13




Type 10/Side Ported


EX120

Dimensions: **JSY5000** Series

JJ5SY5-10S3 $\square$  - Stations  $\stackrel{\text{U}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}}{\stackrel{\text{C10}}}}{\stackrel{\text{C10}}}}\stackrel{\text{C10}}{\stackrel{\text{C}}}}\stackrel{\text{C10}}}{\stackrel{\text{C}}}}\stackrel{\text{C10}}}\stackrel{\text{C}}}\stackrel{\text{C10}}}\stackrel{\text{C}}}\stackrel{\text{$ 







- \* These figures show the "JJ5SY5-10S3V-05D-C12."
- Refer to page 99 for dimensions of external pilot (Made to Order) and silencer.

<b>D</b> :	
 Dimensions	

L: Dim	L: Dimensions n: Stations														
n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	131.3	147.3	163.3	179.3	195.3	211.3	227.3	243.3	259.3	275.3	291.3	307.3	323.3	339.3	355.3
L2	85.5	101.5	117.5	133.5	149.5	165.5	181.5	197.5	213.5	229.5	245.5	261.5	277.5	293.5	309.5
L3	160.5	173	198	210.5	223	235.5	260.5	273	285.5	310.5	323	335.5	348	373	385.5
L4	150	162.5	187.5	200	212.5	225	250	262.5	275	300	312.5	325	337.5	362.5	375
1.5	4.5	10	47	10	4.4	10	47	4.5	10	10	10	4.4	10	47	4.5

Chart Valve

Plug-in

# JSY1000/3000/5000 Series Common Dimensions

Type 10/Side Ported


Dimensions: **JSY1000** Series


External Pilot, Built-in Silencer


JJ5SY1-10 $\square$ -Stations  $\stackrel{\text{U}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}$ 


External pilot (Made to Order)

P, E port entry: D









#### Calculation formula for L dimensions

 $L = 6.5 \times n1 + 9 \times n2 + 39.6$ 

- n1: Number of 6.5 mm pitch manifold block stations (Applicable fitting: Ø2, Ø4)
- n2: Number of 9 mm pitch manifold block stations (Applicable fitting: ø6)
- \* These figures show the "JJ5SY1-10F2-05DR-C4."

## Common Dimensions JSY1000/3000/5000 Series

Type 10/Side Ported


Dimensions: **JSY3000** Series

External Pilot, Built-in Silencer

JJ5SY3-10 $\square$ -Stations  $\stackrel{\text{U}}{\stackrel{\text{R}}{\stackrel{\text{C}}{\stackrel{\text{R}}{\stackrel{\text{C}}}{\stackrel{\text{C}}{\stackrel{\text{C}}{\stackrel{\text{C}}}{\stackrel{\text{C}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}{\stackrel{\text{C}}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}{\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}{\stackrel{\text{C}}}}\stackrel{\text{C}}{\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{C}}\stackrel{\text{C}}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{\text{C}}}\stackrel{\text{C}}\stackrel{$ 

External pilot (Made to Order)


P, E port entry: D



D side U side (10.6)(38.8)

Calculation formula for L dimensions

 $L = 11.5 \times n + 33.4$ n: Manifold stations



\* These figures show the "JJ5SY3-10F2-05DR-C8."




Chart Valve

Plug-in Connector Connecting Base

D-sub Flat Ribbon Terminal Block

EX245 EX600 Lead Wire

**EX250** EX260

EX120


Type 10/Side Ported


Dimensions: JSY5000 Series

External Pilot, Built-in Silencer

External pilot (Made to Order)


P, E port entry: D






## Calculation formula for L dimensions $L = 16 \times n + 41.5$

n: Manifold stations



\* These figures show the "JJ5SY5-10F2-05DR-C12."





## Common Dimensions JSY1000/3000/5000 Series


Type 10/Side Ported


Dimensions: JSY1000 Series


Mixed Size, Straight Port Type

JJ5SY1-10 - Stations D-CM









- Refer to page 97 for dimensions of external pilot and built-in silencer.
- Refer to pages 65 to 68, 79, and 80 for dimensions when L6, b, and d are used for the calculation formula.

: pp. 87, 88

: pp. 93, 94

Refer to pages below for dimensions that are not specified in each wiring specification.

D-sub connector (IP40/Connector entry direction adjustable): pp. 23, 24 D-sub connector (IP20/Compact type) : pp. 29, 30 Flat ribbon cable (IP40/Connector entry direction adjustable): pp. 32, 33 Flat ribbon cable (IP20/Compact type) : pp. 36, 37 Spring type terminal block box : pp. 45, 46 Terminal block box : pp. 49, 50 Lead wire : pp. 57, 58 EX600 : pp. 65 to 68 EX250 : pp. 79, 80

#### Calculation formula for dimensions

 $L1 = 6.5 \times n1 + 9 \times n2 + a + b \times n3$ 

 $L2 = 6.5 \times n1 + 9 \times n2 + 43.4$ 

 $M = \{(L1 + c) / 12.5\} + 1$  Decimal fractions are truncated.

 $L3 = 12.5 \times M + 23$ 

L4 = L3 - 10.5

EX260

EX120

L5 = (L3 - L1 + c) / 2

 $L6 = b \times n3 + d$ 

n1: Number of 6.5 mm pitch manifold block stations (Applicable fittings: ø2, ø4) n2: Number of 9 mm pitch manifold block stations (Applicable fittings: ø6)

n3: Number of I/O units or input block stations

Coefficient	а	b	С	d
D-sub connector (IP20/Compact type)	64.1	_	6.1	_
D-sub connector/Flat ribbon cable (IP40/Connector entry direction adjustable)	83	_	6.1	_
Flat ribbon cable (IP20/Compact type)	59.1	_	11.2	_
Spring type terminal block box	125.5	_	_	_
Terminal block box	146.8	_	_	_
Lead wire	94.5	_	_	_
Serial transmission: EX600 (M12 connector)	139	47	_	83.8
Serial transmission: EX600 (7/8 inch connector)	155.5	47	_	83.8
Serial transmission: EX250	139	21	_	83.8
Serial transmission: EX260	86.2	_	_	_
Serial transmission: EX120	91.3	_	_	_

FW [D-sub connector (IP67)] is not available for the JSY1000.



Chart

Valve

Plug-in Connector Connecting Base

D-sub Flat Ribbon


Terminal Block


EX600 Lead Wire

EX245 EX250

EX260 EX120

# JSY1000/3000/5000 Series Type 10 Connector Connecting Base Manifold Exploded View






#### Manifold Parts Nos.

wiring. Refer to page 140.





Upward

Lateral

2

The holding screw of the clamp bracket is tightened at one point (for the JSY3000). \* The clamp bracket fixing method for the JSY1000 is different depending on

	Pilot	type	Desilla for		
Symbol	Intornal	External (Made to Order)	Built-in silencer		
Nil	•	_	_		
S	•	_	•		
R	_	•	_		

<sup>\*</sup> The 3/5(E) port is plugged for the built-in silencer type.

#### Connector entry direction SUP/EXH block assembly (D side) accessories and the number of accessories

and the number of acceptance			
Accessories	JSY1000 JSY3000	JSY5000	
a Tension bolt	None*1	3 pcs.	


<sup>\*1</sup> Since the nuts are embedded in the SUP/EXH block

#### 2 Clamp bracket

Series	Part no.	
JSY1000	JSY11M-15P-1A	
JSY3000	SY30M-15-1A	
JSY5000	SY50M-15-1A	


<sup>\*</sup> The part number is for 1 piece.

## JSY3000/5000 Series



#### **Manifold Parts Nos.**

silencer type.



## SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY3000	JSY5000
a Tension bolt	None*1	3 pcs.

<sup>\*1</sup> Since the nuts are embedded in the SUP/EXH block

#### 2 D-sub connector block <for IP67>


Part no.	Connector entry direction	
SY30M-14-9A1	Upward	
SY30M-14-9A2	Lateral	

#### **3 Clamp bracket**


Series	Part no.	
JSY3000	SY30M-15-1A	
JSY5000	SY50M-15-1A	

<sup>\*</sup> The part number is for 1 piece.





#### Manifold Parts Nos.




The 3/5(E) port is plugged for the built-in silencer type.

#### 2 Clamp bracket

<u> </u>	
Series	Part no.
JSY1000	JSY11M-15P-1A
JSY3000	SY30M-15-1A


<sup>\*</sup> The part number is for 1 piece.

104



 The clamp bracket fixing method for the JSY1000 is different depending on wiring. Refer to page 140.

#### Manifold Parts Nos.



The 3/5(E) port is plugged for the built-in silencer type.

## SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000 JSY3000	JSY5000
a Tension bolt	None*1	3 pcs.

st 1 Since the nuts are embedded in the SUP/EXH block

#### 2 Terminal block assembly


SY30M-130-1A

#### 3 Clamp bracket

Series	Part no.	
JSY1000	JSY11M-15P-1A	
JSY3000	SY30M-15-1A	
<b>JSY5000</b> SY50M-15-1A		


<sup>\*</sup> The part number is for 1 piece.





#### Manifold Parts Nos.

1) SUP/EXH block assembly



The 3/5(E) port is plugged for the built-in Not available for "R" type silencer type.

#### SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000 JSY3000	JSY5000
a Tension bolt	None*1	3 pcs.

<sup>\*1</sup> Since the nuts are embedded in the SUP/EXH block

2 Terminal block box housing assembly

VVQC1000-T0-1


3 Clamp bracket for terminal block box

SY30M-15-4A

4 Clamp bracket
-----------------


•	
Series	Part no.
JSY1000	JSY11M-15P-2A
<b>JSY3000</b> SY30M-15-1A	
JSY5000	SY50M-15-1A

\* The part number is for 1 piece.



depending on wiring. Refer to page 140.

#### **Manifold Parts Nos.**




\* The clamp bracket fixing method for the JSY1000 is different


## SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000 JSY3000	JSY5000
(a) Tension bolt	None*1	3 pcs.

st 1 Since the nuts are embedded in the SUP/EXH block



3



3

3


#### **3 Clamp bracket**

Series	Part no.
JSY1000	JSY11M-15P-1A
JSY3000	SY30M-15-1A
JSY5000	SY50M-15-1A

<sup>\*</sup> The part number is for 1 piece.

<sup>\*</sup> The 3/5(E) port is plugged for the built-in silencer type.

Note that EX600-SEC1 and EX600-SEC2 EtherCAT compatible SI units are to be discontinued as of October 2022. U side



# Manifold Parts Nos.

1) SUP/EXH block assembly

JSY 3 1M-1P-1A -C10 Series Mounting JSY1000

## Pilot, Silencer type

Pilot	type	Built-in
Internal	External (Made to Order)	silencer
•	_	_
•	_	•
_	•	_
		Intornal

JSY3000

JSY5000

\* The 3/5(E) port is plugged for the built-in silencer type.

Symbol	Mounting	JSY1000	JSY3000	JSY5000
Nil	Direct mounting	•	•	•
D00	DIN rail mounting (Without DIN rail)	•	_	_
D0	DIN rail mounting (Without DIN rail)	_	•	•

P. E port size (One-touch fittings)

		<u> </u>		
Symbol	P, E port	JSY1000	JSY3000	JSY5000
C8	ø8 One-touch fitting	•	_	_
C10	ø10 One-touch fitting	_	•	_
C12	ø12 One-touch fitting	_	_	•
00*1	Plug	•	•	•

The clamp bracket fixing method for the JSY1000 is different

depending on wiring. Refer to page 140.

\*1 Can be selected when the pilot, silencer type symbol is "Nil" or "S" Not available for "R" type

#### SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000/3000	JSY5000
a Tension bolt	None*1	3 pcs.

\*1 Since the nuts are embedded in the SUP/EXH block

## 2 Valve plate

## **EX600-ZMV2**

With mounting screws (2 pcs. of M4 x 6 and 2 pcs. of M3 x 8)

# 4 Clamp bracket

Series	Part no.
JSY1000	JSY11M-15P-2A
JSY3000	SY30M-15-1A
JSY5000	SY50M-15-1A

\* The part number is for 1 piece.

## ③ EX600 SI unit

	Protocol	
Symbol	Description	
PR	PROFIBUS DP	
DN	DeviceNet <sup>®</sup>	
MJ	CC-Link	
EN	EtherNet/IP™	l

EtherCAT

**PROFINET** 

EC

EX600-SPR 1

#### Version

Symbol	Description
Nil	When MJ, EN, EC, or PN is selected
Α	When PR or DN is selected

## Output type

Symbo	Description	Condition
1	PNP (Negative common)	Can be selected for all protocols except EN
2	NPN (Positive common)	Can be selected for all protocols except EN
3	PNP (Negative common)	Can be selected in the case of EN/PN*1
4	NPN (Positive common)	Can be selected in the case of EN/PN*1

\*1 For EN: 2 ports EtherNet/IP™ product For PN: IO-Link unit compatible product

# (Wireless compatible)

# **EX600 - W EN 1**

#### Protocol •

• • •	01 11 1	
Symbol	SI unit type	Description
ΕN	Wireless base module	EtherNet/IP™*1
PN	Wireless base module	PROFINET*1
sv	Wireless remote module	*1

\*1 The wireless system is suitable for use only in a country where it is in accordance with the Radio Act and regulations of that country.

#### Output type

	Output type
Symbol	Description
1	PNP (Negative common
2	NPN (Positive common)

# JSY1000/3000/5000 Series


# Manifold Parts Nos.

## 5 EX600 digital input unit

# EX600-DX P B

Number of inputs, open-circuit detection, and connector

Symbol	Number of inputs	Open-circuit detection	Connector
В	8	No	M12 connector (5 pins) 4 pcs.
С	8	No	M8 connector (3 pins) 8 pcs.
C1	8	Yes	M8 connector (3 pins) 8 pcs.
D	16	No	M12 connector (5 pins) 8 pcs.
E	16	No	D-sub connector (25 pins)
F	16	No	Spring type terminal block (32 pins)



5 EX600 digital output unit

EX600-DY PB

Number of outputs and connector

Symbol Description	
P PNP	١
	٦
NPN NPN	٦

Symbol	Number of outputs	Connector
В	8	M12 connector (5 pins) 4 pcs.
E	16	D-sub connector (25 pins)
F	16	Spring type terminal block (32 pins)



EX600-DM|P|

Input/Output type

Number of inputs/outputs and connector

Symbol	Description
Р	PNP
N	NPN

	Symbol Number of inputs		Number of outputs	Connector
	E	8	8	D-sub connector (25 pins)
	F	8	8	Spring type terminal block (32 pins)

5 EX600 analog input/output unit

EX600-AX

Analog input/output Symbol Desc AX Analo

Number of input channels and connector

	para e arabara		Transport or impart or increase and occurrence			
Symbol	Description	Symbo	Number of input channels	Connector		
AX	Analog input	Α	2 channels	M12 connector (5 pins) 2 pcs.		
AY	Analog output					

⑤ EX600 analog input/output unit

EX600-AMB

Analog input/output

Number of input/output channels and connector

EX600-ED2-□


Symbol	Number of input channels	Number of output channels	Connector	
В	2 channels	2 channels	M12 connector (5 pins) 4 pcs.	

5 EX600 IO-Link unit

Symbol

For apecinication •			• Nulli	nei oi hoira	and connecto
Symbol	Description		Symbol	Number of ports	Connector
Α	Port class A		В	4 ports	M12 connector
В	Port class B		_ P	4 ports	(5 pins) 4 pcs.

The applicable SI unit models are the PROFINET compatible EX600-SPN3 and EX600-SPN4. While there is also an EtherNet/IPTM compatible made-toorder specification, the EX600-SEN3-X80, the manifold



6 EX600 end plate

**EX600-ED** 

Power connector

Symbol	connector	
2	M12 power supply connector, B-coded	
3	7/8 inch power supply connector	
4	M12 power supply connector IN/OUT,	
4	A-coded, Pin arrangement 1	
5	M12 power supply connector IN/OUT,	
9	A-coded, Pin arrangement 2	

The pin layout for the "4" and "5" pin connectors is different.

# **⚠** Caution


will also need to be made to order in this case.



**Enclosed parts** 


Round head screw with washer (M4 x 20) 1 pc. P-tight screw (4 x 14) 2 pcs.







Connector Connecting Base Manifold Exploded View JSY3000/5000 Series Wiring



## Manifold Parts Nos.

**1) SUP/EXH block assembly** 

JSY 3 1M-1P-1A C10

JSY3000 3 **5** JSY5000

#### Pilot, Silencer type

	Pilot	De ella des		
Symbol	Internal External (Made to Order)		Built-in silencer	
Nil	•	_	_	
S	•	_	•	
R	_	•	_	

<sup>\*</sup> The 3/5(E) port is plugged for the built-in silencer type.

# P, E port size (One-touch fittings)

Symbol	P, E port	JSY3000	JSY5000
C10	ø10 One-touch fitting	•	_
C12	ø12 One-touch fitting	_	•
00*1	Plug	•	•

<sup>\*1</sup> Can be selected when the pilot, silencer type symbol is "Nil" or "S" Not available for "R" type

#### SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY3000	JSY5000
Tension bolt	None*1	3 pcs.

<sup>\*1</sup> Since the nuts are embedded in the SUP/EXH block

#### 2 EX245 SI unit

EX245 - S PN 1A

SI unit **PROFINET** 








◆ Connector type					
	Symbol	Communication connector	Power supply connector		
	1A	Push Pull connector (SCRJ): 2 pcs.	Push Pull connector (24 V): 2 pcs.		
	2A	Push Pull connector (RJ45): 2 pcs.	Push Pull connector (24 V): 2 pcs.		
	3A	M12 connector (4-pin, Socket, D-coded): 2 pcs.	7/8 inch connector (5-pin, Plug): 1 pc. 7/8 inch connector (5-pin, Socket): 1 pc.		

# JSY3000/5000 Series

## **Manifold Parts Nos.**

③ EX245 digital input module






③ EX245 digital output module



4 EX245 end plate



<sup>\*</sup> Refer to page 73 for manifold valve part numbers.

Bracket 3 to 5 correspond to the mounting hole pitch of each manifold valve.



Specific N Product recautions

Wiring **EX250** Manifold exploded view U side DIN rail holding screw -(Tightening torque: 1.4 N·m) SUP blocking disk (a) Tension bolt EXH blocking disk Holding screw (Tightening torque: 1.4 N·m) D side (3) Clamp bracket assembly Mounted only on the DIN rail Refer to pages 115 to 117 for mounting type details on common parts.

## Manifold Parts Nos.

① SUP/EXH block assembly

JSY 3 1M-1P-1A - C10 | Mo | Sym | Ni

	P	ilot, Siler	icer type
	Pilot	Pilot type	
Symbol	Internal	External (Made to Order)	Built-in silencer
Nil	•	_	_
S	•	_	•

JSY5000

\* The 3/5(E) port is plugged for the built-in silencer type.

Mounting

The holding screw of the clamp bracket is tightened at two points. \* The clamp bracket fixing method for the JSY1000 is different depending

on wiring. Refer to page 140.

Symbol Mounting		JSY1000	JSY3000	JSY5000
Nil Direct mounting		•	•	•
D00	DIN rail mounting (Without DIN rail)	•	_	_
D0	DIN rail mounting (Without DIN rail)		•	•

P, E port size (One-touch fittings)

	• `			
Symbol	P, E port	JSY1000	JSY3000	JSY5000
C8	ø8 One-touch fitting	•	_	_
C10	ø10 One-touch fitting	_	•	_
C12	ø12 One-touch fitting	_	_	•
00*1	Plug	•	•	•

\*1 Can be selected when the pilot, silencer type symbol is "Nil" or "S"

Not available for "R" type

# SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000 JSY3000	JSY5000
Tension bolt	None*1	3 pcs.

\*1 Since the nuts are embedded in the SUP/EXH block

# ②EX250 SI unit

# EX250-S DN1

discontinued as of November 2022.

#### **♦** Communication protoco

Com	Communication protocol					
DN1	DeviceNet® (Negative common)					
PR1	PROFIBUS DP (Negative common)					
AS3	AS-Interface (8 in/8 out, 31 slave modes, 2 isolated common type) (Negative common)					
AS5	AS-Interface (4 in/4 out, 31 slave modes, 2 isolated common type) (Negative common)					
AS7	AS-Interface (8 in/8 out, 31 slave modes, 1 common type) (Negative common)					
AS9	AS-Interface (4 in/4 out, 31 slave modes, 1 common type) (Negative common)					
CA1A	CANopen (Negative common)					
EN1	EtherNet/IP™ (Negative common)					


Note that the EX250-SPR1 PROFIBUS DP compatible SI unit is to be

## 3 Clamp bracket

Series	Part no.
JSY1000	JSY11M-15P-2A
JSY3000	SY30M-15-1A
JSY5000	SY50M-15-1A

\* The part number is for 1 piece.





5 EX250 end plate assembly

## EX250 - EA1


- \* With mounting screws (2 pcs. of M3 x 10)
- 6 Clamp bracket assembly for EX250

# SY30M-15-3A

\* The part number is for 1 assembly.




# JSY1000/3000/5000 Series



## Manifold Parts Nos.

## 1) SUP/EXH block assembly



	Pilot, Silencer type					
	Pilot	type	Built-in			
Symbol	Internal	External (Made to Order)	silencer			
Nil	•	_	_			
S	•	_	•			
R	_	•	_			

Dilat Cilonaar t

<sup>\*</sup> The 3/5(E) port is plugged for the built-in silencer type.

Symbol	P, E port	JSY1000	JSY3000	JSY5000
C8	ø8 One-touch fitting	•	_	_
C10	ø10 One-touch fitting	_	•	_
C12	ø12 One-touch fitting	_	_	•
00*1	Plug	•	•	•

<sup>\*1</sup> Can be selected when the pilot, silencer type symbol is "Nil" or "S" Not available for "R" type

# SUP/EXH block assembly (D side) accessories and the number of accessories

Accessories	JSY1000/3000	JSY5000
a Tension bolt	None*1	3 pcs.

\*1 Since the nuts are embedded in the SUP/EXH block

# ② EX260 SI unit (Fieldbus and Industrial Ethernet)

# EX260-S PR1

## **♦**Communication protocol

Symbol	Protocol	Number of outputs	SI unit output polarity	Communication connector	Manifold symbol	Symbol	Protocol	Number of outputs	SI unit output polarity	Communication connector	Manifold symbol
DN1		32	Source/PNP (Negative common)	M12	QAN	EC1		32	Source/PNP (Negative common)		DAN
DN2	DeviceNet®		Sink/NPN (Positive common)		QA	EC2	EtherCAT		Sink/NPN (Positive common)	M12	DA
DN2 DN3	Devicemen	16	Source/PNP (Negative common)	IVIIZ	QBN	EC3	EllielCAT	16	Source/PNP (Negative common)	IVIIZ	DBN
DN4		10	Sink/NPN (Positive common)		QB	EC4	10	Sink/NPN (Positive common)		DB	
PR1		32	Source/PNP (Negative common)		NAN	PN1		32	Source/PNP (Negative common)		FAN
PR2		52	Sink/NPN (Positive common)	M12	NA	PN2	PROFINET	32	Sink/NPN (Positive common)	M12	FA
PR3		16	Source/PNP (Negative common)	IVIIZ	NBN	PN3	<sup>2</sup> N3	16	Source/PNP (Negative common)	<u> </u>	FBN
PR4	PROFIBUS DP	10	Sink/NPN (Positive common)		NB	PN4			Sink/NPN (Positive common)		FB
PK5	FNOFIDUS DF	32	Source/PNP (Negative common)		NCN	EN1		32	Source/PNP (Negative common)		EAN
PR6		54	Sink/NPN (Positive common)	D-sub*1	NC	EN2	2 EtherNet/IP™		Sink/NPN (Positive common)		EA
PR7		16	Source/PNP (Negative common)	D-Sub**	NDN	EN3	EN3	16	Source/PNP (Negative common)		EBN
PR8			Sink/NPN (Positive common)		ND	EN4		10	Sink/NPN (Positive common)		EB
MJ1	/J2	32	Source/PNP (Negative common)		VAN	PL1	Ethernet	32	Source/PNP (Negative common)	M12	GAN
MJ2		32	Sink/NPN (Positive common)	M12	VA	PL3	POWERLINK	16	Source/FINF (Negative continion)	IVIIZ	GBN
MJ3	OO-LIIK	16	Source/PNP (Negative common)	IVITZ	VBN	IL1	IO-Link	32	Source/PNP (Negative common)	M12	KAN
MJ4		10	Sink/NPN (Positive common)		VB						

 $<sup>\</sup>ast 1$  Enclosure is IP40 when the communication connector is D-sub.

## **EX260 SI Unit (Safety Communication)**

# EX260-F PS1

# Communication protocol

Symbol	Protocol	Number of outputs	SI unit output polarity	Communication connector	Manifold symbol
PS1	PROFIsafe	32	Source/PNP (Negative common)	M12	FPN

#### 3 Clamp bracket

Series	Part no.	
JSY1000	JSY11M-15P-1A	
JSY3000	SY30M-15-1A	
JSY5000	SY50M-15-1A	


<sup>\*</sup> The part number is for 1 piece.



Wiring Manifold exploded view U side DIN rail holding screw (Tightening torque: 1.4 N·m) SUP blocking disk (a) Tension bolt EXH blocking disk D side Holding screw Refer to pages 115 to 117 for (Tightening torque: 1.4 N·m) details on common parts. 3 Clamp bracket Mounted only on the DIN rail mounting type

## Manifold Parts Nos.

1) SUP/EXH block assembly



C8

C10

The holding screw of the clamp bracket is tightened at two points. \* The clamp bracket fixing method for the JSY1000 is different

depending on wiring. Refer to page 140.

	i not, choncer type					
	Pilot	type				
Symbol	Internal	External (Made to Order)	Built-in silencer			
Nil	•	_	_			
S	•	_	•			
R	R —		_			

\* The 3/5(E) port is plugged for the built-in silencer type.

C12	ø12 One-touch fitting
00*1	Plug
	n be selected when the ot, silencer type symbol

ø8 One-touch fitting

ø10 One-touch fitting

is "Nil" or "S" Not available for "R" type

#### SUP/EXH block assembly (D side) accessories and the number of accessories

JSY5000

Accessories	JSY1000/3000	JSY5000
a Tension bolt	None*1	3 pcs.

\*1 Since the nuts are embedded in the SUP/EXH block

# 2 EX120 SI unit

# EX120-S DN1

#### Communication protocol

DN1	DeviceNet® (Positive common)
CS1	OMRON Corp.: CompoBus/S (16 outputs) (Positive common)
CS2	OMRON Corp.: CompoBus/S (8 outputs) (Positive common)
MJ1	CC-Link (Positive common)
CM1	CompoNet® NPN (Positive common)
СМЗ	CompoNet® PNP (Negative common)

## **3 Clamp bracket**


Series	Part no.
JSY1000	JSY11M-15P-1A
JSY3000	SY30M-15-1A
JSY5000	SY50M-15-1A

<sup>\*</sup> The part number is for 1 piece.




# JSY1000/3000/5000 Series

# Manifold Exploded View [Common Parts]



# Type 10: How to Increase Connector Type Manifolds

Loosen the U-side tension bolt ⓐ, and remove the B SUP/EXH end block assembly.




Screw them in until there is no gap between the tie-rods.

Connect the A manifold block assembly and B SUP/EXH end block assembly to be added, and tighten the tension bolt a.

Tightening torque for tension bolt @ (M3): 0.8 N·m

# **⚠** Caution

- Be sure to shut off the power and air supplies before disassembly.
  - Furthermore, since air may remain inside the actuator, piping, and manifold, confirm that the air is completely exhausted before performing any work.
- When disassembly and assembly are performed, air leakage may result if the tightening of the tension bolt is inadequate.



\*1 Manifold block assembly

mamicia biook accombly					
No.	Description	Quantity	Note		
123	Gasket	1 pc. of each	For base, connector, and manifold block		
<b>(4</b> )	Tie-rod for additional stations	3			

Refer to page 116 for ordering single unit.

\* ② Connector gasket is not applicable to the JSY1000.



# For the JJ5SY1-10, JJ5SY3-10, JJ5SY5-10

No.		Description	JSY <sup>-</sup>	1000	JSY3000	JSY5000	Note
INO.		Description	6.5 mm pitch	9 mm pitch	3313000	3313000	Note
<b>A-</b> ①	Base gasket (for connector connecting base)  JSY11M-9P-1A		JSY31M-9P-1A	JSY51M-9P-1A	Part numbers shown on the		
			I-VI -IA	00101W-31-1A	OOTOTIM-SI-TA	left are for 10 valves. (10 pcs.)	
<b>A-</b> ②	호현	Connector gasket	_	_	SX3000	0-146-2	Supplied individually
<b>A-</b> ③	nifold ssem	Manifold block gasket	JSY11M-9P-2		JSY31M-9P-2	JSY51M-9P-2	Supplied individually
<b>A-</b> ④	Manife ass	Tie-rod for	JSY11M-49P-1-1-A	JSY11M-49P-2-1-A	JSY31M-49P-1-1-A	SV2000-55-2A-A	2 non aunnlind
A-(4)	-	additional stations*1	(6.5 mm pitch)	(9 mm pitch)	(11.5 mm pitch)	(16 mm pitch)	3 pcs. supplied
( <del>5</del> )	JSY11M-49P-1-□-A   JSY11M-49P		JSY11M-49P-2-□-A	JSY31M-49P-1-□-A	SV2000-55-1-□-A	☐: Manifold stations (2 to 24	
(3)	i ie-i	ou	(6.5 mm pitch)	(9 mm pitch)	(11.5 mm pitch)	(16 mm pitch)	stations) 3 pcs. supplied
(6)	Valv	e mounting screw	JSY11\	/-23-1A	JSY31V-23-1A	JSY51V-23-1A	Part numbers shown on the
0	vaiv	e mounting screw	(M1.4	x 21.5)	(M2 x 25)	(M3 x 29)	left are for 10 valves. (20 pcs.)
7	DIN	rail	VZ1000-11-1-□			VZ1000-11-4-□	Refer to page 131.
8		bracket*2 connector connecting base)	JSY11M-15P-1A (Ref JSY11M-15P-2A (Ref	er to the table below.)*2 er to the table below.)	SY30M-15-1A	SY50M-15-1A	Supplied individually


- \*1 The manifold of the JSY1000/3000 (JJ5SY1-10/JJ5SY3-10) can be assembled by connecting the tie-rods for number of manifold stations. The manifold of the JSY5000 (JJ5SY5-10) cannot be assembled by connecting the tie-rods for additional stations for the number of manifold. Tie-rod (SV2000-55-1-□-A) is necessary.
- \*2 Part number of the clamp bracket for the JSY1000 is different depending on the manifold wiring. Refer to the table below. Refer to page 140 for assembly.

#### Table. JSY1000 series clamp bracket


	Wiring (JSY1000 series)	JSY11M-15P-1A	JSY11M-15P-2A
F	D-sub connector	•	_
P□	Flat ribbon cable	•	_
TC	Spring type terminal block box	•	_
T	Terminal block box	_	•
L	Lead wire	•	_
S6	EX600	_	•
S□	EX250	_	•
S	EX260	•	_
S3	EX120	•	_

# Manifold Parts Nos.

## A Manifold block assembly



		A, B	port size (	One-touch	fittings) •
Symbol	A, B port	JSY1000 JSY3000 JSY500		JSY5000	
Cyrribor	A, B port	6.5 mm pitch	9 mm pitch	0313000	0313000
C2	ø2 One-touch fitting	•	_	_	_
C4	ø4 One-touch fitting	•	_	_	_
C6	ø6 One-touch fitting	_	•	•	_
C8	ø8 One-touch fitting	_	_	•	_
C10	ø10 One-touch fitting	_	_	_	•
C12	ø12 One-touch fitting	_	_		•



#### Manifold block assembly accessories and the number of accessories


Accessories	Quantity	
① Base gasket	1 pc.	
② Connector gasket*1	1 pc.	
③ Manifold block gasket	1 pc.	
4 Tie-rod for additional stations	3 pcs.	

\*1 Not applicable to the JSY1000 series

# JSY1000/3000/5000 Series

## Manifold Parts Nos.






	Pilot type		Built-in	
Symbol	Internal	External (Made to Order)	silencer	
Nil •		_	_	
S	•	_	•	
R	_	•	_	

The 3/5(E) port is plugged for the built-in silencer type.

## P, E port size (One-touch fittings) •

Symbol	P, E port	JSY1000	JSY3000	JSY5000
C8	ø8 One-touch fitting	•	_	_
C10	ø10 One-touch fitting	_	•	_
C12	ø12 One-touch fitting	_	_	•
00*1	Plug	•	•	•

\*1 Can be selected when the pilot, silencer type symbol is "Nil" or "S" Not available for "R" type



#### Mounting

-
ail)
ail)

\*1 Part number only for the JSY1000

Part number is different depending on the wiring. Refer to Table 1.

#### Table 1. JSY1000 series DIN rail mounting

Symbol	Wiring
D0	D-sub connector ( <b>F</b> type) Flat ribbon cable ( <b>P</b> □ type) Spring type terminal block box ( <b>TC</b> type) Lead wire ( <b>L</b> type) EX260 ( <b>S</b> □□ type) EX120 ( <b>S</b> 3 type)
D00	Terminal block box ( <b>T</b> type) EX600 ( <b>S6</b> type) EX250 ( <b>S</b> □ type)

#### SUP/EXH end block assembly accessories and the number of accessories

Accessories	Quantity
Tension bolt	3 pcs.
A-③ Manifold block gasket	1 pc.

Gasket is mounted.


## ® Clamp bracket

Series		Part no.
JSY1000	For D0	JSY11M-15P-1A
3311000	For D00	JSY11M-15P-2A
JSY3000		SY30M-15-1A
JSY5000		SY50M-15-1A

- \* The part number is for 1 piece.
- Part number of the JSY1000 is different depending on the manifold


Refer to the Table 1. JSY1000 series DIN rail mounting for selecting a clamp bracket.

## ■ Cover, Silencer cover, Port block for SUP/EXH (end) block assembly



- Cover, silencer cover, and port block are included in the SUP/EXH (end) block assembly, but they need to be ordered for piping specification change.
- Mounting screws (2 pcs.) for SUP/EXH end block assembly are included.

Tightening torque for mounting screw JSY1000 (M2.5): 0.32 N·m JSY3000 (M3): 0.8 N·m JSY5000 (M4): 1.4 N·m



# JSY3000 JSY5000

#### **⚠** Caution

- 1. Be sure to shut off the power and air supplies before disassembly. Furthermore, since air may remain inside the actuator, piping, and manifold, confirm that the air is completely exhausted before performing any work.
- 2. When disassembly and assembly are performed, air leakage may result if the tightening of the cover and port block assemblies are inadequate.



Specific Product Precautions

# Plug-in Connector Connecting Base ( E UK

Vacuum Unit ZK2 Combination Manifold


# Гуре 10

ISY3000 Series

Specify the valve manifold and mounted valve part numbers as well as the ejector manifold and mounted ejector part numbers for ordering. Refer to page 120 for an order example.

**Internal Pilot** 

**How to Order Manifolds** 



# Valve Manifold

Combination manifold

# Series

JSY3000

Connector type, Wiring, Number of cores. SI unit

rtainber of cores, of ann			
Symbol	Туре		Page
F		IP40	
FW	D-sub connector (25 pins)	IP67	
FC	(25 piris)	IP20	
Р		26 pins	
PG	Flat ribbon cable	20 pins	21
PH		10 pins	
PC	Flat ribbon cable	26 pins	
PGC	Compact type	20 pins	
PHC	Compact type	10 pins	
TC	Spring type terminal	block box	43
T	Terminal block box		43
L1		34 cores	
L2	Lead wire	17 cores	55
L3		9 cores	
S6□		EX600	63
S□	Serial	EX245	73
S□	transmission	EX250	77
S□		EX260	83
S3□		EX120	91

\* Refer to the pages shown in the table above for details.

# 2 Type

Side ported

Connector entry direction (F□/P□)

Symbol	Type
1	Upward
2	Downward

#### Lead wire length (L1/L2/L3)

Symbol	Туре
1	0.6 m
2	1.5 m
3	3 m

- SI unit output polarity, End plate type (S6□) Refer to page 63.
- With or without I/O modules (S□) Refer to page 73.
- · Input block stations (S□) Refer to page 77.
- **5** I/O unit stations (S6□) Refer to page 63.

Number of I/O modules (S□) Refer to page 73.

Input block type (S□) Refer to page 77.

# P, E port entry, SUP/EXH block assembly

Symbol	P, E port entry	SUP/EXH block assembly	Application
U	U side (2 to 10 stations)		
D	D side (2 to 10 stations)	Internal pilot	All
В	Both sides (2 to 24 stations)		
US	U side (2 to 10 stations)	Internal pilot,	D-sub connector ( $F\square$ ), Terminal block box (TC, T),
DS	D side (2 to 10 stations)	Built-in	Flat ribbon cable (P□), Lead wire (L□)
BS	Both sides (2 to 24 stations)	silencer	EX260(S□)/EX245(S□)/EX120(S3□)
С	U side (2 to 10 stations)	Internal pilot,	EX600(86□)
E	D side (2 to 10 stations)	Built-in	EX600(S6□) EX250(S□)
F	Both sides (2 to 24 stations)	silencer	<u> </u>

- \* The 3/5(E) port is plugged for the built-in silencer type.
- When the built-in silencer type is used, keep the exhaust port from coming into direct contact with water or other liquids.
- The external pilot specification should be ordered as Made to Order. For details, refer to page 135.

# 6 Valve stations

#### For 32 output points (TC/L1/S6□/S□)

#### Symbol Stations Note 02 2 stations Double wiring\*1 15 15 stations 02 2 stations Specified layout\*2 (Up to 30 solenoids available) 24 24 stations

#### For 20 output points(T)

Symbol	Stations	Note
02	2 stations	
•	i :	Double wiring*1
09	9 stations	
02	2 stations	Specified layout*2
:	:	(Up to 18 solenoids
18	18 stations	available)

#### For 16 output points (L2/S□/S3□)

/		,
Symbol	Stations	Note
02	2 stations	
:	:	Double wiring*1
07	7 stations	
02	2 stations	Specified layout*2
	:	(Up to 14 solenoids
14	14 stations	available)

# · For 24 output points

# (F/FW/FC/P/PC)

_			
	Symbol	Stations	Note
	02	2 stations	
		:	Double wiring*1
	11	11 stations	
:	02	2 stations	Specified layout*2
s	:	:	(Up to 22 solenoids
	22	22 stations	available)

#### · For 18 output points (PG/PGC)

	Symbol	Stations	Note
	02	2 stations	
*1	•	:	Double wiring*1
	08	8 stations	
*2	02	2 stations	Specified layout*2
ds	:	:	(Up to 16 solenoids
	16	16 stations	available)

#### For 8 output points (PH/PHC/L3)

	Symbol	Stations	Note
	02	2 stations	
:1	:	i i	Double wiring*1
	03	3 stations	
:2	02	2 stations	Specified layout*2
ds	:	:	(Up to 6 solenoids
	06	6 stations	available)

- \*1 Double wiring: 2-position single, double, 3-position, and 4-position valves can be used on all manifold stations. The use of a 2-position single solenoid will result in an unused control
- \*2 Specified layout: Indicate the wiring specifications on the manifold specification sheet. (Note that 2-position double, 3-position, and 4-position valves cannot be used where single wiring has been specified.)
- The total number of solenoids for the valve and ejector should not exceed the number of output points. (Number of ejector solenoids: 2 per station)
- This also includes the number of blanking plates.
- For models without an SI unit (S0), note the number of output points of the SI unit that will be mounted.

## (Metric/One-touch fitting)

Symbol	A, B port	P, E port
C6	Straight ø6	
C8	Straight ø8	ø10
CM*1	Straight port, mixed sizes	

\*1 Indicate the sizes on the manifold specification sheet in the case of "CM."

# 9 Mounting

Symbol	Mounting
Nil	Direct mounting
D	DIN rail mounting (With DIN rail)
D0	DIN rail mounting (Without DIN rail)

Refer to page 139 for details on securing the DIN rail mounting type manifold.





**Internal Pilot** 

# How to Order Valves (With mounting screw)

Refer to page 13 for valve specifications.

JSY3000 Series





Specification With power-saving circuit (Continuous duty type): 0.1 W (JSY3000) External pilot




U Sei	J Series			
3	JSY3000			

Pilot valve individual exhaust

# Type of actuation

1	2-position	Single
2	2-008111011	Double
3		Closed center
4	3-position	Exhaust center
5		Pressure center
Α	4	N.C./N.C.
В	4-position dual 3-port	N.O./N.O.
С	duai o-port	N.C./N.O.

# 6 Manual override



Rated voltage

24 VDC

3 Pilot valve exhaust method

## 5 Light/surge voltage suppressor and common specification

Symbol	With light	Surge voltage suppressor	Common specification
U			Non-polar
Z	Z	•	Positive common
NZ			Negative common


- \* When the non-polar common specification type is selected, take measures to prevent surge voltage. For details, refer to page 138.
- For fieldbus compatible manifolds, ensure that the output polarity of the SI unit matches the common specification of the valve. Note that the common specification of the ejector is non-polar.

**多SMC** 

#### When ordering a valve individually, the base gasket is not included.

Since the base gasket is attached to the manifold, please order the base gasket separately if it is needed for maintenance. Refer to page 116 for base gasket and mounting screw part numbers.

# **How to Order Manifold Assembly**



#### Refer to pages 121 and 122 for how to order ZK2 vacuum units.

- JJ5SY3-10SFA-05D-C8-M ··· 1 set (Type 10 5-station manifold base part no.) \* JSY3100-5U .....2 sets (2-position single valve part no.) \* JSY3200-5U .....3 sets (2-position double valve part no.)
- \* ZZK204A-A1S0-----1 set (Ejector manifold part no.)
- \* ZK2C12K5NC1A-08.....4 sets (Ejector unit part no.)
- The asterisk denotes the symbol for the assembly. Prefix it to the part numbers of the ejector manifold, valve, etc.
- For the valve and ejector arrangement, the valves closest to the D side are considered the 1st stations respectively.
- Under the manifold part number, state the valves, ejector manifold, and ejector units to be mounted in order starting with the 1st station as shown in
- · Complex exhaust and individual port exhaust cannot be mixed in the ejector
- · If the arrangement becomes too complicated, specify the details on a manifold specification sheet.

# **⚠** Caution

If the product is to be continuously energized, please be sure to select the power-saving circuit (continuous duty type) specification. Refer to "Made to Order" on page 135.




Chart Valve

Connector Connecting Base

Flat Ribbon

Terminal Block

Lead Wire **EX600** 

**EX245 EX250** 

**EX260** 

EX120

# JSY3000 Series

Specify the valve manifold and mounted valve part numbers as well as the ejector manifold and mounted ejector part numbers for ordering. Refer to page 120 for an order example.

## **How to Order Manifolds**



## 1 Stations\*1

Stations	
1 station	
2 stations	
:	
8 stations	
	1 station 2 stations :

For adequate performance, the number of stations that can be operated simultaneously depends on the nozzle diameter. For details, refer to the ZK2□A series catalog.

## 2 System/Port

_	•	
Symbol	System	Port
A	Ejector system	ø8 (Common PV)

# **3** Exhaust

Symbol	Exhaust	Selectable single unit number
1	Complex exhaust*2	ZK2C Direct exhaust End plate exhaust
2	Individual exhaust	ZK2F, ZK2H

\*2 Combination of direct exhaust and end plate exhaust from each station

## 4 Supply valve and release valve wiring\*3

Symbol	Wiring	Selectable wiring for manifold (Refer to "How to Order Ejectors" on page 122.)		
		С	C1	
S0	Centralized wiring	•	•	

\*3 Individual wiring is specified for pressure switches for vacuum and sensors.

## 6 Option\*4

Symbol Type			Selecta to "How				
		Е	J	K	L	Р	W
Nil	Without option	•	•	•	_		•
В	With DIN rail mounting bracket*5	•	•	•	_	_	•
D	With common release pressure supply (PD) port	•	•	•	_	◎*6	•
L	Manifold individual supply specification	•	•	•	⊚*6	_	•

- \*4 When more than one option is selected, list the option symbols in alphabetical order. (Example -BD)
- \*5 Be sure to select the DIN rail mounting for the mounting method of the valve manifold.
- \*6 When option "D" is selected, select option "P" for the single unit for manifold. When option "L" is selected, select option "L" for the single unit for manifold. (

  must be selected.)
- \* For details, refer to "Optional Specifications/Functions/Applications" below.

# **Optional Specifications/Functions/Applications**

Symbol			Туре		Function/Application
E		Screwdriver operation type long lock nut		Screwdriver operation type long lock nut	Used when the port position is close to the manifold's individual supply and needle adjustment is difficult
J	Vacuum break flow adjusting needle	Round lock nut		Lock nut	Thicker than the standard hexagon type More suitable for hand tightening The round lock nut improves operability when the manifold or exhaust port type is used.
K		Screwdriver operation type		Vacuum break flow adjusting needle	The slotted type allows for fine adjustment when the manifold or exhaust port type is used.
L	Manifold individ			Individual supply port	For adjusting the manifold's supply pressure and the vacuum pressure reached by each ejector individually
Р	With manifold common release pressure supply (PD) port			· When selecting option "D" (with common release pressure supply (PD) port), a pressure which is different from the common PV can be supplied to the common PD.	
w	With exhaust ir prevention valv			Exhaust interference prevention valve	· When ejectors are operated individually, exhausted air may flow backward from the V ports of ejectors that are turned off. The exhaust interference prevention valve prevents this backflow.

Valve


Plug-in Connector Connecting Base
Vacuum Unit ZK2 Combination Manifold

Vacuum Unit ZK2 Combination Manifold

Specify the valve manifold and mounted valve part numbers as well as the ejector manifold and mounted ejector part numbers for ordering. Refer to page 120 for an order example.

For ejector specifications, refer to the  $ZK2\square A$  series in the **Web Catalog**.

# **How to Order Ejectors**



Body/Exhaust type

<u> </u>	Bouy/Exhaust type					
Symbol	Body	Exhaust type				
С		Complex exhaust*1				
F	For Manifold	Individual port exhaust				
н		High-noise reduction silencer exhaust				

\*1 Combination of direct exhaust and end plate exhaust from each station

# Pressure switch for vacuum/Pressure sensor

				cifications
Type		NPN	PNP	With unit selection
	range [Ki a]	2 ou	tputs	function*3
		•	_	•
for	0 to 101	•	_	None (SI unit only)
5 _	010-101	_	•	•
swi		_	•	None (SI unit only)
ure /acı		•	_	•
1SSE	100 to 100	•	_	None (SI unit only)
Pre	-100 10 100	_	•	•
		_	•	None (SI unit only)
Pressure	0 to -101	Analog output 1 to		output 1 to 5 V
sensor	-100 to 100	Analog output 1 to 5 V		
Without p	pressure switch for vacuum/pressure sensor			
	Pressure switch for some same vacuum	7. range [kPa]  1. July 1. Jul	Type range [kPa]   NPN   2 ou   •   •   •   •   •   •   •   •   •	Type

\*3 The unit selection function is not available in Japan due to the New Measurement Law. The unit for the type without the unit selection function is fixed as kPa.

# Vacuum (V) port

Symbol	Vacuum (V) port
06	ø6
08	ø8

# 2 Nominal nozzle size

Symbol	Nominal nozzle size
07	ø0.7
10	ø1.0
12	ø1.2
15	ø1.5

\* Refer to the ZK2□A series catalog for the standard supply pressure per nozzle diameter.

# 3 Combination of supply valve and release valve

Symbol	Supply	/ valve	Release valve
Syllibol	N.C.	Self-holding	N.C.
K	•	_	•
J	•	_	_
R	_	●*2	•

\*2 Supply valve maintains vacuum by energization (20 ms or more). Stopping the vacuum turns on the release valve.

# Rated voltage (Supply valve/Release valve)

Symbol	Voltage	
5	24 VDC	

# 6 Connector

#### (Supply valve/Release valve/Pressure switch for vacuum)

Symbol	For supply valve/ release valve	For pressure switch for vacuum:	Pressure sensor	Note
Syllibol	Centralized wiring specification (Plug-in)	2 m (Lead wire with connector)	assembly: 3 m (With lead wire)	Note
С	•	•		Cannot be selected when <b>5</b> is N
C1	•	None		Cannot be selected when <b>5</b> is P or T

# 8 Option\*4 (For details on the Function/Application, refer to page 121.)

<u> </u>	Puon	to page 121.)		
Symbol		Type		Note
Nil	Without c	ption	_	
E	λ flow edle	Screwdriver operation type long lock nut	Screwdriver operation type long lock nut	Cannot be selected when 3
J	Vacuum break flow adjusting needle	Round lock nut	Lock nut	is J Can be selected only for the
K	Vacu adju	Screwdriver operation type	Vacuum break flow adjusting needle	combination of J and K
L		individual pecification*5	_	
Р		nifold common rele supply (PD) port	Cannot be selected when 3 is J	
w	With exha	aust interference n valve	Exhaust interference prevention valve	When J is selected for <b>3</b> , install the release valve or vacuum breaker in the middle of the vacuum piping

- \*4 When more than one option is selected, list the option symbols in alphabetical order. (Example -EL)
- \*5 When F or H is selected for and L is selected for the option, the space for adjusting the needle is reduced. Products which can be operated more easily can be specified by option E or K.

# JSY3000 Series

# Type 10/Side Ported


# Dimensions: **JSY3000** Series

Vacuum Unit ZK2 Combination Manifold

JJ5SY3-10□- Stations B-M

For details on ejectors, refer to the ZK2 A series in the Web Catalog.

\* ZZK2 Stations A-A 2 S0-



- \* Refer to page 125 for dimensions of external pilot and built-in silencer.
- Refer to pages 69, 70, and 81 for dimensions when L6 and b are used for the calculation formula.
- \* Refer to the reference pages shown in the table to the right for dimensions that are not specified in each wiring specification.

Calculation formula for dimensions
L1 = 11.5 x n1 + 15 x n2 + a + b x n3 + e
L2 = 11.5 x n1 + 15 x n2 + e + 93.7
M = (L1 + c)/12.5 + 1 Decimal fractions are truncated.
$L3 = 12.5 \times M + 23$
L4 = L3 - 10.5
L5 = (L3 - L1 + c)/2
$L6 = b \times n3 + 82$
L7 = 15 x n2 + 41.5

- n1: Number of valve stations of the JSY3000
- n2: Number of ejector stations of the ZK2A
- n3: Number of I/O units or input block stations

		Coefficier	nt	Reference
	а	b	С	page
D-sub connector (IP40/Connector entry direction adjustable)	120.4	_	6.1	25
D-sub connector (IP67)	135.2	_	4.5	27
D-sub connector (IP20/Compact type)	133.4	_	6.1	31
Flat ribbon cable (IP40/Connector entry direction adjustable)	120.4	_	6.1	34
Flat ribbon cable (IP20/Compact type)	114.9	_	11.2	38
Spring type terminal block box	172.7	_	_	47
Terminal block box	194	_	_	51
Lead wire	141.7	_	_	59
Serial transmission: EX600 (M12 connector)	186.2	47	_	69
Serial transmission: EX600 (7/8 inch connector)	202.7	47	_	70
Serial transmission: EX245	217.8	54	_	75
Serial transmission: EX250	186.2	21	_	81
Serial transmission: EX260	133.4	_	_	89
Serial transmission: EX120	138.5		_	95
0 (": 1				


Coefficient	е
D side entry	_
U side/Both sides entry	23
O side/Dotti sides entity	2.5




**Dimensions** 

For details on ejectors, refer to the ZK2 A series in the **Web Catalog**.


#### With pressure sensor




#### With pressure switch




#### For port exhaust




#### PS and PD port dimensions



#### For the screwdriver operation type long lock nut



#### For high-noise reduction silencer exhaust



- \*1 The common pilot pressure supply (PS) port is only available when manifold option "L" (manifold individual supply specification) is selected.
- \*2 The common supply (PD) port is only available when manifold option "D" is selected.

# JSY3000 Series

Type 10/Side Ported


**External Pilot, Built-in Silencer** 


Dimensions: **JSY3000** Series


**Vacuum Unit ZK2 Combination Manifold** 

JJ5SY3-10□- Stations BO (S, R)-M

\* ZZK2 Stations A-A <sup>1</sup><sub>2</sub> S0-








Specific Product Precautions

# JSY3000 Series ZK2 Combination Manifold Exploded View

# **Manifold Exploded View**



\* For details on the ZK2 ejector unit and replacement parts for the manifold, refer to the ZK2□A series catalog.

# For the JJ5SY3-10-M (ZZK2□A)

#### 9 Manifold end plate assembly

The assembly number includes end plate D, end plate U, and a tension bolt assembly.

No.	Description	ZK2	Note
10	Clamp bracket	ZK2-DA5-A	2 pcs. per set
11)	DIN rail mounting spacer	ZK2-EU3-A	






# JSY3000 Series

## Manifold Parts Nos.

## © End block assembly

# JSY31M-3P-2A





# End block assembly accessories and the number of accessories

Accessories	Quantity
a-1 Tension bolt (Short)	1 pc.
(a)-2 Tension bolt (Long)	2 pcs.
<b>b</b> -1 Connection bracket assembly	2 sets
<b>b</b> -2 Connection bracket B	2 pcs.
A-③ Manifold block gasket	1 pc.

\* Gasket is mounted.

## (D) Intermediate SUP/EXH block assembly





# Intermediate SUP/EXH block assembly accessories and the number of accessories

and the named of decement	
Accessories	Quantity
Tie-rod for additional stations	3 pcs.
A-③ Manifold block gasket	1 pc.

<sup>\*</sup> Gasket is mounted.

## **8 Clamp bracket**

Series	Part no.
JSY3000	SY30M-15-1A

## **⚠** Caution


- Be sure to shut off the power and air supplies before disassembly.
  - Furthermore, since air may remain inside the actuator, piping and manifold, confirm that the air is completely exhausted before performing any work.
- When disassembly and assembly are performed, air leakage may result if the tightening of the cover and port block assemblies are inadequate.



R

# JSY3000 Series ZK2 A Vacuum Ejector Manifold Exploded View

# **How to Increase Manifold Stations**







Fig. 5

(12)



End plate D assembly

Fig. 4

# [To increase the number of stations from an odd number (1, 3, 5, 7) to an even number (2, 4, 6, 8)]

(Odd numbered stations have a vacant lead wire for one station, so additional orders are not required.)

- 1) Remove the tension bolt.
- 2) Remove end plate U.
- 3) Remove the valve assembly from the single unit for manifold to be added.
- 4) Remove the switch assembly if there is one. (Be careful not to drop the O-ring. Refer to Fig. 1.)
- 5) Remove junction box B (top) using a precision screwdriver. (Refer to Fig. 2.)
- Mount the extra connector to junction box B. (Refer to Fig. 3.) (Engage the recess of the connector and the protruding part of junction box B. Refer to Fig. 3-A.)
- 7) Mount the single unit for manifold to be added to the end surface on the U side.
- 8) Mount end plate U with tension bolts of the appropriate length for the number of stations required. (Tightening torque: 0.75 N·m)
- 9) Mount junction box B to junction box A.
- 10) Mount the valve assembly. (Tightening torque: 0.15 N·m)
- 11) For products with a switch, mount the switch assembly. (Be careful not to drop the O-ring. Tightening torque: 0.08 to 0.10 N·m)

# [To increase the number of stations from an even number to an odd number or to increase by 2 stations or more]

- 1) Remove the valve assemblies from all stations. (Remove from the single units to be added also.)
- 2) Remove the switch assemblies if there are any. (Be careful not to drop the O-rings. Refer to Fig. 1.)
- Remove junction box B (top) from all stations using a precision screwdriver. (Refer to Fig. 2.) (Remove each junction box B from the D side.)
- Remove all connectors mounted to each junction box B. (Be careful not to break the connector clips.)
- 5) Remove the tension bolts.
- 6) Remove the end plate D assembly.
- 7) Remove the linkage-printed circuit board, and then remove the connector assembly. (Refer to Fig. 4.)
- 8) Connect the lead wire assembly. (Refer to Fig. 5.)
- Remount the connector assembly and linkage-printed circuit board. (Refer to Fig. 4).
- 10) Remove end plate U. (Be careful not to drop the gasket.)
- 11) Mount the single units for manifold to be added to the end surface on the U side. (Do not let the gasket get caught.)
- 12) Mount end plates U and D with tension bolts of the appropriate length for the number of stations required. (Tightening torque: 0.75 N·m)
- 13) Mount the connectors for all stations to each junction box B. (Refer to Fig. 3.) (Engage the recess of the connector and the protruding part of junction box B. Refer to Fig. 3-A.)
- 14) Mount each junction box B to each junction box A. Push the wires down and mount each junction box B to each junction box A starting with the connector station numbers on the U side. (Refer to Fig. 6.) (Do not let the lead wire get caught.)
- 15) Mount the valve assemblies. (Tightening torque: 0.15 N·m)
- For products with a switch, mount the switch assemblies.
   (Be careful not to drop the O-rings. Tightening torque: 0.08 to 0.10 N·m)

## 12 Lead wire assembly



# Applicable stations


	•
03	For 3-station manifold
:	:
08	For 8-station manifold

# How to Increase Manifold Stations: Vacuum Ejector Manifold for JSY3000

# Connect the lead wire assembly to the positions shown in the diagram below.

2) Do not pull the lead wire forcefully when connecting. Also, take care that lead wires do not get caught between manifolds when mounting end plates U and D.


# Wiring



130

JSY1000/3000/5000 Series One-touch Fittings, Plug, Clip, Port Plate, Tube Releasing Tool
Refer to "How to Replace One-touch Fittings" on page 139

for the replacement method.



# 1 One-touch Fittings

	Series	JSY	1000	JSY3000	JSY5000	Note			
Port size		6.5 mm pitch	9 mm pitch	J513000	J515000	ivote			
	ø2 KQSY10-C2		_	_	_				
A D mant	ø4 KQSY10-C4-X1336 —		_	_	_				
	ø6	_	KQSY11-C6-X1336	KQSY30-C6	_				
A, B port	ø8	_	_	KQSY30-C8-X1336	_				
	ø10	_	_	_	KQSY50-C10	The part number is for 1 piece (Sales unit: 10 pcs.)			
	ø12	_	_	_	KQSY50-C12-X1336	(Sales unit. 10 pcs.)			
	ø8	KQSY30-	C8-X1336	_	_				
P, E port	ø10	_	_	KQSY31-C10-X1336	_				
	ø12	_	_	_	KQSY50-C12-X1336				

<sup>\*</sup> Refer to page 139 for assembling when a fitting is replaced.

## 2 Plug

Series Piping port	JSY1000	JSY3000	JSY5000	Note
P, E port	JSY11M-62P-1A	JSY31M-62P-1A	JSY51M-62P-1A	The part number is for 1 piece.

<sup>\*</sup> A, B port plug does not exist. Use the KQ2P series.

## 3 Clip, Port Plate


Series	JSY	1000						
Piping port	For A, B port C2/C4 fittings	For A, B port C6 fittings	JSY3000	JSY5000	Note			
A, B port (Clip)	SJ1000-CL-1	JSY11M-19P-1A	JSY31M-19P-1A	JSY51M-19P-1A	The part number is for 10 pieces.			
P, E port (Port plate)	JSY11M	Л-10P-1	JSY31M-10P-1	JSY51M-10P-1	The part number is for 1 piece.			

<sup>\*</sup> Refer to page 139 for assembling when a fitting is replaced.

## ■ Tube Releasing Tool (This tool can be used to remove tubes from ports A and B.)

Series	For JS	Y1000	For JSY3000	For JSY5000		
Series	6.5 mm pitch	9 mm pitch	FOI 3313000	F01 35 15000		
Part no.	TG-0204	TG-0608	TG-0608	TG-1012		
Applicable tubing O.D.	ø2/ø4	ø6	ø6/ø8	ø10/ø12		






# JSY1000/3000/5000 Series Manifold Options

# ■ DIN rail dimensions/weight for the JSY1000/3000 Plug-in connector connecting base

## **VZ1000-11-1-**□


\* After confirming the L3 dimension in the dimensions table of each series, refer to the DIN rail dimensions table below and specify the number in the box □.



No.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
L dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	310.5	323
Weight [g]	17.6	19.9	22.1	24.4	26.6	28.9	31.1	33.4	35.6	37.9	40.1	42.4	44.6	46.9	49.1	51.4	53.6	55.9	58.1
No.	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
L dimension	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498	510.5	523	535.5	548	560.5
Weight [g]	60.4	62.5	64.9	67.1	69.4	71.6	73.9	76.1	78.4	80.6	82.9	85.1	87.4	89.6	91.9	94.1	96.4	98.6	100.9
No.	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56
L dimension	573	585.5	598	610.5	623	635.5	648	660.5	673	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798
Weight [g]	103.1	105.4	107.6	109.9	112.1	114.4	116.6	118.9	121.1	123.4	125.6	127.9	130.1	132.4	134.6	136.9	139.1	141.4	143.6
No.	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71				
	57	58 823	59 835.5	60 848	61 860.5	62 873	63 885.5					68 948	69 960.5	70 973	71 985.5				

# ■ DIN rail dimensions/weight for the JSY5000 Plug-in connector connecting base VZ1000-11-4-□

\* After confirming the L3 dimension in the dimensions table of each series, refer to the DIN rail dimensions table below and specify the number in the box  $\Box$ .



No.	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
		110.5		-	-	-	-	105.5		_	-			_		_			_
L dimension	98	110.5	123	135.5	148	160.5	173	185.5	198	210.5	223	235.5	248	260.5	273	285.5	298	310.5	323
Weight [g]	24.8	28	31.1	34.3	37.4	40.6	43.8	46.9	50.1	53.3	56.4	59.6	62.7	65.9	69.1	72.2	75.4	78.6	81.7
No.	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
L dimension	335.5	348	360.5	373	385.5	398	410.5	423	435.5	448	460.5	473	485.5	498	510.5	523	535.5	548	560.5
Weight [g]	84.9	88	91.2	94.4	97.5	100.7	103.9	107	110.2	113.3	116.5	119.7	122.8	126	129.2	132.3	135.5	138.6	141.8
No.	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56
L dimension	573	585.5	598	610.5	623	635.5	648	660.5	673	685.5	698	710.5	723	735.5	748	760.5	773	785.5	798
Weight [g]	145	148.1	151.3	154.5	157.6	160.8	163.9	167.1	170.3	173.4	176.6	179.8	182.9	186.1	189.2	192.4	195.6	198.7	201.9
No.	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71				
													000 5	070					
L dimension	810.5	823	835.5	848	860.5	873	885.5	898	910.5	923	935.5	948	960.5	973	985.5				



M1.4: 0.06 N·m (JSY1000)

M2: 0.16 N·m (JSY3000)

M3: 0.8 N·m (JSY5000)

Specific Product

↑ Caution Tightening torque for mounting screw

# **Manifold Options**

\* Refer to page 134 for dimensions.

JSY 3 1M - 26P - 1A

JSY1000


JSY3000

JSY5000

#### ■Blanking plate

[With two mounting screws]


Used when valve additions are expected or for maintenance




JSY11M-26P-1A

Mounting screw (2 pcs.)

JSY31M-26P-1A







Circuit diagram

#### ■ Individual SUP spacer

[With a connector gasket, a base gasket, and two mounting screws] When the same manifold is to be used for different pressures, an individual SUP spacer assembly can be used to act as a supply port for different pressures.






#### Port size (One-touch fittings)

		011 3120 (	one touch	
Symbol	P, E port	JSY1000	JSY3000	JSY5000
C4	ø4 One-touch fitting	•	_	_
C6	ø6 One-touch fitting	_	•	_
C8	ø8 One-touch fitting	_	_	•
C10	ø10 One-touch fitting	_	_	•
C12	ø12 One-touch fitting	_	_	•

## ■ Individual EXH spacer

[With a connector gasket, a base gasket, and two mounting screws] When valve exhaust affects other stations due to the circuit configuration, this spacer can be used for individual valve exhaust.



132

# JSY1000/3000/5000 Series

# **Manifold Options**

#### ■SUP/EXH blocking disk

#### [SUP blocking disk]

Inserting an SUP blocking disk in the pressure supply passage of a manifold valve can allow for the use of 2 different pressures (high and low) in 1 manifold.

#### [EXH blocking disk]

Inserting an EXH blocking disk in the exhaust passage of a manifold valve can separate the exhaust from the valve so it does not affect the other valves. It can also be used in positive pressure and vacuum pressure mixed manifolds. (2 pieces are required to block both the EA and EB sides of the EXH.)



Series	SUP blocking disk	EXH blocking disk
JSY1000	JSY11M-40P-1A	JSY11M-40P-1A
JSY3000	JSY31M-40P-1A	JSY31M-40P-2A
JSY5000	JSY51M-40P-1A	JSY51M-40P-1A


If the blocking disk is ordered using the manifold specification sheet and ordered

#### ■ Labels for blocking disks

These labels can be used to indicate and confirm where on the manifold the SUP/EXH blocking disk assemblies were inserted. (3 labels of each)







EXH blocking disk l	abel
3/5 3/5	

B 2	at the sam position wh inserted wi	nere the blo	ocking d	,
3/5	E ⊗	⊗ ⊗ ⊗ D ⊗ D €		3/5 E
	P		B 2 B	1 P


Series	Part no.
JSY1000	
JSY3000	SJ3000-155-1A
JSY5000	

#### ■ Silencer

# (One-touch fitting connection type)

This silencer can be mounted to the 3/5 (E: EXH) port of the manifold in one step.

\* Shipped together with the product




Series (ø <b>d</b> )	Model	Effective area	Α	В	С
For JSY1000 (ø8)	AN15-C08	20 mm <sup>2</sup>	45	13	20
For JSY3000 (ø10)	AN20-C10	30 mm <sup>2</sup>	57.5	16.5	30.5
For JSY5000 (ø12)	AN30-C12	41 mm <sup>2</sup>	71.5	20	43.5


# Manifold Options JSY1000/3000/5000 Series

# **Dimensions: Manifold Options**


## ■ Blanking plate


# JSY1000 series







#### JSY3000 series






# JSY5000 series







## ■ Individual SUP/EXH spacer


## JSY1000 series







## JSY3000 series





## JSY5000 series





**SMC** 

Valve Chart

Plug-in Connector Connecting Base

al D-sub Flat Ribbon

EX600 Lead Wire Block

EX245 EX60

EX250 E

EX120 EX260

Common Dimensions

Exploded D

ZK2 Ms Combination Ex Manifold

Fittings, Z
Replacement Comb
Parts, Tools Mar

Manifold Options

Made to Order

Specific Product Precautions

134

# JSY1000/3000/5000 Series Made to Order



Please contact SMC for detailed dimensions, specifications, and delivery times.

# 1 External pilot

**How to Order Manifolds** 

Refer to the How to Order manifolds for each type.

R External pilot

- \* The combination of external pilot type "R" and silencer type "S" is not available.
- Only the JSY3000/5000 can be selected for the EX245.

# For EX600/EX250 pp. 63, 77, 119

JJ5SY 
$$\frac{3}{5}$$
 - 10  $\frac{56}{5}$  | | | | - | | G - | | - |

## P, E port entry, SUP/EXH block assembly

External pilot
G
Н
J

#### **How to Order Valves**


- \* External pilot specification is not applicable for 4-position dual 3-port valves.
- \* When pilot type "R" is selected, select the external pilot type "R" for the manifold SUP/EXH block assembly, and select either of "G/H/J" for the EX600/EX250 manifold.

# 2 Coil type: With power-saving circuit (Continuous duty type)

Be sure to select the power-saving circuit type when the JSY3000/5000 series is continuously energized for long periods of time. Be careful of the energizing time when the power-saving circuit is selected. Refer to page 137 for details.

0.1 W: JSY3000/5000

## **How to Order Valves**







Be sure to read this before handling the products. Refer to the back cover for safety instructions. For 3/4/5-port solenoid valve precautions, refer to the "Handling Precautions for SMC Products" and the "Operation Manual" on the SMC website: https://www.smcworld.com

#### **Environment**

# **⚠** Warning

- Do not use valves in atmospheres of corrosive gases, chemicals, sea water, water, water vapor, or where there is direct contact with any of these.
- 2. Products compliant with IP67 enclosures (based on IEC 60529) are protected against dust and water, however, these products cannot be used in water. If using in an environment that is exposed to water and dust splashes, take measures such as using a protective cover.
- When using built-in silencer type manifold with an IP67 enclosure, keep the exhaust port of the silencer from coming into direct contact with water or other liquids.

#### **Valve Mounting**

# **∧** Caution

Mount it so that there is no slippage or deformation in gaskets, and tighten with the tightening torque as shown on the right.

Series	Thread size	Tightening torque	
JSY1000	M1.4	0.06 N·m	
JSY3000	M2	0.16 N·m	
JSY5000	М3	0.8 N·m	

#### **Manual Override**

# **⚠** Warning

Regardless of an electric signal for the valve, the manual override is used for switching the main valve. Connected actuator is started by manual operation. Use the manual override after confirming that there is no danger.

#### ■ Non-locking push type


Push down on the manual override button until it stops.



#### ■ Push-turn locking slotted type [D type]

Push down on the manual override with a small flat head screwdriver until it stops, and then turn it  $90^{\circ}$  clockwise. The manual override is then locked. To release it, turn it counterclockwise.

If it is not turned, it can be operated the same way as the non-locking push type.




#### **Manual Override**

# **⚠** Warning

# ■ Push-turn locking lever type [E type] (Only for the JSY3000/5000)

Push down on the manual override by finger until it stops, and then turn it 60° clockwise. The manual override is then locked. To release it, turn it counterclockwise. If it is not turned, it can be operated the same way as the non-locking push type.



Carefully check the manual override projection amount.

Max. (at OFF): 3.7 mm

# **⚠** Caution

Do not apply excessive torque when turning the manual override.  $[0.1\ N\cdot m]$ 

When locking the manual override, be sure to push it down before turning. Turning without first pushing it down can cause damage to the manual override and other trouble such as air leakage, etc.

#### Used as a 3-Port Valve

# **⚠** Caution

#### ■ In case of using a 5-port valve as a 3-port valve

The JSY1000/3000/5000 series can be used as normally closed (N.C.) or normally open (N.O.) 3-port port valves by closing one of the cylinder ports 4(A) or 2(B) with a plug. However, they should be used with the exhaust ports kept open. Use them when a double solenoid type 3-port valve is required.

Plu	Plug position B port A port		A port	
Type of actuation		N.C.	N.O.	
solenoids	Single	(A)4 2(B)  (EA)5 1 3(EB)	(A)4 2(B)  □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
Number of solenoids	Double	(A)4 2(B) (EA)5 1 3(EB) (P)	(A)4 2(B)  (EA)5 1 3(EB)  (P)	



Be sure to read this before handling the products. Refer to the back cover for safety instructions. For 3/4/5-port solenoid valve precautions, refer to the "Handling Precautions for SMC Products" and the "Operation Manual" on the SMC website: https://www.smcworld.com

#### Light/Surge Voltage Suppressor




#### ■ Polar type

Positive common

## Single solenoid


Light/surge voltage suppressor (□Z)

Polarity protection diod



## Negative common Single solenoid


 $Light/surge\ voltage\ suppressor\ (\Box NZ)$ 



#### Positive common

# Double solenoid, 3-position, 4-position


Light/surge voltage suppressor (□Z)



#### **Negative common**

#### Double solenoid, 3-position, 4-position


Light/surge voltage suppressor ( $\square NZ$ )




#### ■ Non-polar type

With light/surge voltage suppressor (□U)

#### Single solenoid



## Double solenoid




\* Non-polar type is not available for the JSY1000.

## ■ With power-saving circuit


## (JSY3000/5000 series products are made to order.)

Power consumption is decreased to approx. 1/2.5 to 1/4 of the amount consumed at startup by reducing the wattage required to hold the valve in an energized state. (Effective energizing time is over 67 ms at 24 VDC.)



The circuit shown to the left reduces the power consumption for holding in order to save energy. Refer to the electrical power waveform as shown below.

## <Electrical power waveform with power-saving circuit>



· Since the voltage will drop by approx. 0.5 V due to the transistor, pay attention to the allowable voltage fluctuation. (For details, refer to the solenoid specifications of each type of valve.)

#### Residual voltage of the surge voltage suppressor

\* If a varistor or diode surge voltage suppressor is used, there is some residual voltage to the protection element and rated voltage. Therefore, refer to the table below and pay attention to the surge voltage protection on the controller side. Also, since the response time does change, refer to the valve specifications on page 14.

#### **Residual Voltage**

Surge voltage suppressor	24 VDC
Z	Approx. 1 V
U	Approx. 47 V

#### **Continuous Duty**

# **⚠** Caution

If a valve is energized continuously for long periods of time, the rise in temperature due to heat-up of the coil assembly may cause a decline in solenoid valve performance, reduce service life, or have adverse effects on peripheral equipment. If the valve is energized continuously for long periods of time, be sure to use a valve with power-saving circuit. In particular, if three or more adjacent stations on the manifold are energized simultaneously for extended periods of time or if the valves on A side and B side are energized simultaneously for long periods of time, take special care as the temperature rise will be greater.

# **Energization of a 2-Position Double Solenoid Valve**

# **⚠** Caution

To avoid operation failure, do not energize the A side and B side of 2-position double solenoid valve at the same time.





Be sure to read this before handling the products. Refer to the back cover for safety instructions. For 3/4/5-port solenoid valve precautions, refer to the "Handling Precautions for SMC Products" and the "Operation Manual" on the SMC website: https://www.smcworld.com

## **Countermeasure for Surge Voltage Intrusion**

# **⚠** Caution

#### ■ Surge voltage intrusion

With non-polar type valves, at times of sudden interruption of the loading power supply, such as emergency shutdown, surge voltage intrusion may be generated from loading equipment with a large capacity (power consumption), and the valve in a de-energized state may switch over (see Figure 1). When installing a breaker circuit for the loading power supply, consider using a valve with polarity (with polarity protection diode), or install a surge absorption diode between the loading equipment COM line and the output equipment COM line (see Figure 2).




Figure 1. Surge intrusion circuit example (NPN outlet example) (24 VDC)





Figure 2. Surge intrusion countermeasure example (NPN outlet example) (24 VDC)

# **Light Indication**

# **⚠** Caution

When equipped with indicator light and surge voltage suppressor, the light window turns orange when solenoid a is energized, and it turns green when solenoid b is energized.




## **Changing Connector Entry Direction**

# **⚠** Caution

Connector direction for electrical entry of D-sub connector and flat ribbon cable <IP40> can be changed. If the directional change is required, slide the lever on the side of the connector block to the FREE position, and then change the direction as shown in the figure. Also, before connecting the connector, be sure to return the lever to the LOCK position. (If the lever is difficult to slide, move the connector a little bit to make it easier to slide the lever.)

If an excessive force is applied on the connector in the LOCK position, the connector block may be damaged. Also, using in such a way that the connector floats in the FREE position, it may cause the lead wire, etc., to break.

 Direction cannot be changed for D-sub connector <IP67> or compact type.








Be sure to read this before handling the products. Refer to the back cover for safety instructions. For 3/4/5-port solenoid valve precautions, refer to the "Handling Precautions for SMC Products" and the "Operation Manual" on the SMC website: https://www.smcworld.com

#### **Manifold Indication Symbol**

# **⚠** Caution

The letter "S" is indicated on manifold blocks for the JSY series as shown below. This indication refers to the type of substrate (single wiring) inside the manifold blocks. When there is no symbol, double wiring is used.

When the manifold specification sheet does not include a wiring specification, all stations will be double wiring specification. In this case, single and double solenoid valves can be mounted in any position, but when a single valve is used, there will be an unused control signal. To avoid this, indicate positions of manifold blocks for single wiring specification and double wiring specification on a manifold specification sheet. (Note that double, 3- or 4-position valves cannot be used for manifolds blocks with single wiring specification S.)



#### **Substrate inside Manifolds**

# **∧** Caution

The substrate inside of manifolds cannot be taken apart. Attempting to do so may damage parts.

#### **Securing the DIN Rail Mounting Type Manifold**

# **⚠** Caution

- 1. When the manifold is secured with bolts on a mounting surface, etc., it can be operated just by securing both ends of the DIN rail if the bottom surface of the DIN rail is entirely in contact with the mounting surface when mounted horizontally. However, if it is used with other mounting or with side or reverse mounting, secure the DIN rail with bolts at regular intervals. As a guide, insert bolts in 2 locations for 2-5 stations, 3 locations for 6-10 stations, 4 locations for 11-15 stations, 5 locations for 16-20 stations, and 6 locations for 21-24 stations.
- 2. When using the manifold with DIN rail in an environment where any vibration or impact is applied to it, the DIN rail itself may be broken. In particular, if the installation surface vibrates when mounting the manifold on the wall or if a load is directly applied to the manifold, the DIN rail may be broken, causing the manifold to drop. When any vibration, impact, or load is applied to the manifold, be sure to use the direct mounting manifold.


#### **How to Replace One-touch Fittings**

# **⚠** Caution

By replacing One-touch fittings of manifold base, it is possible to change the connection diameter of the 4(A), 2(B), 1(P), 3/5(E) ports. When replacing the One-touch fittings, remove the clip or the plate before pulling the One-touch fittings off. Mount the One-touch fittings by following the removal procedure in reverse.

Use caution as it may cause air leakage if the clip and the plate are not inserted securely enough when they are switched. Refer to page 130 for part numbers of One-touch fittings.

#### **■** Connector connecting base



#### <Assembly method>

#### · SUP/EXH (end) block

Fitting direction is specified when the fittings below are used. Assemble the fitting so that the D-cut surfaces of the fitting face up and down.

Fitting part no.: KQSY30-C8-X1336 (JSY1000) KQSY50-C12-X1336 (JSY5000)

#### Manifold block

Assemble the fitting so that the D-cut surfaces of the fitting face <u>sideways</u>.

Fitting part no.: KQSY10-C4-X1336 (JSY1000)

KQSY11-C6-X1336 (JSY1000) KQSY30-C8-X1336 (JSY3000) KQSY50-C12-X1336 (JSY5000)





Be sure to read this before handling the products. Refer to the back cover for safety instructions. For 3/4/5-port solenoid valve precautions, refer to the "Handling Precautions for SMC Products" and the "Operation Manual" on the SMC website: https://www.smcworld.com

#### **Other Tube Brands**

# **⚠** Caution

1. When using other than SMC brand tube, confirm that the following specifications are satisfied with respect to the tube outside diameter tolerance.

1) Nylon tube within  $\pm 0.1$  mm 2) Soft nylon tube within  $\pm 0.1$  mm 3) Polyurethane tube within  $\pm 0.1$  mm within  $\pm 0.1$  mm within  $\pm 0.1$  mm within  $\pm 0.1$  mm

Do not use tube which do not meet these outside diameter tolerances. It may not be possible to connect them, or they may cause other trouble, such as air leakage or the tube pulling out after connection.

# **One-touch Fittings**

# **∧** Caution

#### ■ Tube attachment/detachment for One-touch fittings

#### 1) Tube attachment

- 1. Take a tube having no flaws on its periphery and cut it off at a right angle. When cutting the tube, use tube cutters TK-1, 2, or 3. Do not use pliers, nippers, scissors, etc. If cutting is done with tools other than tube cutters, the tube may be cut diagonally or become flattened, etc., making a secure installation impossible, and causing problems such as the tube pulling out after installation or air leakage. Allow some extra length in the tube.
- 2. Grasp the tube and push it in slowly, inserting it securely all the way into the fitting.
- After inserting the tube, pull on it lightly to confirm that it will not come out. If it is not installed securely all the way into the fitting, this can cause problems such as air leakage or the tube pulling out.

#### 2) Tube detachment

Use the release tool when the removal of tube is difficult due to the tube size. Refer to page 130 for releasing tools.

- 1. Push in the release button sufficiently, pushing its collar equally around the circumference.
- Pull out the tube while holding down the release button so that it does not come out. If the release button is not pressed down sufficiently, there will be increased bite on the tube and it will become more difficult to pull it out.
- 3. When the removed tube is to be used again, cut off the portion which has been chewed before reusing it. If the chewed portion of the tube is used as is, this can cause trouble such as air leakage or difficulty in removing the tube.

## Fixing Method of JSY1000 Series Clamp Bracket

# **⚠** Caution


The clamp bracket fixing method for the JSY1000 series is different depending on wiring.

Clamp bracket holding screw

#### ■ Wiring

<For D-sub connector/Flat ribbon cable/Spring type terminal block box/Lead wire/EX260/EX120>

\* When the DIN rail is not accommodated in the clamp bracket, loosen the DIN rail holding screw once and insert the DIN rail.



 $(M4 \times 23)$ 


Fightening torque (1.4 N⋅m)

DIN rail holding screw

<For Terminal block box/EX600/EX250>

DIN rail holding screw Tightening torque (1.4 N·m)

 If the tightening torque of the holding screws is too much, the SUP/EXH end block will be broken.



## Installation

# **<b>⚠** Caution

Even though the inlet pressure is within the operating pressure range, when the piping diameter is restricted due to size reduction of supply port (P), the flow will be insufficient. In this case, the valve does not switch completely and the cylinder may malfunction.

#### ■ Trademark

DeviceNet® is a registered trademark of ODVA, Inc. EtherNet/IP® is a registered trademark of ODVA, Inc. CompoNet® is a registered trademark of ODVA, Inc.

EtherCAT® is registered trademark and patented technology, licensed by Beckhoff Automation GmbH, Germany.



# Model Index (Alphanumeric Order)

JJ5SY1-10F	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector, Connector Entry Direction Adjustable < IP40x	
JJ5SY1-10FC	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector, Compact Type <ip20></ip20>	•
JJ5SY1-10L1	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 34 cores	p. 55
JJ5SY1-10L2	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 17 cores	p. 55
JJ5SY1-10L3	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 9 cores	p. 55
JJ5SY1-10P	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (26 pins) < IP40>	
JJ5SY1-10PC	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (26 pins) <ip20></ip20>	
JJ5SY1-10PG	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (20 pins) < IP40>	
JJ5SY1-10PGC	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (20 pins) <ip20></ip20>	
JJ5SY1-10PH	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (10 pins) < IP40>	•
JJ5SY1-10PHC	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (10 pins) <ip20></ip20>	
JJ5SY1-10S	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX250 Series	p. 77
JJ5SY1-10S□	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX260 Series	p. 83
JJ5SY1-10S3	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX120 Series	p. 91
JJ5SY1-10S6	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX600 Series	p. 63
JJ5SY1-10T	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Terminal Block Box	p. 43
JJ5SY1-10TC	JSY1000	Type 10/Side Ported	Plug-in Connector Connecting Base: Spring Type Terminal Block Box	p. 43
JJ5SY3-10□-M	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Vacuum Unit ZK2 Combination Manifold	p. 119
JJ5SY3-10F	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector, Connector Entry Direction Adjustable < IP40x	
JJ5SY3-10FC	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector, Compact Type <ip20></ip20>	•
JJ5SY3-10FW	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector <ip67></ip67>	p. 21
JJ5SY3-10L1	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 34 cores	p. 55
JJ5SY3-10L2	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 17 cores	p. 55
JJ5SY3-10L3	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 9 cores	p. 55
JJ5SY3-10P	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (26 pins) < IP40>	p. 21
JJ5SY3-10PC	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (26 pins) <ip20></ip20>	p. 21
JJ5SY3-10PG	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (20 pins) < IP40>	p. 21
JJ5SY3-10PGC	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (20 pins) <ip20></ip20>	p. 21
JJ5SY3-10PH	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (10 pins) < IP40>	p. 21
JJ5SY3-10PHC	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Compact Type (10 pins) <ip20></ip20>	p. 21
JJ5SY3-10S	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX250 Series	p. 77
JJ5SY3-10S□	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX260 Series	p. 83
JJ5SY3-10SA□	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX245 Series	p. 73
JJ5SY3-10S3	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX120 Series	p. 91
JJ5SY3-10S6	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX600 Series	p. 63
JJ5SY3-10T	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Terminal Block Box	p. 43
JJ5SY3-10TC	JSY3000	Type 10/Side Ported	Plug-in Connector Connecting Base: Spring Type Terminal Block Box	p. 43
JJ5SY5-10F	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector, Connector Entry Direction Adjustable < IP40x	•
JJ5SY5-10FW	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: D-sub Connector <ip67></ip67>	p. 21
JJ5SY5-10L1	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 34 cores	p. 55
JJ5SY5-10L2	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 17 cores	p. 55
JJ5SY5-10L3	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Lead Wire, 9 cores	p. 55
JJ5SY5-10P	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (26 pins) < IP40>	p. 21
JJ5SY5-10PG	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (20 pins) <ip40></ip40>	p. 21
JJ5SY5-10PH	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Flat Ribbon Cable, Connector Entry Direction Adjustable (10 pins) <ip40></ip40>	p. 21
JJ5SY5-10S	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX250 Series	p. 77
JJ5SY5-10S□	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX260 Series	p. 83
JJ5SY5-10SA□	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX245 Series	p. 73
JJ5SY5-10S3	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX120 Series	p. 91
JJ5SY5-10S6	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: EX600 Series	p. 63
JJ5SY5-10T	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Terminal Block Box	p. 43
JJ5SY5-10TC	JSY5000	Type 10/Side Ported	Plug-in Connector Connecting Base: Spring Type Terminal Block Box	p. 43
ZK2□A		nit ZK2 Combination Ma		p. 122
ZZK2□A			anifold: Ejector Manifold	p. 121



# **⚠** Safety Instructions

These safety instructions are intended to prevent hazardous situations and/or equipment damage. These instructions indicate the level of potential hazard with the labels of "Caution," "Warning" or "Danger." They are all important notes for safety and must be followed in addition to International Standards (ISO/IEC)\*1), and other safety regulations.

Caution: Caution indicates a hazard with a low level of risk which, if not avoided, could result in minor or moderate injury.

------

Warning: Warning indicates a hazard with a medium level of risk which, if not avoided, could result in death or serious injury.

⚠ Danger: Danger: Danger if not avoided, will result in death or serious injury. **Danger** indicates a hazard with a high level of risk which, \*1) ISO 4414: Pneumatic fluid power - General rules relating to systems.

ISO 4413: Hydraulic fluid power – General rules relating to systems.

IEC 60204-1: Safety of machinery - Electrical equipment of machines. (Part 1: General requirements)

ISO 10218-1: Manipulating industrial robots - Safety.

# **⚠Warning**

1. The compatibility of the product is the responsibility of the person who designs the equipment or decides its specifications.

Since the product specified here is used under various operating conditions, its compatibility with specific equipment must be decided by the person who designs the equipment or decides its specifications based on necessary analysis and test results. The expected performance and safety assurance of the equipment will be the responsibility of the person who has determined its compatibility with the product. This person should also continuously review all specifications of the product referring to its latest catalog information, with a view to giving due consideration to any possibility of equipment failure when configuring the equipment.

2. Only personnel with appropriate training should operate machinery and equipment.

The product specified here may become unsafe if handled incorrectly. The assembly, operation and maintenance of machines or equipment including our products must be performed by an operator who is appropriately trained and experienced.

3. Do not service or attempt to remove product and machinery/ equipment until safety is confirmed.

- 1. The inspection and maintenance of machinery/equipment should only be performed after measures to prevent falling or runaway of the driven objects have been confirmed.
- 2. When the product is to be removed, confirm that the safety measures as mentioned above are implemented and the power from any appropriate source is cut, and read and understand the specific product precautions of all relevant products carefully.
- 3. Before machinery/equipment is restarted, take measures to prevent unexpected operation and malfunction.
- 4. Contact SMC beforehand and take special consideration of safety measures if the product is to be used in any of the following conditions.
  - 1. Conditions and environments outside of the given specifications, or use outdoors or in a place exposed to direct sunlight.
  - 2. Installation on equipment in conjunction with atomic energy, railways, air navigation, space, shipping, vehicles, military, medical treatment, combustion and recreation, or equipment in contact with food and beverages, emergency stop circuits, clutch and brake circuits in press applications, safety equipment or other applications unsuitable for the standard specifications described in the product catalog.
  - 3. An application which could have negative effects on people, property, or animals requiring special safety analysis.
  - 4. Use in an interlock circuit, which requires the provision of double interlock for possible failure by using a mechanical protective function, and periodical checks to confirm proper operation.

## **⚠** Caution

1. The product is provided for use in manufacturing industries.

The product herein described is basically provided for peaceful use in manufacturing industries.

If considering using the product in other industries, consult SMC beforehand and exchange specifications or a contract if necessary. If anything is unclear, contact your nearest sales branch.

## Limited warranty and Disclaimer/ **Compliance Requirements**

The product used is subject to the following "Limited warranty and Disclaimer" and "Compliance Requirements".

Read and accept them before using the product.

#### **Limited warranty and Disclaimer**

- 1. The warranty period of the product is 1 year in service or 1.5 years after the product is delivered, whichever is first.\*2) Also, the product may have specified durability, running distance or
- replacement parts. Please consult your nearest sales branch. 2. For any failure or damage reported within the warranty period which is clearly our responsibility, a replacement product or necessary parts will be provided. This limited warranty applies only to our product independently, and not to any other damage incurred due to the failure of the product.
- 3. Prior to using SMC products, please read and understand the warranty terms and disclaimers noted in the specified catalog for the particular products.
  - 2) Vacuum pads are excluded from this 1 year warranty.

A vacuum pad is a consumable part, so it is warranted for a year after it is delivered.

Also, even within the warranty period, the wear of a product due to the use of the vacuum pad or failure due to the deterioration of rubber material are not covered by the limited warranty.

#### Compliance Requirements

- 1. The use of SMC products with production equipment for the manufacture of weapons of mass destruction (WMD) or any other weapon is strictly prohibited.
- 2. The exports of SMC products or technology from one country to another are governed by the relevant security laws and regulations of the countries involved in the transaction. Prior to the shipment of a SMC product to another country, assure that all local rules governing that export are known and followed.

## **⚠** Caution

#### SMC products are not intended for use as instruments for legal metrology.

Measurement instruments that SMC manufactures or sells have not been qualified by type approval tests relevant to the metrology (measurement) laws of each country. Therefore, SMC products cannot be used for business or certification ordained by the metrology (measurement) laws of each country.

#### **Revision History**

- Edition B \* The EX245 integrated type (for input/output) serial transmission system has been added.
  - \* The EX260 safety communication (PROFIsafe) compliant manifold has been added.
  - \* The vacuum unit ZK2 combination manifold has been added.
  - \* Number of pages has been increased from 124 to 144.

ZZ