
5 Port Solenoid Valve Plug Lead Type

S0700 Series




Base Mounted

Flow rate characteristics C [dm³/(s·bar)]: 0.39

• Possible to drive cylinders: Up to Ø25 (300 mm/s)* For details, refer to page 741.

• Power consumption: 0.35 W

Added 3-position closed center.




SMC

4-Position Dual 3-Port Valve

- · Two 3-port valves in one body.
- Independently operating 3-port valve at each side of A and B.
- Number of stations occupied for 3-port valve halved.
- · Available as 4-position 5-port valve.

A side	B side	Symbol
N.C.	N.C.	4(A) 2(B)
N.O.	N.O.	4(A) 2(B)
N.C.	N.O.	4(A) 2(B) 5(R1) 3(R2)


Adopted Direct Manual.



Applications







Plug-in Type Series Variations

Slim Compact Plug-in Manifold Bar Base

Footprint: Reduced by 45%*

Height: Reduced by 20 mm*

* Compared with plug-in manifold stacking base



Plug-in Manifold **Stacking Base**

Many Combinations Available to Fit Your Needs

- · Serial transmission
- EX180/EX260/EX250
- EX600/EX500/EX510
- · D-sub connector
- · Flat ribbon cable
- · PC wiring system compatible
- flat ribbon cable · Terminal block box
- · Lead wire · Circular connector



For details, refer to page 645.

Variations/Options

			110,0	Body Ported	Base M	ounted	Single Unit		
			Manifold pitch: 7.5 mm	Manifold pitch: 8.5 mm	Manifold pitch: 7.5 mm	Body Ported	Base Mounted		
	Base model			Page 745	Page 750	Page 750	Page 742	Page 747	
			del						
				SS0752-□□C	SS0755-□C□C	SS0755-□V□C	S07□6-5□-□-□	S07□5-5□-M5	
			M5			•		•	
			Rc1/8	•	•				
		1(P),	ø2				•		
		3(R)	ø4				•		
Piping specifications			ø1/8"				•		
ficat	az		ø5/32"				•		
pecil	Port size		МЗ			•		<u> </u>	
ng sl	P.		M5		•			•	
Pig-			ø2	•	•	Note 1)	•		
		4(A), 2(B)	ø3.2		•	Note 1)			
		2(0)	ø4	•	•	Note 1)	•		
			ø1/8"	•	•		•		
			ø5/32"	•	•		•		
	Тур	oe of wi	ring	C Kit: Connector	C Kit: Connector S Kit: Serial transmission (EX510)	C Kit: Connector	Connector kit	Connector kit	
Di		EXH ou t-in sile	tlet with ncer	_	_	_	Page 755	_	
Bla	nking	g plate a	assembly	Page 755	Page 755	Page 755	_	_	
	Ex	ternal p	oilot	Note 2) Page 755	Note 2) Page 755	● Note 2) Page 755	Note 2) Page 755	Note 2) Page 755	
In	Individual SUP spacer		spacer	_	Page 755	Page 755	_	-	
Individual EXH spacer		l spacer	_	Page 756	Page 756	_	-		
Port plug		g	_	Page 756	_	_	_		
Blanking plug		olug	Page 756	Page 756	_	Page 756	Page 756		
Silencer (For manifold EXH port)			Page 756	Page 756	Page 756	_	_		
[e check eparate		Page 757	• Page 757	Page 757	Page 757	• Page 757	

Note 1) For barb fittings Note 2) Not compatible with dual 3-port valves.



SJ SY

SY

S0700

\$0700

Valve Specifications	Page 73
Manifold/Single Unit Specifications	· Page 74
Manifold Flow Rate Characteristics	· Page 74
Cylinder Speed Chart ·····	Page 74
Symbol	Page 74

Body Ported Bar Base



Single Unit	Page	742
Manifold Individual Wiring C Kit	Dago	7/1

Base Mounted Bar Base



Single Unit ····	· Page 747
Manifold Individual Wiring C Kit	Page 750
Serial Transmission S Kit	Page 753
Options	· Page 755
Construction	Page 758
Replacement Parts	Page 760
Specific Product Precautions	. Page 761

S0700 Series Valve Specifications

Valve Specifications

Model

Time of				Flow rate characteristics					Note 2) 3) Response	Note 4)			
			Type of actuation	Model	1→4/2 (P→A/B)		4/2→5/3 (A/B→R1/R2)		time	Weight [g]			
					C [dm ³ /(s·bar)]	b	Cv	C [dm ³ /(s·bar)]	b	Cv	[msec]	[9]	
		2-position	Single	S0716	0.62	0.44	0.18	0.60	0.41	0.17	22 or less	39	
	Single Unit	2-pos	Double	S0726	0.62	0.44	0.18	0.60	0.41	0.17	10 or less	47	
	Page 742	3-pos.	3-position closed center	S0736	0.54	0.37	0.15	0.50	0.38	0.14	45 or less	47	
Body Ported		4-pos.	Dual 3-port valve	S07 ^A _C 6	0.58	0.39	0.16	0.67	0.37	0.18	25 or less	49	
Body		2-position	Single	S0712	0.51	0.40	0.15	0.64	0.33	0.15	22 or less	34	
	Manifold		Double	S0722	0.51	0.40	0.15	0.64	0.33	0.15	10 or less	42	
	Bar Base Page 745	3-pos.	3-position closed center	S0732	0.54	0.37	0.10	0.46	0.38	0.08	45 or less	42	
		4-pos.	Dual 3-port valve	S07 ^A _C 2	0.57	0.39	0.15	0.55	0.37	0.15	25 or less	44	
-	Single Unit	2-position	Single	S0715	0.39	0.39	0.11	0.37	0.39	0.10	12 or less	28	
ounte	Page 747		Double	S0725	0.39	0.39	0.11	0.37	0.39	0.10	10 or less	36	
Base Mounted	Manifold Bar Base	3-pos.	3-position closed center	S0735	0.29	0.29	0.07	0.26	0.21	0.06	28 or less	38	
ш	Page 750	4-pos.	Dual 3-port valve	S07 ^A _C 5	0.34	0.34	0.09	0.33	0.33	0.08	12 or less	36	

Note 1) Values for cylinder port fitting port size C4. The flow rate of a body ported single valve is the SUP and EXH port C4 value.

Note 2) Based on JIS B 84 9-2010 (Supply pressure: 0.5 MPa, with indicator light and surge voltage suppressor, clean air. This will change depending on pressure and air quality.) The value when ON for the double type.

Note 3) If the product is used in the following conditions or environment, switching of the valve may be significantly delayed compared to the above values.

- 1. The first response time when the valve is not used for a long period of time
- When using in an environment where the ambient and fluid temperature is low (10°C or less)Note 4) The weight of a single unit of the valve includes a built-in EXH port silencer.
- Note 5) The flow rate of the body ported product with an external pilot decreases by 10%.
- Note 6) The flow rate of the body ported product with a built-in silencer decreases by 30%.

Specifications

Spec	ecilications				
	Valve construction	Rubber seal			
	Fluid	Air			
	Maximum operating pressure	0.7 MPa			
l si	Minimum operating pressure	0.2 MPa			
Minimum operating pressure Ambient and fluid temperature Maximum operating cycle Pilot valve exhaust method Pilot valve manual override Lubrication		-10 to 50°C Note 1)			
l≝	Maximum operating cycle	5 Hz			
bed	Pilot valve exhaust method	Individual exhaust			
l e	Pilot valve manual override	Push type			
<u>a</u>	Lubrication	Not required			
_	Impact/Vibration resistance Note 2)	30/100 m/s ²			
	Enclosure	IP40			
	Noise reduction (Built-in silencer)	20 dB(A) Note 3)			
_ 2	Coil rated voltage	24 VDC			
rica	Allowable voltage fluctuation	±10% of rated voltage			
Electrical specifications	Coil insulation type	Class B or equivalent			
ag s	Power consumption (Current) 24 VDC	DC 0.35 W (15 mA)			

Note 1) Use dry air to prevent condensation when operating at low temperatures.

Note 2) Impact resistance: No malfunction occurred when it is tested with a drop tester in the axial direction and at the right angles to the main valve and armature in both energized and de-energized states every once for each condition.

Vibration resistance: No malfunction occurred in a one-sweep test between 8.3 and 2000 Hz. Test was performed at both energized and de-energized states in the axial direction and at the right angles to the main valve and armature.

Note 3) The value may vary depending on the pneumatic circuit or pressure.



SJ

S0700 S0700

Manifold/Single Unit Specifications

			Piping spe	ecifications			Note 3)	Note 3)
	Model		Port		Type of connection	Note 1) Applicable	5-station	Addition
			1(P), 3(R)	4(A), 2(B)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	stations	weight [g]	per station [g]
Body Ported	K	Manifold pitch: 7.5 mm Page 745 SS0752-□□C	Rc1/8	C2 (Ø2) C4 (Ø4) N1 (Ø1/8") N3 (Ø5/32")	C Kit: Connector	Max. 20 stations	76	10
	Manifold pitch: 8.5 mm Page 750		Rc1/8	M5 thread C2 (ø2) C3 (ø3.2)	C Kit: Connector	Max. 20 stations	115	20
Base Mounted	SS0755-□C□C		ne i/e	C4 (ø4) N1 (ø1/8") N3 (ø5/32")	S Kit: Serial transmission (EX510)	Max. 16 stations	Note 2) 115	20
Base M	N	Page 750 Page 750 SS0755-□V□C	M5 thread	M3 (M3 thread) V2 (ø2 Barb fitting) V3 (ø3.2 Barb fitting) V4 (ø5 Barb fitting)	C Kit: Connector	Max. 20 stations	75	10
- Onit	Body Ported	Page 742	C2 (02) C4 (04) N1 (01/8") N3 (05/32")	C2 (02) C4 (04) N1 (01/8") N3 (05/32")	Connector kit	_	_	_
Single Unit	Base Mounted	Page 747	M5 thread	M5 thread	Connector kit	_	14 N	lote 4)

Note 1) Maximum stations in the case of mixed single and double wiring (special wiring specifications)

Manifold Flow Rate Characteristics

	Port size		Flow rate characteristics				
Model			1→4/2 (P→A/B)		4/2→5/3 (A/B→EA/EB)		
Model	1, 5, 3 (P, EA, EB)	4, 2 (A, B)	C [dm ³ /(s·bar)]	Cv	C [dm ³ /(s·bar)]	Cv	
SS0752-□□C	1/8	C4	2.6	0.71	2.7	0.75	
SS0755-□C□C	1/8	C4	2.1	0.58	1.9	0.53	
SS0755-□V□C	M5 thread	V4	0.86	0.24	0.86	0.24	


^{*} When 5-station single solenoids are operated simultaneously.



Note 2) Differs depending on the serial unit type. For details, refer to page 897.

Note 3) Weight excluding valve. For valve weight, refer to page 739. Note 4) Weight of sub-plate only. For valve weight, refer to page 739.

Cylinder Speed Chart



[Common conditions]

- Pressure: 0.5 MPa
- Piping length: 1 m
- Load ratio: 50%
- Stroke: 200 mm
- * Use as a guide for selection.
- Please confirm the actual conditions with SMC Model Selection Software.

Symbol

Model	Type of actuation	Symbol
S0712 S0716 S0715	2-position single	(A)(B) 4 2 (R1)513(R2) (P)
\$0722 \$0726 \$0725	2-position double	(A)(B) 4 2 (R1)513(R2) (P1)513(R2)
\$0732 \$0736 \$0735	3-position closed center	(A)4 2(B) (R1)513(R2) (P)
S07A2 S07A6 S07A5	4-position dual 3-port N.C. + N.C. (Exhaust center)	4(A) 2(B) 5(R1) 3(R2)
S07B2 S07B6 S07B5	4-position dual 3-port N.O. + N.O. (Pressure center)	4(A) 2(B) 5(R1) 3(R2)
S07C2 S07C6 S07C5	4-position dual 3-port N.C. + N.O.	4(A) 2(B) 5(R1) 3(R2)

SJ

SY

SY


S0700 \$0700







How to Order Valves



Type of actuation

Symbol	Specifications
1	2-position single
2	2-position double
3	3-position closed center
Α	4-position dual 3-port (N.C. + N.C.) (Exhaust center)
В	4-position dual 3-port (N.O. + N.O.) (Pressure center)
С	4-position dual 3-port (N.C. + N.O.)

Body Ported

Note) It cannot be mounted on a manifold.

Function

0 1 1	T	
Symbol	Туре	
Nil	EXH port: With One-touch fitting	
s	EXH outlet: With built-in silencer Note 1)	
R	External pilot Note 2)	

Note 1) Refer to page 755. Note 2) Not compatible with dual 3-port valves.

Voltage •

Symbol	Туре
5	24 VDC
6	12 VDC

P, E port/A, B port size

-,											
Symbol	Port size										
C2	ø2 One-touch fitting										
C4	4 ø4 One-touch fitting										
N1	ø1/8" One-touch fitting										
N3	ø5/32" One-touch fitting										

Note) For external pilots, the P, E, and X ports are size M3. (Refer to page 744.)

Electrical entry

Symbol	Specifications	Configuration
G	Grommet	
М	M-type plug connector, with 300 mm lead wire (With light/surge voltage suppressor)	
МО	M-type plug connector, without lead wire (With light/surge voltage suppressor)	




SJ SY

SY


S0700

S0700

Dimensions




2-Position Double/4-Position Dual 3-Port




743

Dimensions




External Pilot 2-Position Single Grommet (G): S0716R-□G-□-□



M3 x 0.5

<1(P), 5(EA), 3(EB) port>

2-Position Double/3-Position Closed Center Grommet (G): S07 2_3 6R- \square G- \square -



* Other dimensions are the same as the internal pilot.

M3 x 0.5

External pilot port



Body Ported Manifold Bar Base

Individual Wiring: C Kit

S0700 Series






SJ

SY SY


S0700

S0700

How to Order Manifold



How to Order Valves



Type of actuation

Symbol	Specifications
1	2-position single
2	2-position double
3	3-position closed center
Α	4-position dual 3-port (N.C. + N.C.) (Exhaust center)
В	4-position dual 3-port (N.O. + N.O.) (Pressure center)
С	4-position dual 3-port (N.C. + N.O.)

|--|

Symbol	Port size
C2	ø2 One-touch fitting
C4	ø4 One-touch fitting
N1	ø1/8" One-touch fitting
N3	ø5/32" One-touch fitting

How to Order Manifold Assembly

Specify the part numbers for valves and options together beneath the manifold base part number.

<Example>

Connector kit


SS0752-08C ······ 1 set-Manifold base part no. * S0712-5G-C4 ----- 2 sets-Valve part no. (Stations 1 to 2) * S0722-5G-C4 ····· 2 sets-Valve part no. (Stations 3 to 4)

* S0732-5G-C4 ····· 2 sets-Valve part no. (Stations 5 to 6) * S07A2-5G-C4-----2 sets-Valve part no. (Stations 7 to 8)

asterisk to the part numbers of the solenoid valve etc.


the 1st station on the D side. When part numbers written collectively are complicated, specify on the manifold


Write sequentially from




Dimensions

SS0752-□C







With plug connector/light

Dimensions								Formula L1 = 7.5n + 7.9, L2 = 7.5n + 17.9 n: Station (Maximum 20 stations)											ations)	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L1	15.4	22.9	30.4	37.9	45.4	52.9	60.4	67.9	75.4	82.9	90.4	97.9	105.4	112.9	120.4	127.9	135.4	142.9	150.4	157.9
L2	25.4	32.9	40.4	47.9	55.4	62.9	70.4	77.9	85.4	92.9	100.4	107.9	115.4	122.9	130.4	137.9	145.4	152.9	160.4	167.9









SY

S0700

\$0700


	S07 1 5	-5G-	M5	
			With/Without sub-plate Symbol Type Nil Without sub-plate M5 With sub-plate	
		Symbo	, , , , , , , , , , , , , , , , , , , 	Configuration
Symbol 1 2 3 A	Type of actuation Specifications 2-position single 2-position double 3-position closed center 4-position dual 3-port (N.C. + N.C.) [Exhaust center]	G	Grommet	
B C Note) For	4-position dual 3-port (N.O. + N.O.) [Pressure center] 4-position dual 3-port (N.C. + N.O.) r symbol, refer to page 741. Base Mounted •	М	M-type plug connector, with lead wire (With light/surge voltage suppressor)	
	Symbol Type Nil Standard R External pilot Note) Note) Not compatible with dual 3-port valves.	мо	M-type plug connector, without lead wire (With light/surge voltage suppressor)	
		• Voltage		


- 10114	ge
Symbol	Туре
5	24 VDC
6	12 VDC

Dimensions

748








SMC

Plug Lead Type Songle Unit Son

Dimensions

3-Position Closed Center Grommet: S0735(R)-□G-M5



SMC

SJ

SY

SY 80700 80700 **Plug Lead Type**


Base Mounted Manifold Bar Base

Individual Wiring: C Kit

S0700 Series




How to Order Manifold



specification sheet.

How to Order Valves



How to Order Manifold Assembly

Specify the part numbers for valves and options together beneath the manifold base part number.

<Example>

Connector kit

SS0755-07C4C · 1 set-Manifold base part no.


* S0715-5G ······ 3 sets-Valve part no. (Stations 1 to 3)

* S0725-5G ····· 2 sets-Valve part no. (Stations 4 to 5) * S07A5-5G ····· 2 sets-Valve part no. (Stations 6 to 7)

Prefix the asterisk to the

Write sequentially from the 1st station on the D part numbers side. When part of the solenoid numbers written valve etc.


collectively are complicated, specify on the manifold





Plug Lead Type Base Mounted Manifold Bar Base 80700 Series


Dimensions



Dimens	ions									Formu	la L1 = 8	3.5n + 8	.9, L2 =	8.5n +	17.9 n:	Station	(Maxim	um 20 s	tations)
L_n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20

L \"	2	3	4	o	ס ן	<i>'</i>	0	9	10		12	13	14	10	10	17	10	19	20
L1	25.9	34.4	42.9	51.4	59.9	68.4	76.9	85.4	93.9	102.4	110.9	119.4	127.9	136.4	144.9	153.4	161.9	170.4	178.9
L2	34.9	43.4	51.9	60.4	68.9	77.4	85.9	94.4	102.9	111.4	119.9	128.4	136.9	145.4	153.9	162.4	170.9	179.4	187.9

Dimensions



Dimen	sions	
L_n	2	

Dimensions Formula L1 = 7.5n + 8.9, L2 = 7.5n + 17.9 n: Station (Maximum 20 stations)										tations)									
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
L1	23.9	31.4	38.9	46.4	53.9	61.4	68.9	76.4	83.9	91.4	98.9	106.4	113.9	121.4	128.9	136.4	143.9	151.4	158.9
L2	32.9	40.4	47.9	55.4	62.9	70.4	77.9	85.4	92.9	100.4	107.9	115.4	122.9	130.4	137.9	145.4	152.9	160.4	167.9

Plug Lead Type

Base Mounted Manifold Bar Base


Serial Transmission: S Kit EX510 Gateway Type Serial Transmission System S0700 Series

Negative common

(RoHS



How to Order Manifold



Stations 6

Symbol	Stations
02	2 stations
	:
16	16 stations

Note) The maximum number of stations is determined by the total number of solenoids. For mixed single and double wirings, enter "-K" to the order code options.

Standard station	Max. number of stations for special wiring specifications	Max. number of solenoids
1 to 8 stations	16 stations	16

Type of actuation	Single	Double, Dual 3-port
Number of solenoids	1	2

Base Mounted

Manifold

For details of the EX510 Gateway Type Serial Transmission System, refer to pages 878 to 906, and the Operation Manual. Please download the Operation Manual via our website, http://www.smcworld.com

Cylinder port size							
Symbol	Port size						
M5	M5 thread						
C2	C2 With ø2 One-touch fitting						
C3 With ø3.2 One-touch fitting Me							
C4	With ø4 One-touch fitting						
CM	Mixed sizes and with port plug Note)						
N1	With ø1/8" One-touch fitting						
N3	With ø5/32" One-touch fitting	Inch					
NM	Mixed sizes and with port plug Note)						
Note) Specify "Mixed sizes and with port plug"							

to 757.

on the manifold specification sheet.

SJ

SY

SY

S0700

\$0700

How to Order Valves

S07 1 5 5 MO Type of actuation Symbol Specifications Electrical entry 2-position single M-type plug connector, without lead wire 2 2-position double (With light/surge voltage suppressor) 3-position closed center 3 4-position dual 3-port (N.C. + N.C.) [Exhaust center] ♦ Voltage: 24 VDC 4-position dual 3-port (N.O. + N.O.) В [Pressure center] Function 4-position dual 3-port (N.C. + N.O.) Note) For symbol, refer to page 741. Symbol Туре

Standard External pilot Note) Note) Not compatible with dual

3-port valves.

How to Order Manifold Assembly

Specify the part numbers for valves and options together beneath the manifold base part number.

<Example>

Serial transmission kit

SS0755-SA08C4-----1 set-Manifold base part no.

Note 2) Indicate the wiring specifications for mixed single and double wirings. Note 3) For details, refer to page 755.

For manifold optional parts, refer to pages 755

Nil

F

Ν

P. R port thread type

Manifold pitch

8.5

Rc

G

NPT NPTF

* S0715-5MO ·······3 sets-Valve part no. (Stations 1 to 3) * S0725-5MO ·······3 sets-Valve part no. (Stations 4 to 6)

Write sequentially from the


1st station on the D side.

When part numbers written

* S07A5-5MO-----2 sets-Valve part no. (Stations 7 to 8)


Prefix the asterisk to the part numbers of the solenoid valve etc.


collectively are complicated. specify on the manifold specification sheet. The connector assembly lead wire length used for EX510 manifold varies depending on the number of stations. Therefore, solenoid valves (including a blanking plate) and connector assembly are assembled when shipped as a standard specification. Specify the mounting solenoid valve when ordering.




Dimensions

SS0755-SA







Grommet









Dimen	Dimensions n: Station (Maximum 16 stations)														
_ n	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
L1	68.4	68.4	68.4	68.4	68.4	68.4	76.9	85.4	93.9	102.4	110.9	119.4	127.9	136.4	144.9
L2	77.4	77.4	77.4	77.4	77.4	77.4	85.9	94.4	102.9	111.4	119.9	128.4	136.9	145.4	153.9

Note) The L dimension of 2 to 7 stations is the same. Valves are numbered from the D side according up to the number of stations.

754



N1: ø1/8" One-touch fitting
N3: ø5/32" One-touch fitting

S0700 Series Options



Direct EXH outlet with built-in silencer [S]

Since a silencer is built into the exhaust port of the valve, it has a high silencing effect. (Noise reduction: 20 dB(A))


• How to Order Valves (Example)

S0716 S -5G-C4

Built-in silencer

Note) A large quantity of drainage generated in the air source results in exhaust of air together with drainage.

• For maintenance, refer to page 762.





SY

S0700

\$0700




Blanking plate assembly

SS0700-10A-2/SS0700-10A-5

It is used by attaching on the manifold block for being prepared for removing a valve for maintenance reasons or planning to mount a spare valve etc.

Applicable n	nanifold	Part no.	Weight
Body ported	SS0752	SS0700-10A-2	28 g
Base mounted	SS0755	SS0700-10A-5	21 g







Body Ported (SS0752)

Base Mounted (SS0755)





External pilot [-R]

This can be used when the air pressure is lower than the minimum operating pressure (0.2 MPa) of the solenoid valves or used for vacuum specification. Add "-R" to the part numbers of manifolds and valves to indicate the external pilot specification.

An M3 port will be installed on the top side of the manifold's SUP/EXH block.

• How to Order Valves (Example)


S0712 R -5G-C4

External pilot

- How to Order Manifold (Example)
- * Indicate "-R" for an option.

SS0752-08C-R

External pilot



Note 1) The dual 3-port valve is not available.

Note 2) When the internal pilot type and external pilot type of valves are mixed up on the manifold, order the manifold suitable for the specification of the external pilot valve.

Note 3) Valves with the external pilot have a pilot EXH with individual exhaust specification and EXH can be pressurized. However, the pressure supplied from EXH should be 0.4 MPa or lower.



Individual SUP spacer

SS0700-P-5-M5


Port size
M5 M5 thread

Mounted on the manifold block to make an independent supply port when each solenoid valve uses different operating pressure.

Weight: 7 g

- * Compatible with 8.5 mm pitch manifold only.
- * Cannot be mounted on the body ported manifold (SS0752).







Individual EXH spacer

SS0700-R-5-M5


Port size M5 M5 thread

Mounted on the manifold block to make an independent exhaust port when the exhaust from one valve affects valves on other stations in the air circuit.

Weight: 7 g

- * Compatible with 8.5 mm pitch manifold only.
- * Cannot be mounted on the body ported manifold (SS0752).








Port plug

VVQ0000-CP

The plug is used to block the cylinder port when using a 5-port valve as a 3-port valve

* When ordering a plug incorporated with a manifold, indicate "CM" for the port size in the manifold part number as well as the station number, mounting positions of cylinder port A/B, on the manifold specification sheet.








Blanking plug (For One-touch fittings)

KJP-02








Dimensions [mm]							
Applicable fitting size ø d	Model	Α	L	D	Weight [g]		
2	KJP-02	8.2	17	3	0.1		
3.2	KQ2P-23	16	31.5	5	1		
4	KQ2P-04	16	32	6	1		





Silencer (For manifold EXH port)





AN110-01 (BC sintered body)







SJ

SY

SY

S0700

\$0700



Double check block (Separated)


VQ1000-FPG-□□

It is used on the outlet side piping to keep the cylinder in the intermediate position for long periods of time. Combining the double check block with a built-in pilot type double check valve and a 2-position single/double solenoid valve will permit this block to be used for preventing the dropping at the cylinder stroke end when the SUP residual pressure is released.

Specifications

Max. operating pressure	0.8 MPa
Min. operating pressure	0.15 MPa
Ambient and fluid temperature	−5 to 50°C
Flow rate characteristics: C	0.60 dm3/(s-bar)
Max. operating frequency	180 c.p.m


Note) Based on JIS B 8375-1981 (Supply pressure: 0.5 MPa)



Dimensions Single Unit Manifold 2n x C4 C4: ø4 One-touch fitting assembly 2n x C4 C4: ø4 One-touch fitting assembly l, Mounting hole for M3 P=11 46 29.5 release manual release manual 38 override (43) DIN rail 2n x C3, C4, M5 2n x C3, C4, M5 clamping screw C3: ø3.2 One-touch fitting assembly C3: ø3.2 One-touch fitting assembly C4: ø4 One-touch fitting assembly C4: ø4 One-touch fitting assembly M5: M5 thread M5: M5 thread 2.5 Dimensions Formula L1 = 11n + 20 n: Station (Maximum 20 stations) 2 3 4 5 6 9 64 86 97 108 119 I 1 31 62.5 75 87.5 100 112.5 125 125 137.5 150 L3 60.5 73 85.5 98 110.5 123 135.5 135.5 148 160.5 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 **L1** 141 152 163 174 185 196 207 218 229 240 **L2** 162.5 175 187.5 187.5 200 212.5 225 237.5 250 250 L3 173 185.5 198 198 210.5 223 235.5 248 260.5 260.5

How to Order

Single unit, double check block



IN side port size

C4 ø4 One-touch fitting

• OU	I side port size			
M5	M5 thread			
СЗ	ø3.2 One-touch fitting			
C4	ø4 One-touch fitting			

Nil None
D DIN rail mounting (For manifold)
F With bracket
N With name plate

Note) When multiple symbols are specified, indicate them alphabetically. Example) -DN

Manifold (DIN rail mounting) VVQ1000 — FPG — 06

When ordering a double check block, order the DIN rail mounting [-D].

5	Stations
01	1 station
	:
16	16 stations

<Example>

VVQ1000-FPG-06···6-station manifold

* VQ1000-FPG-C4M5-D: 6 sets Double check block

∧Caution

Air leakage from the pipe between the valve and cylinder or from the fittings will prevent the cylinder from stopping for long periods of time. Check for the leakage using neutral household detergent, such as dish washing soap.

Option


- Also, check the cylinder's tube gasket, piston seal and rod seal for air leakage.

 Since One-touch fittings allow slight air leakage, screw piping (with M5 thread) is
- recommended when stopping the cylinder in the middle for long periods of time.

 M5 fitting assembly is attached, not incorporated into the double check block.

 After screwing in the M5 fittings, mount the assembly on the double check

 block. {Tighttening torque: 0.8 to 1.2 N·m}
- If the exhaust of the double check block is restricted too much, the cylinder may not operate properly and may not stop intermediately.



Bracket Assembly

Part no.	Tightening torque
VQ1000- FPG-FB	0.22 to 0.25 N·m

2(B) 4(A)


Note) This torque is used to mount the bracket on the double check block.




Construction





2-Position Single







2-Position Double






3-Position Closed Center





4-Position Dual 3-Port Valve

Component Parts



① 1	S07A6 _{4(A)}
	5(R1)
	1(P) N.C. + N.C.
	S07B6 _{4(A)}
6 8	

No.	Description	Material
1	Body	Zinc die-casted
2	Spool	Aluminum
3	Piston	Resin
4	Manual override	Resin
5	Adapter plate	Resin
6	Interface gasket	HNBR
7	Pilot valve assembly	Refer to page 760.
8	PR plate	Resin Note)

\$07C6 4(A) 2(B) 5(R1) 3(R2) 1(P) N.C. + N.O.

1(P) N.O. + N.O.

5(R1)

2(B)


Note) The external pilot is made of aluminum.


Construction **S0700** Series



Construction

2-Position Single







SJ SY

SY


S0700 S0700


2-Position Double







3-Position Closed Center





4-Position Dual 3-Port Valve





1(P) N.C. + N.O.

Component Parts

No.	Description	Material
1	Body	Zinc die-casted
2	Spool	Aluminum
3	Piston	Resin
4	Manual override	Resin
5	Adapter plate	Resin
6	Interface gasket	HNBR
7	Pilot valve assembly	Refer to page 760.

Replacement Parts


<One-touch Fitting Assembly (For Cylinder Port)>





	Port size	Part no.
	ø2 One-touch fitting	KJH02-C1
⊒6	ø4 One-touch fitting	KJH04-C1
752	ø1/8" One-touch fitting	KJH01-C1
	ø5/32" One-touch fitting	KJH03-C1
	ø2 One-touch fitting	VVQ0000-50A-C2
	ø3.2 One-touch fitting	VVQ0000-50A-C3
		VVQ0000-50A-C4
	ø1/8" One-touch fitting	VVQ0000-50A-N1
55	ø5/32" One-touch fitting	VVQ0000-50A-N3
	ø2 Barb fitting	SS070-50A-20
	ø3.2 Barb fitting	SS070-50A-32
Pilcri	ø4 Barb fitting	SS070-50A-40
7		## ## ## ## ## ## ## ## ## ## ## ## ##

Note) Purchasing order is available in units of 10 pieces.



600 mm

1000 mm

Note) Standard wire length of valve with plug connector is 300 mm. When ordering a lead wire length of 600 mm or longer, list the part numbers for the valve without connector and the connector assembly.

6

10

<Gasket, Screw Assembly>



For internal pilot S0700-GS-2 Body ported For external pilot S0700-GS-2R Base mounted S0700-GS-5 Note) Above part number consists of 10 units. Each unit has one gasket and two screws.


<Sub-plate>

Base
Mounted

Type
For internal pilot
For external pilot

<Pilot Valve Assembly>





Electrical entry

Symbol	Specifications	
G	Grommet	
С	Plug connector, with lead wire (With light/surge voltage suppressor)	
СО	Plug connector, without lead wire (With light/surge voltage suppressor)	

Note) For pilot valve assembly replacement, refer to "Specific Product Precautions" on page 764.

<SI Unit (EX510 series)> EX510-S 0 01




Output specifications

 NPN output (Positive common) PNP output (Negative common)

<Silencer Element>








Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 3 to 9 for 3/4/5 Port Solenoid Valve Precautions.

Manual Override

The manual override is used for switching the main valve.

Push type (Tool required)


Push down on the manual override button with a tool such as a small screwdriver until it stops.



How to Attach/Detach Plug Connector

To attach a connector, hold the lever and connector unit between your fingers and insert straight onto the pins of the solenoid valve so that the lever's pawl is pushed into the groove and locks.

To detach a connector, remove the pawl from the groove by pushing the lever downward with your thumb, and pull the connector straight out.




Note) In order not to damage the connector and cover, do not pull the lead wire excessively (with a force of 10 N or more).


How to Mount Valve


⚠ Caution

Tighten the bolts firmly to stop the gasket from coming away from the valve using the appropriate torque as shown on the following table.

Proper tightening torque [N·m] 0.17 to 0.23









SY

SY S0700

S0700



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 3 to 9 for 3/4/5 Port Solenoid Valve Precautions.


How to Replace One-touch Fittings

⚠ Warning

The cylinder port fittings are a cassette for easy replacement.

Base Mounted

The fittings are blocked by a clip inserted from the top of the valve. Remove the clip with a tool such as a flat blade screwdriver to remove fittings. For replacement, insert the fitting assembly until it strikes against the inside wall and then re-insert the clip to the specified position.




	Applicable tube O.D.	Fitting assembly part no.
8.5 mm pitch (One-touch fitting)	Applicable tube ø2	VVQ0000-50A-C2
	Applicable tube ø3.2	VVQ0000-50A-C3
	Applicable tube ø4	VVQ0000-50A-C4
	Applicable tube ø1/8"	VVQ0000-50A-N1
	Applicable tube ø5/32"	VVQ0000-50A-N3
7.5 mm pitch	Barb fitting ø2	SS070-50A-20
(Barb fitting)	Barb fitting ø3.2	SS070-50A-32
	Barb fitting ø4	SS070-50A-40

^{*} Part number is for one fitting assembly. Please order it in units of 10 pieces.

Body Ported

The fittings are blocked by a clip. After removing the corresponding valve and take out the clip with a tool such as watchmakers' flat blade screwdriver, then replace the fittings. For mounting, insert the fitting until it strikes against the inside wall and then insert the clip to the specified position.



* Part number is for one fitting assembly. Please order it in units of 10 pieces.


How to Replace Silencers

A single body ported valve has a built-in silencer.

A dirty and clogged silencer may reduce cylinder speed or cause a malfunction. Replace the silencer periodically.

To replace the silencer, remove the PR plate after removing the clip, and then remove the old element with a tool such as a flat blade screwdriver.

Element part number: **S0700-82A-1** 1 set includes 10 pieces. (for 5 valves)



Other Tube Brands

∧ Caution

When using other than SMC brand tube, confirm that the following specifications are satisfied with respect to the tube outside diameter tolerance.

1) Nylon tube within ±0.1 mm
2) Soft nylon tube within ±0.1 mm
3) Polyurethane tube within +0.15 mm,
within -0.2 mm

Do not use tube which do not meet these outside diameter tolerances. It may not be possible to connect them, or they may cause other trouble, such as air leakage or the tube pulling out after connection.



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 3 to 9 for 3/4/5 Port Solenoid Valve Precautions.

One-touch Fittings

Tube attachment/detachment for One-touch fittings

1) Tube attachment

- 1. Take a tube having no flaws on its periphery and cut it off at a right angle. When cutting the tube, use tube cutters TK-1, 2 or 3. Do not use pinchers, nippers or scissors, etc. If cutting is done with tools other than tube cutters, the tube may be cut diagonally or become flattened, etc., making a secure installation impossible. Allow some extra length in the tube.
- 2. The outside diameter of the polyurethane tube swells when internal pressure is applied to it. Therefore, it may be possible that the tube cannot be re-inserted into the One-touch fitting. Check the tube outside diameter, and when the accuracy of the outside diameter is +0.07 mm or larger for ø2, +0.15 mm or larger for other sizes, insert into the One-touch fitting again, without cutting the tube to use it. When the tube is reinserted into the One-touch fitting, confirm that the tube goes through the release button smoothly.
- Grasp the tube, slowly push it straight (0 to 5°) into the Onetouch fitting until it comes to a stop.
- 4. After inserting the tube, pull on it lightly to confirm that it will not come out. If it is not installed securely all the way into the fitting, this can cause problems such as air leakage or the tube pulling out.

2) Tube detachment

- Push in the release button sufficiently, pushing its collar equally around the circumference.
- Pull out the tube while holding down the release button so that it does not come out. If the release button is not pressed down sufficiently, there will be increased bite on the tube and it will become more difficult to pull it out.
- 3. When the removed tube is to be used again, cut off the portion which has been chewed before reusing it. If the chewed portion of the tube is used as is, this can cause trouble such as air leakage or difficulty in removing the tube.

Do not apply unnecessary forces such as twisting, pulling, moment loads, vibration and impact, etc. on fittings or tubing.


A force of 20 N or more applied to the fitting and/or tube can cause damage to the valve and/or fitting, crushing, bursting, or detachment of tubing, or air leakage.

Internal Wiring Specifications


↑ Caution

Light/surge voltage suppressor

No polarity by adopting non-polar light.



Note) Coil surge voltage generated when OFF is about –60 V. Please contact SMC separately for further suppression of the coil surge voltage.



Surge Voltage Intrusion

⚠ Caution

The surge voltage created when the power supply is cut off could apply to the de-energized load equipment through the output circuit. In cases where the energized load equipment has a larger capacity (power consumption) and is connected to the same power supply as the product, the surge voltage could malfunction and/or damage the internal circuit element of the product and the internal device of the output equipment. To avoid this situation, place a diode which can suppress the surge voltage between the COM lines of the load equipment and output equipment.



SJ

SY

SY

S0700

\$0700



Be sure to read this before handling the products. Refer to back page 50 for Safety Instructions and pages 3 to 9 for 3/4/5 Port Solenoid Valve Precautions.


How to Replace Pilot Valve

Removal

- Remove the stopper plate from the adapter plate assembly by using a flat blade screwdriver on the concave of the stopper plate.
- 2) Take off the pilot valve in horizontal direction.

Mounting

- 1) Mount the pilot valve on the adapter plate assembly.
- Insert the stopper plate into the adapter plate so that the stopper plate will not protrude from the end of the adapter plate.




How to Connect Tubing

⚠ Caution

<Base mounted/Barb fittings>

- Perpendicularly cut the tube to the necessary length by using an SMC tube cutter TK-1, 2, 3 or 6.
- Firmly insert the tube into the barb fitting. Insufficient insertion of the tube could cause the air leakage and/or disconnection of the tube.
- 3) When inserting the tube into the barb fitting, move the tube in parallel to the axis of the barb fitting to avoid any excessive side load to the fitting.



- 4) Pay attention not to apply any excessive side load to the barb fitting when removing it from the tube. When using a tube cutter or something similar, be careful not to damage or crack the fitting.
- Do not apply any excessive load such as tensile, compressive or bending force to the tube once connected.